

All Contests > SJIT_Dream > Minimum Platforms 4

Minimum Platforms 4

Problem Submissions Leaderboard Discussions

Given the arrival and departure times of all trains that reach a railway station, the task is to find the minimum number of platforms required for the railway station so that no train waits. We are given two arrays that represent the arrival and departure times of trains that stop.

Input Format

size of the array first array is arrival time elements second array is departure times elements

Constraints

Constraints: $1 \le n \le 50000$ $0000 \le A[i] \le D[i] \le 2359$

Expected Time Complexity: O(nLogn) Expected Auxiliary Space: O(1)

Output Format

print the minimum platforms

Sample Input 0

```
6
900 940 950 1100 1500 1800
910 1200 1120 1130 1900 2000
```

Sample Output 0

3

Explanation 0

Minimum 3 platforms are required to safely arrive and depart all trains.

Sample Input 1

3 900 1100 1235 1000 1200 1240

Sample Output 1

1



Contest ends in a month

Submissions: 19 Max Score: 10 Difficulty: Medium

Rate This Challenge: ☆☆☆☆☆

Java 15





```
1 ▼import java.io.*;
   import java.util.*;
 3
  ▼public class Solution {
 5
6 ▼
        public static void main(String[] args) {
            /* Enter your code here. Read input from STDIN. Print output to STDOUT. Your class should
7 🔻
   be named Solution. */
            Scanner sc=new Scanner(System.in);
 8
            int n=sc.nextInt();
 9
            int at[]=new int[n];
10 ₹
            int dt[]=new int[n];
11 ▼
            for(int i=0;i<n;i++)</pre>
12
                 at[i]=sc.nextInt();
13 ▼
            for(int i=0;i<n;i++)</pre>
14
15 ▼
                 dt[i]=sc.nextInt();
16
            List<Integer> p=new ArrayList<>();
17
18 ▼
            p.add(dt[0]);
            for(int i=1;i<n;i++){</pre>
19 ₹
                 for(int j=0;j<p.size();j++){</pre>
20 ₹
                     int t=p.get(j);
21
                     if(t<at[i]){</pre>
22 ▼
23
                          p.remove(j);
                         p.add(dt[i]);
24 ▼
25
                          break;
                     }
26
27
                 if(!p.contains(dt[i])){
28
                     p.add(dt[i]);
29 🔻
30
                 }
31
            }
32
```

```
System.out.print(p.size());

34  }
35 }

Line: 1 Col: 1

Pupload Code as File  Test against custom input

Run Code  Submit Code
```

Interview Prep | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy |