CDAC MUMBAI

Concepts of Operating System Assignment 2

Part A

What will the following commands do?

- echo "Hello, World!"
- name="Productive"
- touch file.txt
- ls -a
- rm file.txt
- cp file1.txt file2.txt
- mv file.txt /path/to/directory/
- chmod 755 script.sh
- grep "pattern" file.txt
- kill PID
- mkdir mydir && cd mydir && touch file.txt && echo "Hello, World!" > file.txt && cat file.txt
- ls -1 | grep ".txt"
- cat file1.txt file2.txt | sort | uniq
- ls -l | grep "^d"
- grep -r "pattern" /path/to/directory/
- cat file1.txt file2.txt | sort | uniq –d
- chmod 644 file.txt
- cp -r source directory destination directory
- find /path/to/search -name "*.txt"
- chmod u+x file.txt
- echo \$PATH

Part B

Identify True or False:

- 1. **Is** is used to list files and directories in a directory. True
- 2. **mv** is used to move files and directories. True
- 3. **cd** is used to copy files and directories. False. (It is cp).
- 4. **pwd** stands for "print working directory" and displays the current directory. True
- 5. **grep** is used to search for patterns in files. True.

- 6. **chmod 755 file.txt** gives read, write, and execute permissions to the owner, and read and execute permissions to group and others.True.
- 7. **mkdir -p directory1/directory2** creates nested directories, creating directory2 inside directory1 if directory1 does not exist. True.
- 8. **rm -rf file.txt** deletes a file forcefully without confirmation. True.

Identify the Incorrect Commands:

- 1. **chmodx** is used to change file permissions. **chmod**
- 2. cpv is used to copy files and directories.- cp
- 3. **mkfile** is used to create a new file.- touch
- 4. catx is used to concatenate files. cat
- 5. **rn** is used to rename files.- ren

Part C

Question 1: Write a shell script that prints "Hello, World!" to the terminal.

Question 2: Declare a variable named "name" and assign the value "CDAC Mumbai" to it. Print the value of the variable.

Question 3: Write a shell script that takes a number as input from the user and prints it.

Question 4: Write a shell script that performs addition of two numbers (e.g., 5 and 3) and prints the result.

Question 5: Write a shell script that takes a number as input and prints "Even" if it is even, otherwise prints "Odd".

Question 6: Write a shell script that uses a for loop to print numbers from 1 to 5.

Question 7: Write a shell script that uses a while loop to print numbers from 1 to 5.

Question 8: Write a shell script that checks if a file named "file.txt" exists in the current directory. If it does, print "File exists", otherwise, print "File does not exist".

Question 9: Write a shell script that uses the if statement to check if a number is greater than 10 and prints a message accordingly.

Question 10: Write a shell script that uses nested for loops to print a multiplication table for numbers from 1 to 5. The output should be formatted nicely, with each row representing a number and each column representing the multiplication result for that number.

Question 11: Write a shell script that uses a while loop to read numbers from the user until the user enters a negative number. For each positive number entered, print its square. Use the **break** statement to exit the loop when a negative number is entered.

Part D

Common Interview Questions (Must know)

- 1. What is an operating system, and what are its primary functions?
- 2. Explain the difference between process and thread.
- 3. What is virtual memory, and how does it work?
- 4. Describe the difference between multiprogramming, multitasking, and multiprocessing.
- 5. What is a file system, and what are its components?
- 6. What is a deadlock, and how can it be prevented?
- 7. Explain the difference between a kernel and a shell.
- 8. What is CPU scheduling, and why is it important?
- 9. How does a system call work?
- 10. What is the purpose of device drivers in an operating system?
- 11. Explain the role of the page table in virtual memory management.
- 12. What is thrashing, and how can it be avoided?
- 13. Describe the concept of a semaphore and its use in synchronization.
- 14. How does an operating system handle process synchronization?
- 15. What is the purpose of an interrupt in operating systems?
- 16. Explain the concept of a file descriptor.
- 17. How does a system recover from a system crash?
- 18. Describe the difference between a monolithic kernel and a microkernel.
- 19. What is the difference between internal and external fragmentation?
- 20. How does an operating system manage I/O operations?
- 21. Explain the difference between preemptive and non-preemptive scheduling.
- 22. What is round-robin scheduling, and how does it work?
- 23. Describe the priority scheduling algorithm. How is priority assigned to processes?
- 24. What is the shortest job next (SJN) scheduling algorithm, and when is it used?
- 25. Explain the concept of multilevel queue scheduling.
- 26. What is a process control block (PCB), and what information does it contain?
- 27. Describe the process state diagram and the transitions between different process states.
- 28. How does a process communicate with another process in an operating system?
- 29. What is process synchronization, and why is it important?
- 30. Explain the concept of a zombie process and how it is created.
- 31. Describe the difference between internal fragmentation and external fragmentation.
- 32. What is demand paging, and how does it improve memory management efficiency?
- 33. Explain the role of the page table in virtual memory management.
- 34. How does a memory management unit (MMU) work?
- 35. What is thrashing, and how can it be avoided in virtual memory systems?
- 36. What is a system call, and how does it facilitate communication between user programs and the operating system?
- 37. Describe the difference between a monolithic kernel and a microkernel.
- 38. How does an operating system handle I/O operations?
- 39. Explain the concept of a race condition and how it can be prevented.

- 40. Describe the role of device drivers in an operating system.
- 41. What is a zombie process, and how does it occur? How can a zombie process be prevented?
- 42. Explain the concept of an orphan process. How does an operating system handle orphan processes?
- 43. What is the relationship between a parent process and a child process in the context of process management?
- 44. How does the fork() system call work in creating a new process in Unix-like operating systems?
- 45. Describe how a parent process can wait for a child process to finish execution.
- 46. What is the significance of the exit status of a child process in the wait() system call?
- 47. How can a parent process terminate a child process in Unix-like operating systems?
- 48. Explain the difference between a process group and a session in Unix-like operating systems.
- 49. Describe how the exec() family of functions is used to replace the current process image with a new one.
- 50. What is the purpose of the waitpid() system call in process management? How does it differ from wait()?
- 51. How does process termination occur in Unix-like operating systems?
- 52. What is the role of the long-term scheduler in the process scheduling hierarchy? How does it influence the degree of multiprogramming in an operating system?
- 53. How does the short-term scheduler differ from the long-term and medium-term schedulers in terms of frequency of execution and the scope of its decisions?
- 54. Describe a scenario where the medium-term scheduler would be invoked and explain how it helps manage system resources more efficiently.

Part E

1. Consider the following processes with arrival times and burst times:

Process Arrival Time Burst T				
 P1	0	5		
P2	1	3		
P3	2	6		

Calculate the average waiting time using First-Come, First-Served (FCFS) scheduling.

2. Consider the following processes with arrival times and burst times:

Process Arrival Time Burst Time					
P1	0	3			
P2	1	5	1		
P3	2	1	İ		
P4	3	4			

Calculate the average turnaround time using Shortest Job First (SJF) scheduling.

3. Consider the following processes with arrival times, burst times, and priorities (lower number indicates higher priority):

Process Arrival Time Burst Time Priority				
	P1	0	6	3
ĺ	P2	1	4	1
ĺ	P3	2	7	4
ĺ	P4	3	2	2

Calculate the average waiting time using Priority Scheduling.

4. Consider the following processes with arrival times and burst times, and the time quantum for Round Robin scheduling is 2 units:

Process Arrival Time Burst Time					
		-			
P1	0	4			
P2	1	5			
P3	2	2			
P4	3	3			

Calculate the average turnaround time using Round Robin scheduling.

5. Consider a program that uses the **fork()** system call to create a child process. Initially, the parent process has a variable **x** with a value of 5. After forking, both the parent and child processes increment the value of **x** by 1.

What will be the final values of x in the parent and child processes after the fork() call?

Submission Guidelines:

- Document each step of your solution and any challenges faced.
- Upload it on your GitHub repository

Additional Tips:

- Experiment with different options and parameters of each command to explore their functionalities.
- This assignment is tailored to align with interview expectations, CCEE standards, and industry demands.
- If you complete this then your preparation will be skyrocketed.