## **WJP CCEE Practice Test**

Total points 17/19



0 of 0 points

PRN: * 240840320085	
Centre: *	
Kharghar	
Name: *	
Rohit Owal	
Quizz	17 of 19 points
✓ What is the correct sequence of method calls in the lifecycle of servlet?	fa <b>*</b> 1/1
A) init(), doGet()/doPost(), service(), destroy()	
B) init(), service(), doGet()/doPost(), destroy()	
C) init(), doGet()/doPost(), destroy(), service()	
D) init(), service(), destroy()	✓

<b>✓</b>	Which JDBC class or interface is used to retrieve the results of a SQL query?	*1/1
•	A) ResultSet	<b>✓</b>
0	B) Statement	
0	C) Connection	
0	D) SQLException	
<b>/</b>	Which tag in the web.xml file is used to map a servlet to a specific URL pattern?	*1/1
0	A) <url-mapping></url-mapping>	
•	B) <servlet-mapping></servlet-mapping>	<b>✓</b>
0	C) <servlet-url></servlet-url>	
0	D) <mapping-url></mapping-url>	
×	What is the way with which we can use constructor for a servlet? *	0/1
0	Initialization and Constructor function	
0	Setup() method	
0	Constructor Function	
•	Initialization	×
Corr	ect answer	
•	Initialization and Constructor function	

×	Which of the following is a correct statement about the servlet context?	<b>*</b> 0/1
•	A) It is an object that provides information about the servlet configuration.	×
0	B) It is an object that allows servlets to communicate with each other.	
0	C) It is an object that provides methods for handling client requests.	
0	D) It is an object that allows servlets to interact with the web server.	
Corre	ect answer	
•	D) It is an object that allows servlets to interact with the web server.	
<b>~</b>	What is the purpose of the PreparedStatement in JDBC? *	1/1
0	A) To execute dynamic SQL queries	
•	B) To execute precompiled SQL queries	<b>✓</b>
0	C) To manage database transactions	
0	D) To retrieve metadata	
	Which method is used to execute an SQL statement that does not return a ResultSet, such as an INSERT, UPDATE, or DELETE statement?	*1/1
•	A) executeUpdate()	<b>✓</b>
0	B) executeQuery()	
0	C) execute()	
0	D) executeCommand()	

<b>✓</b>	Which method is used to establish a connection to a database in JDBC?	* 1/1
•	A) DriverManager.getConnection()	<b>✓</b>
0	B) DriverManager.createConnection()	
0	C) DriverManager.connect()	
0	D) DriverManager.openConnection(	
<b>~</b>	What is a servlet in Java? *	1/1
0	A) A Java program that runs on the client side	
•	B) A Java program that runs on the server side	<b>✓</b>
0	C) A JavaScript function	
0	D) A type of database connection	
<b>/</b>	What is the primary purpose of the web.xml file in a Java web application?	*1/1
0	A) To store Java class files	
•	B) To configure servlet mappings and other web application settings	<b>✓</b>
0	C) To manage database connections	
0	D) To define the structure of HTML pages	

~	Which of the statement is correct? *	1/1
0	A - The JDBC module provides a JDBC-abstraction layer that removes the need do tedious JDBC related coding.	to
0	B - The ORM module provides integration layers for popular object-relational mapping APIs, including JPA, JDO, Hibernate, and iBatis.	
0	C - The Java Messaging Service JMS module contains features for producing a consuming messages.	nd
•	D - All of the above.	<b>✓</b>
	Have an very act on HTTD recognized attack and in a complet?	1./1
	How can you set an HTTP response status code in a servlet? *	1/1
0	A) response.sendError()	
•	B) response.setStatus()	<b>✓</b>
0	C) response.sendRedirect()	
0	D) response.setError()	
<b>~</b>	Which HTTP method is used to request a resource without changing its state on the server?	*1/1
•	A) GET	<b>✓</b>
0	B) POST	
0	C) PUT	
0	D) DELETE	

~	Which of the following is NOT a component of JDBC architecture? *	1/1
0	A) JDBC Driver	
0	B) Driver Manager	
0	C) JDBC URL	
•	D) HTTP Servlet	<b>✓</b>
<b>/</b>	What is the purpose of the web.xml file in a servlet-based application? *	1/1
0	A) To define servlet classes	
0	B) To configure URL mappings for servlets	
0	C) To set initialization parameters	
•	D) All of the above	<b>✓</b>
<b>/</b>	Which method is called when a servlet is first loaded into memory? *	1/1
0	A) service()	
•	B) init()	<b>✓</b>
0	C) doGet()	
0	D) doPost()	

How many times is the init() method called during the lifecycle of a servlet?	*1/1
A) Once	<b>✓</b>
B) Once for each client request	
C) Once for each HTTP method (GET, POST, etc.)	
O) It depends on the servlet configuration	
doGet(), doPost(),doHead, doDelete(), doTrace() * Choose What type of servlets use these methods?	1/1
Generic servlet	
HttpServlets	<b>✓</b>
GlobalServlets	
None of the above	
✓ Which class is the superclass of all servlets? *	1/1
A) javax.servlet.HttpServlet	
B) javax.servlet.GenericServlet	<b>✓</b>
C) java.lang.Object	
D) javax.servlet.Servlet	

This content is neither created nor endorsed by Google. Report Abuse - Terms of Service - Privacy Policy

## Google Forms