

✗ Which are the different modes of autowiring? \*

0/1

☒ A - no, byName, byType, constructor, autodetect ✗

☐ B - no, byName, byType, constructor, autocorrect

☐ C - byName, byContent, constructor, autodetect

☐ D - byName, byContent, setter, autodetect

Correct answer

☒ B - no, byName, byType, constructor, autocorrect

✓ If a bean is scoped to HTTP request, scope is \*

1/1

☐ A - session

☐ B - global-session

☐ C - prototype

☒ D - request ✓

✓ Which module of the Spring Framework is used for building web applications?

\*1/1

- ☐ a) Spring Boot
- ☐ b) Spring ORM
- ☐ c) Spring AOP
- ☒ d) Spring MVC



✗ Which of the following is a Spring project designed to simplify building microservices? \*0/1

- ☐ a) Spring Data
- ☐ b) Spring Cloud
- ☐ c) Spring MVC
- ☒ d) Spring Boot



Correct answer

- ☒ b) Spring Cloud

✓ Which of the following annotations is used to indicate a controller in Spring MVC? \*1/1

☐ a) @Component

☒ b) @Controller ✓

☐ c) @Service

☐ d) @Repository

✓ To publish a REST service with Spring. \* 1/1

☐ a) accessing data from third-party REST services

☐ b) publishing an application's data as a REST service

☐ c) none of the mentioned

☒ d) all of the mentioned ✓

✓ Spring HibernateTemplate can simplify your DAO implementation by managing sessions and transactions for you. \*1/1

☒ a) True ✓

☐ b) False

✓ Sessionfactory can manage contextual sessions for you and allows you to retrieve them by the:- \*1/1

- ☐ a) getSession() method
- ☐ b) getCurrent() method
- ☒ c) getCurrentSession() method ✓
- ☐ d) none of the mentioned

✗ DAO methods require access to the session factory, which can be injected: \*0/1

- ☐ a) a setter method
- ☒ b) constructor argument ✗
- ☐ c) none of the mentioned
- ☐ d) all of the mentioned

Correct answer

- ☒ d) all of the mentioned

✓ HibernateTemplate will translate the native Hibernate exceptions into exceptions in Spring DataAccessException hierarchy. \*1/1

- ☒ a) True ✓
- ☐ b) False

✓ Annotation for Hibernate exceptions to be translated into Spring  
DataAccessException for consistent exception handling:-

\*1/1

- ☐ a) @Translation
- ☐ b) @Repo
- ☒ c) @Repository ✓
- ☐ d) None of the mentioned

✓ You can assign a component name in this annotation and have the  
session factory autowired by the Spring IoC container with  
@Autowired.

\*1/1

- ☒ a) True ✓
- ☐ b) False

✓ JpaTemplate will translate the native JPA exceptions into exceptions  
in Spring DataAccessException hierarchy.

\*1/1

- ☒ a) True ✓
- ☐ b) False

✓ Group id to add spring security using Maven.

\*1/1

```
<dependency>  
<groupId></groupId>  
<artifactId>spring-security-core</artifactId>  
<version>3.0.2.RELEASE</version>  
</dependency>
```

- ☐ a) org.springframework.secure
- ☒ b) org.springframework.security ✓
- ☐ c) org.springframework.securedflow
- ☐ d) none of the mentioned

✓ Which attribute is used to access security element of web flow. \*

1/1

- ☐ a) attribute
- ☐ b) attributes-security
- ☒ c) attributes ✓
- ☐ d) none of the mentioned

✓ Which of the following is not an advantage of Hibernate Criteria API? \* 1/1

- ☐ a) Allows to use aggregate functions
- ☒ b) Cannot order the result set ✓
- ☐ c) Allows to fetch only selected columns of result
- ☐ d) Can add conditions while fetching results

✓ SessionFactory is a thread-safe object \* 1/1

- ☒ a) True ✓
- ☐ b) False

✓ What is the primary feature of Spring Boot? \* 1/1

- ☐ Simplifies data access
- ☐ Automates code generation
- ☒ Simplifies project setup ✓
- ☐ Enhances UI design

✓ How does an Introduction advice do this in Spring? \*

1/1

☐ a) web proxy

☒ b) dynamic proxy



☐ c) implements org.springframework.net.bundle interface

☐ d) none of the mentioned

✓ What does Spring Boot provide to simplify application development? \* 1/1

☐ a) A built-in web server

☐ b) Starter dependencies

☐ c) Automatic configuration

☒ d) All of the mentioned



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#).

Does this form look suspicious? [Report](#)

Google Forms