```
#include<stdio.h>
//calculation of gross salary
int main(){
      //bs=bsic salary, da=dearness allow, hra=house rent allowance, ta=transport
al I owance
      int bs;
      printf("entre basic salary :");
      scanf("%d", &bs);
      int da, hra, ta;
      da=(10/100.0)*bs;
      hra=(5/100.0)*bs;
      ta=(2/100)*bs;
      printf("entre da :%f\n", da);
      printf("entre hra: %f\n", hra);
      printf("entre tra :%f\n", ta);
      float t:
      t= bs+da+hra+ta;
      printf("gross salary :%f\n",t);
       return 0;
P Online C Compiler - Programiz × +
                                                                                                               - a ×
                                                                                         C 0 A
                  🕽 🐾 programiz.com/c-programming/online-compiler/

    Brave isn't your default browser
    Set as default

     rogramiz
                                                                                                          Programiz PRO >
                                        [] ( Share Run
                                                               Output
      main.c
                                                                                                                  Clear
                                                              entre basic salary :200000
      1 #include<stdio.h>
 @
                                                              entre da :20000.000000
      2 //calculation of gross salary
      3 - int main(){
                                                              entre hra:10000.000000
 //bs=bsic salary,da=dearness allow,hra=house rent allowance,ta=transport
                                                              entre tra :4000.000000
              allowance
                                                              gross salary :234000.000000
           int bs:
 9
           printf("entre basic salary :"):
scanf("%d", &bs);
                                                               === Code Execution Successful ===
          float da,hra,ta;
 •
           hra=(5/100.0)*bs:
 0
           printf("entre da :%f\n",da);
printf("entre hra:%f\n",hra);
 0
           printf("entre tra :%f\n",ta);
           float t;
           t= bs+da+hra+ta;
           printf("gross salary :%f\n",t);
      20
 H
      22 }
                    Type here to search
```