

HTML Tags & Controls - Complete Easy Notes

- With Examples • Basic Attributes

1. Text Formatting Tags

■ Explanation: These tags change the appearance or importance of text.

★ Important Points:

 Bold

<i> Italic

<u> Underline

 Important (bold)

 Emphasized (italic)

💡 Example:

```
<b>Bold</b>
```

```
<i>Italic</i>
```

```
<u>Underline</u>
```

```
<strong>Important</strong>
```

```
<em>Emphasis</em>
```

2. Superscript & Subscript

■ Explanation: Used for mathematical powers and chemical formulas.

★ Important Points:

<sup> = above the line

<sub> = below the line

💡 Example:

```
x<sup>2</sup>
```

```
H<sub>2</sub>O
```

```
CO<sub>2</sub>
```

3. Pre & Code

■ Explanation: <pre> keeps formatting exactly as typed. <code> displays programming code.

💡 Example:

```
<pre>
```

```
Hello
```

```
    HTML
```

```
</pre>  
<code>printf("Hello");</code>
```

4. Headings & Paragraph

■ Explanation: Headings organize content. <h1> is largest and <h6> is smallest. <p> creates paragraphs.

💡 Example:

```
<h1>Main</h1>  
...  
<h6>Small</h6>  
<p>Paragraph</p>
```

5. Address, Blockquote, Marquee, Link, Meta

■ Explanation: Useful HTML tags.

★ Important Points:

Address-contact

Blockquote-quotation

Marquee-scrolling text

Link-hyperlink

Meta-page information

💡 Example:

```
<address>Rajkot</address>  
<blockquote>Never Give Up</blockquote>  
<marquee direction='right'>Welcome</marquee>  
<a href='https://google.com'>Google</a>  
<meta charset='UTF-8'>
```

6. Anchor & Image

■ Explanation: Anchor creates hyperlinks. Image displays pictures.

★ Important Points:

Anchor attrs: href,target,title

Image attrs: src,alt,width,height

💡 Example:

```
<a href='https://google.com' target='_blank'>Google</a>  
<img src='cat.jpg' alt='Cat' width='200'>
```

7. Iframe

■ Explanation: Embeds another webpage, map or YouTube video.

★ Important Points:

Attrs: src,width,height,title

💡 Example:

```
<iframe src='https://example.com' width='500' height='300'></iframe>
```

8. Lists

■ Explanation: Three types: Ordered, Unordered, Description.

★ Important Points:

OL types: 1, A, a, I, i

UL types: disc, circle, square

DL: dl dt dd

💡 Example:

```
<ol type='A'><li>HTML</li></ol>
<ul type='square'><li>Apple</li></ul>
<dl><dt>HTML</dt><dd>Language</dd></dl>
```

9. Emmet Shortcuts

■ Explanation: Shortcuts in VS Code.

★ Important Points:

lorem = dummy text

lorem20 = 20 words

li*6 = six list items

💡 Example:

```
<li></li>
<li></li>
<li></li>
<li></li>
<li></li>
<li></li>
<li></li>
```

Quick Viva Tips

- is semantic, is only bold.
- is semantic, <i> is only italic.
- <sup> = power, <sub> = formula.
- href defines link address.
- alt shows text if image cannot load.
- iframe embeds another webpage.