

Alternative way to drive slow mode in AstroGK: Laplace-Fourier analysis

Yuguang Tong

October 4, 2016

1 Gyrokinetic and Maxwell's equations

Fourier transformed gyrokinetic equation:

$$\frac{\partial g_{\mathbf{k}s}}{\partial t} + ik_{\parallel} v_{\parallel} g_{\mathbf{k}s} + \frac{q_s}{T_s} v_{\parallel} F_{0s} ik_{\parallel} \tilde{\phi} = -\frac{q_s}{T_s} F_{0s} \frac{\tilde{A}}{\partial t} \quad (1)$$

where $\tilde{\phi}$ and \tilde{A} are the source terms:

$$\tilde{\phi} = j_0(k_{\perp} \rho_{\perp s}) \phi_{\mathbf{k}} + \frac{J_1(k_{\perp} \rho_{\perp s})}{k_{\perp} \rho_{\perp s}} \frac{m v_{\perp}^2}{q_s} \frac{\delta B_{\parallel \mathbf{k}}}{B_0} \quad (2)$$

$$\tilde{A} = J_0(k_{\perp} \rho_{\perp s}) \frac{v_{\parallel} A_{\parallel \mathbf{k}}}{c} \quad (3)$$

where $\rho_{\perp s} = v_{\perp} / \Omega_{cs}$.

The Poisson equation:

$$\begin{aligned} \sum_s \frac{q_s^2 n_s}{T_s} (1 - \Gamma_{0s}(\alpha_s)) \phi_{\mathbf{k}} - \sum_s q_s n_s \Gamma_{1s}(\alpha_s) \frac{\delta B_{\parallel \mathbf{k}}}{B_0} \\ = \sum_s q_s \int d^3 \mathbf{v} J_0(k_{\perp} \rho_{\perp s}) g_{\mathbf{k}s} \end{aligned} \quad (4)$$

The parallel component of Ampere's law

$$\frac{c k_{\perp}^2}{4\pi} A_{\parallel \mathbf{k}} = \sum_s q_s \int d^3 \mathbf{v} v_{\parallel} J_0(k_{\perp} \rho_{\perp s}) g_{\mathbf{k}s} \quad (5)$$

where $\alpha_s = k_\perp^2 \rho_s^2 / 2$.

The perpendicular component of Ampere's law

$$\sum_s q_s n_s \Gamma_{1s}(\alpha_s) \phi_{\mathbf{k}} + \frac{\delta B_{\parallel \mathbf{k}}}{B_0} \left(\frac{B_0^2}{4\pi} + \sum_s n_s T_s \Gamma_{2s}(\alpha_s) \right) = - \sum_s T_s \int d^3 \mathbf{v} \frac{v_\perp^2}{v_{ts}^2} \frac{2J_1(k_\perp \rho_{\perp s})}{k_\perp \rho_{\perp s}} g_{\mathbf{k}s} \quad (6)$$

2 Driving through phase space density perturbation: I

(Adapted from Jason TenBarge's note)

Rather than driving B_{\parallel} to generate slow modes, let us consider driving $\delta_1 U_{\parallel}$ the bulk parallel flow. This will manifest as a perturbation on the distribution function, $g_s^{tot} = g_s + g_{as}$, where g_{as} denotes antenna driven perturbation. Note that each species must be driven separately to avoid generating a large J_{\parallel} in Ampere's law, which would drive Alfvén waves. An appropriate form for this term is

$$g_{as} = u_0(t) Z(z) \Psi(x, y) \frac{v_{\parallel s} e^{-v_s^2/v_{ts}^2} n_s}{N_{u,s} \pi^{3/2} v_{ts}^4} = u_0(t) Z(z) \Phi(x, y) \frac{\hat{v}_{\parallel s} F_{0s}}{N_{u,s}} \quad (7)$$

where

$$N_{u,s} = \frac{\hat{v}_{ts}}{\pi^{3/2}} \int d^3 \hat{v}_s J_0(\hat{k}_{\perp s} \hat{v}_{\perp s}) \hat{v}_{\parallel s} e^{-\hat{v}_s^2} = \frac{1}{2} \hat{v}_{ts} e^{-\hat{k}_{\perp s}^2/4} \quad (8)$$

and $\hat{v}_{ts} = v_{ts}/v_{t0}$, $\hat{v}_{\parallel s} = v_{\parallel s}/v_{ts}$, $\hat{k}_{\perp s} = k_{\perp} \rho_s$.

Now we add this antenna to the gyrokinetic equation and to the Maxwell's equations. To simplify the Fourier-Laplace solution, we assume

$$u_0(t) Z(z) \Psi(x, y) = u_0 e^{i(\mathbf{k}_0 \cdot \mathbf{r} - \omega_0 t)} \quad (9)$$

Therefore the phase space perturbation takes the form

$$g_{as} = u_0 e^{i(\mathbf{k}_0 \cdot \mathbf{r} - \omega_0 t)} \frac{2v_{\parallel s} v_{t0}}{v_{ts}^2} F_{0s} e^{(k_{\perp} \rho_s)^2/4} \quad (10)$$

whose spatial Fourier transform is

$$g_{\mathbf{k}as} = u_{\mathbf{k}0} e^{-i\omega_0 t} \frac{2v_{\parallel s} v_{t0}}{v_{ts}^2} F_{0s} e^{(k_{\perp} \rho_s)^2/4} \quad (11)$$

and whose Fourier-Laplace transform is

$$\hat{g}_{kas} = \int_0^\infty g_{kas} e^{-pt} dt = \frac{u_{k0}}{p + i\omega_0} \frac{2v_{\parallel s} v_{t0}}{v_{ts}^2} F_{0s} e^{(k_\perp \rho_s)^2/4} \quad (12)$$

2.1 Fourier-Laplace solution

We replace $g_{\mathbf{k}s}$ in Eq. (1) by $g_{\mathbf{k}s}^{tot} = g_{\mathbf{k}s} + g_{kas}$. Take Laplace transform of Eq. (1):

$$(p + ik_{\parallel} v_{\parallel}) \hat{g}_{\mathbf{k}s}^{tot} - g_{\mathbf{k}s}^{tot}(t=0) + \frac{q_s}{T_s} v_{\parallel} F_{0s} i k_{\parallel} \hat{\phi} = -\frac{q_s}{T_s} F_{0s} \left(p \hat{A} - \tilde{A}(t=0) \right) \quad (13)$$

Since this is a driven system, we can choose initial condition to simplify the solutions as much as possible, $\tilde{A}(t=0) = 0$ and $g_{\mathbf{k}s}^{tot}(t=0) = 0$.

Therefore, the perturbed distribution function $\hat{g}_{\mathbf{k}s}$ written in terms of fields takes the form:

$$\hat{g}_{\mathbf{k}s} = -\hat{g}_{kas} - \frac{1}{p + ik_{\parallel} v_{\parallel}} \left(\frac{q_s}{T_s} v_{\parallel} F_{0s} i k_{\parallel} \hat{\phi} + \frac{q_s}{T_s} F_{0s} p \hat{A} \right) \quad (14)$$

To solve for fields, we substitute the above expression into the Maxwell's equations, i.e., Eq. (4) - (6). To utilize what we already know to simplify derivation, we notice that if the antenna term \hat{g}_{kas} is absent, the Maxwell's equations take the familiar form of Eq. (4.85) in AstroGK manual, describing a homogeneous gyrokinetic system without driving. We simply need to add moments of \hat{g}_{kas} to Eq. (4.85) to obtain field equations in a driven system.

2.1.1 Poisson's equation

The antenna contribution to Eq. (4) would be on the RHS:

$$\sum_s q_s \int d^3v J_0(k_\perp \rho_{\perp s}) \hat{g}_{kas} \quad (15)$$

However, this term vanishes. To show this, we notice that integrand of v_{\parallel} integral has integrand $v_{\parallel} e^{v_{\parallel}^2/v_{ts}^2}$ (see Eq. (12)). Since the integrand is an odd function, and the integration limit is $(-\infty, \infty)$, the integral vanishes. Hence the antenna term leaves the Poisson equation unchanged.

2.1.2 Perpendicular Ampere's law

The antenna term does not modify Ampere's law for the same reason as above.

2.1.3 Parallel Ampere's law

We again consider antenna's contribution to the RHS:

$$\begin{aligned}
RHS_{ant} &= - \sum_s q_s \int d^3v v_{\parallel} J_0(k_{\perp} \rho_{\perp s}) \hat{g}_{\mathbf{k}as} \\
&= \sum_s q_s \int d^3v v_{\parallel} J_0(k_{\perp} \rho_{\perp s}) \left[- \frac{u_{\mathbf{k}0}}{p + i\omega_0} \frac{2v_{\parallel s} v_{t0}}{v_{ts}^2} F_{0s} e^{(k_{\perp} \rho_s)^2/4} \right] \\
&= \sum_s - \frac{q_s u_{k0} n_{0s}}{p + i\omega_0} \frac{2v_{t0}}{v_{ts}^2} e^{(k_{\perp} \rho_s)^2/4} I_{\parallel} I_{\perp}
\end{aligned} \tag{16}$$

where

$$I_{\parallel} = \int_{-\infty}^{\infty} dv_{\parallel} v_{\parallel}^2 e^{-v_{\parallel}^2/v_{ts}^2} = \frac{\sqrt{\pi}}{2} v_{ts}^3 \tag{17}$$

and

$$\begin{aligned}
I_{\perp} &= \int_0^{\infty} \frac{2\pi}{\pi^{3/2} v_{ts}^3} v_{\perp} dv_{\perp} J_0\left(k_{\perp} \rho_s \frac{v_{\perp}}{v_{ts}}\right) e^{-v_{\perp}^2/v_{ts}^2} \\
&= \frac{2}{\sqrt{\pi} v_{ts}} \int_0^{\infty} x dx J_0(k_{\perp} \rho_s x) e^{-x^2} \\
&= \frac{e^{-(k_{\perp} \rho_s)^2/4}}{\sqrt{\pi} v_{ts}}
\end{aligned} \tag{18}$$

Therefore

$$RHS_{ant} = \sum_s - \frac{q_s u_{k0} n_{0s} v_{t0}}{p + i\omega_0} \tag{19}$$

Since the plasma is quasi-neutral, the above expression vanishes as well.

2.1.4 Implication

The source term $g_{\mathbf{k}as}$ does not enter the Maxwell's equations. Hence in the Fourier-Laplace space, the Maxwell equation takes exactly the same homogeneous form as Eq. (6.104) in AstroGK manual. It is easy to see by evaluating Bromwich integral that all the fields remains zero.

2.2 Comparison with AstroGK

Jason TenBarge implemented the above antenna in AstroGK. Figure 1 shows that energy in δB_\perp grows with time and saturates under the antenna driving. The caption gives a detailed description of the plasma parameters. Diagnostic by magnetic variance anisotropy (MVA) that the energy is injected into the slow mode successfully. A decay run (not shown) also shows that Alfvén energy are several orders of magnitude lower than slow mode energy.

It is puzzling that while Fourier-Laplace solution predicts that the fields should vanish, the AstroGK seem to drive slow mode perfectly. As an attempt to reconcile this, we add the same antenna term to the gyrokinetic equation directly, without letting it enter through the distribution function g .

3 Driving through phase space density perturbation: II

In this section, we try to add antenna term in a different place in the gyrokinetic equation:

$$\frac{\partial g_{\mathbf{k}s}}{\partial t} + ik_\parallel v_\parallel g_{\mathbf{k}s} + \frac{q_s}{T_s} v_\parallel F_{0s} ik_\parallel \tilde{\phi} = -\frac{q_s}{T_s} F_{0s} \frac{\tilde{A}}{\partial t} + g_{\mathbf{k},ant,s} \quad (20)$$

where $g_{\mathbf{k},ant,s} = u_{\mathbf{k}0} e^{-i\omega_0 t} \frac{2v_{\parallel s} v_{t0}}{v_{ts}^2} F_{0s} e^{(k_\perp \rho_s)^2/4}$ is the same as the antenna term in Eq. (12). We point out that the constant term in the two equations are different since the antenna term is no longer inside time derivative in the above equation.

Applying Laplace transform to the gyrokinetic equation yields:

$$(p + ik_\parallel v_\parallel) \hat{g}_{\mathbf{k}s} - g_{\mathbf{k}s}(t=0) + \frac{q_s}{T_s} v_\parallel F_{0s} ik_\parallel \hat{\phi} = -\frac{q_s}{T_s} F_{0s} \left(p \hat{A} - \tilde{A}(t=0) \right) + \hat{g}_{\mathbf{k},ant,s} \quad (21)$$

In the driving simulation, the initial fields and distribution perturbation all vanishes, hence we have:

$$\hat{g}_{\mathbf{k}s} = -\frac{1}{p + ik_\parallel v_\parallel} \left(\frac{q_s}{T_s} v_\parallel F_{0s} ik_\parallel \hat{\phi} + \frac{q_s}{T_s} F_{0s} p \hat{A} \right) + \frac{\hat{g}_{\mathbf{k},ant,s}}{p + ik_\parallel v_\parallel} \quad (22)$$




Figure 1: AstroGK linear run with an antenna term in Eq. 12. The plasma has $\beta_p = 0.01$, $T_e = T_p$ which we drive with perturbation $\bar{\omega}_0 = \omega/k_{\parallel}v_A = 0.12$ and various amplitudes. The energy of the excited modes are dominated in parallel magnetic field fluctuations, and are proportional to the driving amplitudes. The magnetic variance anisotropy $MVA = \langle |\delta B_{\perp}|^2 \rangle / \langle |\delta B_{\parallel}|^2 \rangle = 0.019$ in the simulations. In comparison, hot plasma Vlasov-Maxwell's solution gives $MVA = 0.024$ for slow mode.

where

$$\hat{g}_{\mathbf{k},ant,s} = \int_0^\infty g_{\mathbf{k}as} e^{-pt} dt = \frac{u_{\mathbf{k}0}}{p + i\omega_0} \frac{2v_{\parallel s} v_{t0}}{v_{ts}^2} F_{0s} e^{(k_{\perp} \rho_s)^2/4} \quad (23)$$

Next we substitute the Eq. (22) into the Maxwell's equations to obtain a set of self consistent equations for the fields.

3.1 Antenna contribution to Maxwell's equations

In this section, we only consider the modification to the Maxwell's equation by the additional antenna term, and leave the full Maxwell's equations to the next section.

3.1.1 Poisson equation

$$\begin{aligned} \text{RHS}_{ant} &= \sum_s q_s \int d^3v J_0(k_{\perp} \rho_{\perp s}) \frac{1}{p + ik_{\parallel} v_{\parallel}} \frac{u_{k0}}{p + i\omega_0} \frac{2v_{\parallel} v_{t0}}{v_{ts}^2} F_{0s} e^{(k_{\perp} \rho_s)^2/4} \\ &= \sum_s \frac{u_{k0} q_s}{p + i\omega_0} \frac{v_{t0}}{v_{ts}^2} e^{(k_{\perp} \rho_s)^2/4} I_{\parallel} I_{\perp} \end{aligned} \quad (24)$$

where

$$\begin{aligned} I_{\parallel} &= \int dv_{\parallel} \frac{2v_{\parallel}}{p + ik_{\parallel} v_{\parallel}} e^{-v_{\parallel}^2/v_{ts}^2} \\ &= v_{ts} \int_{-\infty}^{\infty} dt \frac{2te^{-t^2}}{\frac{p}{v_{ts}} + ik_{\parallel} t} \\ &= \frac{2\sqrt{\pi} v_{ts}}{ik_{\parallel}} \frac{1}{\sqrt{\pi}} \int dt \frac{-te^{-t^2}}{\xi_s - t} \\ &= \frac{2\sqrt{\pi} v_{ts}}{ik_{\parallel}} (1 + \xi_s Z_s) = -\frac{\sqrt{\pi} v_{ts}}{ik_{\parallel}} Z'_s \end{aligned} \quad (25)$$

where Z is the plasma dispersion function, Z' its derivative, $\xi_s = \frac{p}{-ik_{\parallel} v_{ts}}$ and $Z_s = Z(\xi_s)$.

And

$$\begin{aligned} I_{\perp} &= \int dv_{\perp} 2\pi v_{\perp} J_{0s} e^{-v_{\perp}^2/v_{ts}^2} \frac{n_{0s}}{\pi^{3/2} v_{ts}^3} \\ &= \frac{n_{0s} e^{-(k_{\perp} \rho_s)^2/4}}{\sqrt{\pi} v_{ts}} \end{aligned} \quad (26)$$

whose derivation is the same as Eq. (18)

Therefore,

$$\text{RHS}_{ant} = \sum_s -\frac{q_s n_{0s} u_{k0}}{p + i\omega_0} \frac{v_{t0}}{ik_{\parallel} v_{ts}^2} Z'_s \quad (27)$$

3.1.2 Parallel component of Ampere's law

$$\begin{aligned} \text{RHS}_{ant} &= \sum_s q_s \int d^3v v_{\parallel} J_{0s} \hat{g}_{\mathbf{k}, ant, s} \\ &= \sum_s q_s \int d^3v v_{\parallel} J_{0s} \frac{u_{k0}}{p + i\omega_0} \frac{2v_{\parallel}}{p + ik_{\parallel} v_{\parallel}} \frac{v_{t0}}{v_{ts}^2} F_{0s} e^{(k_{\perp} \rho_s)^2/4} \\ &= \sum_s \frac{q_s v_{t0}}{v_{ts}^2} \frac{u_{k0}}{p + i\omega_0} e^{(k_{\perp} \rho_s)^2/4} I_{\parallel} I_{\perp} \end{aligned} \quad (28)$$

where

$$\begin{aligned} I_{\parallel} &= \int dv_{\parallel} \frac{2v_{\parallel}^2}{p + ik_{\parallel} v_{\parallel}} e^{-v_{\parallel}^2/v_{ts}^2} \\ &= \frac{2\sqrt{\pi} v_{ts}^2}{ik_{\parallel}} \frac{1}{\sqrt{\pi}} \int dt \frac{-t^2}{\xi - t} e^{-t^2} \\ &= -\frac{\sqrt{\pi} v_{ts}^2}{ik_{\parallel}} \xi_s Z'_s \end{aligned} \quad (29)$$

and I_{\perp} is exactly the same as in Eq. (26). Therefore, the antenna term contribute to the parallel Ampere's law through:

$$\text{RHS}_{ant} = \sum_s -\frac{q_s n_{0s} u_{k0}}{ik_{\parallel} (p + i\omega_0)} \frac{v_{t0}}{v_{ts}} \xi_s Z'_s \quad (30)$$

3.1.3 Perpendicular component of Ampere's law

$$\begin{aligned} \text{RHS}_{ant} &= -\sum_s T_s \int d^3v \frac{v_{\perp}^2}{v_{ts}^2} \frac{2J_{1s}}{k_{\perp} \rho_{\perp s}} \hat{g}_{\mathbf{k}, ant, s} \\ &= -\sum_s T_s \int d^3v \frac{v_{\perp}^2}{v_{ts}^2} \frac{2J_{1s}}{k_{\perp} \rho_{\perp s}} \frac{1}{p + ik_{\parallel} v_{\parallel}} \frac{u_{k0}}{p + i\omega_0} \frac{2v_{\parallel} v_{t0}}{v_{ts}^2} F_{0s} e^{(k_{\perp} \rho_s)^2/4} \\ &= -\sum_s \frac{T_s u_{k0} v_{t0}}{(p + i\omega_0) v_{ts}^4} e^{(k_{\perp} \rho_s)^2/4} I_{\parallel} I_{\perp} \end{aligned} \quad (31)$$

where I_{\parallel} is exactly the same as Eq. (25) and

$$\begin{aligned}
I_{\perp} &= \int dv_{\perp} 2\pi v_{\perp} v_{\perp}^2 \frac{2J_{1s}}{k_{\perp} \rho_{\perp s}} \frac{n_{0s}}{\pi^{3/2} v_{ts}^3} e^{-v_{\perp}^2/v_{ts}^2} \\
&= \int dv_{\perp} \frac{4\pi n_{0s}}{\pi^{3/2}} \frac{v_{\perp}^3}{v_{ts}^3} \frac{J_1\left(k_{\perp} \rho_s \frac{v_{\perp}}{v_{ts}}\right)}{k_{\perp} \rho_s \frac{v_{\perp}}{v_{ts}}} e^{-v_{\perp}^2/v_{ts}^2} \\
&= \frac{n_{0s} v_{ts}}{\sqrt{\pi}} e^{-(k_{\perp} \rho_s)^2/4}
\end{aligned} \tag{32}$$

Combining the above equations, we obtain:

$$\text{RHS}_{ant} = \sum_s \frac{n_{0s} u_{k0} v_{t0} T_s}{ik_{\parallel} (p + i\omega_0) v_{ts}^2} Z'_s \tag{33}$$

4 Full Maxwell's equations

The Maxwell's equations without antenna terms are derived in AstroGK manual and also my earlier note. Adding the antenna term, Poisson equation becomes:

$$\begin{aligned}
\sum_s \frac{q_s^2 n_{0s}}{T_s} \left[(1 + \Gamma_{0s} \xi_s Z_s) \left(\hat{\phi}_{\mathbf{k}} - \frac{ip \hat{A}_{\parallel \mathbf{k}}}{k_{\parallel} c} \right) + (1 - \Gamma_{0s}) \frac{ip \hat{A}_{\parallel \mathbf{k}}}{k_{\parallel} c} \right] \\
+ \sum_s q_s n_{0s} \Gamma_{1s} \xi_s Z_s \frac{\delta \hat{B}_{\parallel \mathbf{k}}}{B_0} = - \sum_s \frac{q_s n_{0s}}{p + i\omega_0} \frac{u_{k0} v_{t0}}{ik_{\parallel} v_{ts}^2} Z'_s
\end{aligned} \tag{34}$$

The parallel component of Ampere's law:

$$\begin{aligned}
\sum_s \frac{q_s^2 n_{0s}}{T_s} \frac{ip}{k_{\parallel}} (1 + \xi_s Z_s) \left[\Gamma_{0s} \left(\hat{\phi}_{\mathbf{k}} - \frac{ip \hat{A}_{\parallel \mathbf{k}}}{k_{\parallel} c} \right) + \Gamma_{1s} \frac{T_s \delta \hat{B}_{\parallel \mathbf{k}}}{q_s B_0} \right] + \\
\frac{c^2 k_{\parallel} k_{\perp}^2}{4\pi ip} \frac{ip \hat{A}_{\parallel \mathbf{k}}}{k_{\parallel} c} = - \sum_s \frac{q_s n_{0s} u_{k0}}{ik_{\parallel} (p + i\omega_0)} \frac{v_{t0}}{v_{ts}} \xi_s Z'_s
\end{aligned} \tag{35}$$

The perpendicular component of Ampere's law:

$$\begin{aligned}
\sum_s q_s n_{0s} \Gamma_{1s} \xi_s Z_s \left(\hat{\phi}_{\mathbf{k}} - \frac{ip \hat{A}_{\parallel \mathbf{k}}}{k_{\parallel} c} \right) - \sum_s q_s n_{0s} \Gamma_{1s} \frac{ip \hat{A}_{\parallel \mathbf{k}}}{k_{\parallel} c} \\
+ \left(\sum_s 2n_{0s} T_s \Gamma_{1s} \xi_s Z_s - \frac{B_0^2}{4\pi} \right) \frac{\delta \hat{B}_{\parallel \mathbf{k}}}{B_0} = - \sum_s \frac{n_{0s} u_{k0} v_{t0} T_s}{ik_{\parallel} (p + i\omega_0) v_{ts}^2} Z'_s
\end{aligned} \tag{36}$$

Notice that the left hand side of the equations are exactly the Eq. (4.51), Eq. (4.64), Eq. (4.72) in AstroGK manual (up to constant factors), while the right hand side of the equations contain the antenna terms. We consider quasi-neutral hydrogen plasmas, i.e., $s = i, e$, $n_{0i} = n_{0e} = n_0$ and $q_i = -q_e = e$. We also specify that proton is the first species in the simulation, i.e., $v_{t0} = v_{ti}$. Dividing Eq. (34) by $q_i n_0 / T_i$, Eq. (35) by $q_i n_0 i p / (k_{\parallel} T_i)$, and Eq. (36) by $q_i n_0$, we simplify the above equations to

$$AX + BY + CZ = LS \quad (37)$$

The parallel component of Ampere's law:

$$(A - B)X + (\alpha_i / \bar{\omega}^2)Y + (C + E)Z = LS \quad (38)$$

The perpendicular component of Ampere's law:

$$CX - EY + (D - 2/\beta_i)Z = MS \quad (39)$$

where

$$A = \sum_s \frac{T_i}{T_s} (1 + \Gamma_{0s} \xi_s Z_s) \quad (40)$$

$$B = \sum_s \frac{T_i}{T_s} (1 - \Gamma_{0s}) \quad (41)$$

$$C = \sum_s \frac{q_i}{q_s} \Gamma_{1s} \xi_s Z_s \quad (42)$$

$$D = \sum_s \frac{2T_s}{T_i} \Gamma_{1s} \xi_s Z_s \quad (43)$$

$$E = \sum_s \frac{q_i}{q_s} \Gamma_{1s} \quad (44)$$

$$(45)$$

The fields are

$$X = \hat{\phi}_{\mathbf{k}} - \frac{ip\hat{A}_{\parallel\mathbf{k}}}{k_{\parallel}c} = \hat{\phi}_{\mathbf{k}} - \frac{\omega\hat{A}_{\parallel\mathbf{k}}}{k_{\parallel}c} \quad (46)$$

$$Y = \frac{ip\hat{A}_{\parallel\mathbf{k}}}{k_{\parallel}c} = \frac{\omega\hat{A}_{\parallel\mathbf{k}}}{k_{\parallel}c} \quad (47)$$

$$Z = \frac{T_i}{q_i} \frac{\delta\hat{B}_{\parallel\mathbf{k}}}{B_0} \quad (48)$$

$$Z_a = \frac{T_i}{q_i} \frac{\delta\hat{B}_{\parallel\mathbf{k}a}}{B_0} \quad (49)$$

$$\bar{\omega} = \frac{\omega}{k_{\parallel}v_A} = \frac{p}{-ik_{\parallel}v_A} \quad (50)$$

and the source terms are

$$L = \sum_s i \frac{q_s}{q_i} \frac{T_s}{T_i} \frac{m_s}{m_i} Z'_s \quad (51)$$

$$M = \sum_s i \frac{m_s}{m_i} Z'_s \quad (52)$$

$$S = \frac{T_i}{q_i} \frac{u_{\mathbf{k}0}}{k_{\parallel}v_{ti}} \frac{1}{p + i\omega_0} \quad (53)$$

The above three equations provide self-consistently EM fields in a gyrokinetic plasma driven by the antenna described in this section. For clarity, we cast them in the matrix form:

$$\begin{pmatrix} A & B & C \\ A - B & \alpha_i/\bar{\omega}^2 & C + E \\ C & -E & D - 2/\beta_i \end{pmatrix} \begin{pmatrix} X \\ Y \\ Z \end{pmatrix} = \begin{pmatrix} L \\ L \\ M \end{pmatrix} S \quad (54)$$

5 Simplified case: $A_{\parallel} = 0$

For simplicity, we consider $A_{\parallel} = 0$. This assumption eliminates Alfvén wave from the gyrokinetic system, leaving two anti-propagating slow modes and a non-propagating entropy modes as the least damped modes. We choose the Poisson's equation and the perpendicular component of the Ampere's law to solve for fields:

$$\begin{pmatrix} A & C \\ C & D - 2/\beta_i \end{pmatrix} \begin{pmatrix} X \\ Z \end{pmatrix} = \begin{pmatrix} L \\ M \end{pmatrix} S \quad (55)$$

The Fourier-Laplace transformed fields X and Z are obtained by multiplying the matrix inverse:

$$\begin{pmatrix} \hat{\phi}_{\mathbf{k}}(p) \\ \frac{T_i}{q_i} \frac{\delta \hat{B}_{\parallel \mathbf{k}}(p)}{B_0} \end{pmatrix} = \begin{pmatrix} X \\ Z \end{pmatrix} = \frac{1}{\text{Det} M_{2 \times 2}} \begin{pmatrix} D - 2/\beta_i & -C \\ -C & A \end{pmatrix} \begin{pmatrix} L \\ M \end{pmatrix} S \quad (56)$$

where $M_{2 \times 2}$ denotes the 2×2 matrix in the above equation.

5.1 Inverse Laplace transform

Inversing Laplace transform by Bromwich integral and applying Residue's theorem, we obtain

$$\begin{aligned} \begin{pmatrix} \phi_{\mathbf{k}}(t) \\ \frac{T_i}{q_i} \frac{\delta B_{\parallel \mathbf{k}}(t)}{B_0} \end{pmatrix} &= ILT \left[\frac{1}{\text{Det} M_{2 \times 2}} \begin{pmatrix} D - 2/\beta_i & -C \\ -C & A \end{pmatrix} \begin{pmatrix} L \\ M \end{pmatrix} S \right] \\ &= \sum_{i=0}^n \text{Res}(p_i) \end{aligned} \quad (57)$$

where the sum is over all the simple poles p_i such that $\text{Det} M_{2 \times 2}(p_i) = 0$. In particular, $p_0 = -i\omega_0$ results from antenna driving at frequency ω_0 .

5.2 Evaluating residues

To evaluate residues at p_i for $i \neq 0$, we expand $\text{Det} M$ in Taylor series near p_i (c.f. my PDF note on driving slow mode with δB_{\parallel})

$$\text{Res}(p_i) = \left[\frac{1}{\frac{d\text{Det} M_{2 \times 2}}{dp}} \begin{pmatrix} D - 2/\beta_i & -C \\ -C & A \end{pmatrix} \begin{pmatrix} L \\ M \end{pmatrix} \frac{e^{pt}}{p - p_0} \begin{pmatrix} T_i}{q_i} \frac{u_{\mathbf{k}0}}{k_{\parallel} v_{ti}} \right]_{p=p_i} \quad (58)$$

where

$$\frac{d\text{Det} M_{2 \times 2}}{dp} = A' \left(D - \frac{2}{\beta_i} \right) + AD' - 2CC' \quad (59)$$

A', C', D' are derivatives w.r.t. p :

$$A' = \frac{dA}{dp} = \sum_s \frac{T_i}{T_s} \Gamma_{0s} G_s \quad (60)$$

$$C' = \frac{dC}{dp} = \sum_s \frac{q_i}{q_s} \Gamma_{1s} G_s \quad (61)$$

$$D' = \frac{dD}{dp} = \sum_s \frac{2T_s}{T_i} \Gamma_{1s} G_s \quad (62)$$

where

$$\begin{aligned} G_s &= \frac{(1 - 2\xi_s^2) Z_s - 2\xi_s}{-ik_{\parallel} v_{ts}} \\ &= \frac{(1 - 2\xi_s^2) Z_s - 2\xi_s}{-ik_{\parallel} v_A} \frac{1}{\sqrt{\beta_i}} \sqrt{\frac{m_s T_i}{m_i T_s}} \end{aligned} \quad (63)$$