


SHETH L.U.J. AND SIR M.V. COLLEGE


Aim : Practical 4: Performing Data Analysis using Calculations in Tableau

- a) Create basic calculated fields using formulas
- b) Perform row-level calculations
- c) Perform aggregate-level calculations
- d) Implement FIXED Level of Detail (LOD) calculations
- e) Use INCLUDE and EXCLUDE LOD expressions
- f) Create and use parameters for dynamic analysis
- g) Apply calculations to fix data issues and enhance insights


1. Connect the Dataset to Tableau DOHMH_HIV_AIDS_Annual_Report.csv



SHETH L.U.J. AND SIR M.V. COLLEGE




A) Create Basic Calculated Fields




SHETH L.U.J. AND SIR M.V. COLLEGE

Calculation 2: Death Rate Difference




B) Perform Row-Level Calculations




SHETH L.U.J. AND SIR M.V. COLLEGE

Create a visualization : For the comparison of year and diagnosis rates based on gender (Female, Male, Transgender)




C) Perform Aggregate-Level Calculations


Calculation 1: Total HIV Diagnoses : for all




SHETH L.U.J. AND SIR M.V. COLLEGE




Calculation 2: Average HIV Diagnosis Rate




SHETH L.U.J. AND SIR M.V. COLLEGE




Calculation 3: Total Deaths




SHETH L.U.J. AND SIR M.V. COLLEGE




D) FIXED Level of Detail (LOD)




SHETH L.U.J. AND SIR M.V. COLLEGE




E) INCLUDE LOD




SHETH L.U.J. AND SIR M.V. COLLEGE



EXCLUDE LOD



SHETH L.U.J. AND SIR M.V. COLLEGE



F) Create a Parameter for Dynamic Analysis