

MySQL Workbench interface showing a query execution session. The query is:

```
SELECT COUNT(salary) salary FROM teachers GROUP BY salary HAVING salary > 9000
```

The result set shows 1 row with the value 2.

The Action Output pane shows the following messages:

#	Time	Action	Message	Duration / Fetch
24	11:02:07	SELECT * FROM db1.students LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
25	11:04:09	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
26	11:05:11	SELECT * FROM db1.students LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
27	11:05:32	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB HAVING DOB > 2004 LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
28	11:06:04	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB HAVING DOB > 2004-02-02 LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
29	11:07:24	SELECT MAX(DOB) DOB FROM students GROUP BY DOB HAVING DOB > 2004-02-02 LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
30	11:08:16	SELECT * FROM db1.teachers LIMIT 0, 1000	15 row(s) returned	0.000 sec / 0.000 sec
31	11:08:45	Apply changes to teachers	Changes applied	
32	11:08:57	SELECT * FROM db1.teachers LIMIT 0, 1000	15 row(s) returned	0.000 sec / 0.000 sec
33	11:11:14	SELECT COUNT(salary) salary FROM teachers HAVING salary > 9000 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
34	11:11:28	SELECT COUNT(salary) salary FROM teachers HAVING salary > 9000 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
35	11:12:16	SELECT COUNT(salary) salary FROM teachers GROUP BY salary HAVING salary > 9000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench interface showing a query execution session. The query is:

```
SELECT COUNT(gender) FROM teachers GROUP BY gender
```

The result set shows 1 row with the value 6.

The Action Output pane shows the following messages:

#	Time	Action	Message	Duration / Fetch
32	11:08:57	SELECT * FROM db1.teachers LIMIT 0, 1000	15 row(s) returned	0.000 sec / 0.000 sec
33	11:11:14	SELECT COUNT(salary) salary FROM teachers HAVING salary > 9000 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
34	11:11:28	SELECT COUNT(salary) salary FROM teachers HAVING salary > 9000 LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
35	11:12:16	SELECT COUNT(salary) salary FROM teachers GROUP BY salary HAVING salary > 9000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
36	11:20:10	SELECT * FROM db1.universities LIMIT 0, 1000	15 row(s) returned	0.000 sec / 0.000 sec
37	11:20:46	SELECT MAX(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
38	11:11:11	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	Error Code: 1054. Unknown column 'DOB' in 'group statement'	0.000 sec
39	10:11:20	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
40	10:22:44	Apply changes to teachers	Changes applied	
41	10:23:58	Apply changes to teachers	Changes applied	
42	10:24:05	SELECT * FROM db1.teachers LIMIT 0, 1000	15 row(s) returned	0.016 sec / 0.000 sec
43	10:26:54	SELECT COUNT(gender) FROM teachers GROUP BY gender LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench interface showing a query editor with two SQL queries:

```
1 SELECT COUNT(gender) FROM teachers GROUP BY gender
2
3 SELECT COUNT(city) FROM students GROUP BY city
```

The results pane shows the output of the second query:

COUNT(city)
2
3
1
2

The status bar at the bottom shows the following messages:

#	Time	Action	Message	Duration / Fetch
37	11:20:46	SELECT MAX(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
38	10:11:11	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	Error Code: 1054. Unknown column 'DOB' in 'group statement'	0.000 sec
39	10:11:20	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
40	10:22:44	Apply changes to teachers	Changes applied	
41	10:23:58	Apply changes to teachers	Changes applied	
42	10:24:05	SELECT * FROM db1 teachers LIMIT 0, 1000	15 row(s) returned	0.016 sec / 0.000 sec
43	10:26:54	SELECT COUNT(gender) FROM teachers GROUP BY gender LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
44	10:27:49	SELECT * FROM db1 students LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
45	10:28:55	Apply changes to students	Changes applied	
46	10:29:04	SELECT * FROM db1 students LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
47	10:32:30	SELECT COUNT(city) FROM students GROUP BY city LIMIT 0, 1000	Error Code: 1630. FUNCTION db1.COUNT does not exist. Check the 'Function Name Parsing and Resolution' section in the Reference...	0.000 sec
48	10:32:41	SELECT COUNT(city) FROM students GROUP BY city LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench interface showing a query editor with three SQL queries:

```
1 SELECT COUNT(gender) FROM teachers GROUP BY gender
2
3 SELECT COUNT(city) FROM students GROUP BY city
4
5 SELECT COUNT(city) FROM students GROUP BY city HAVING city LIKE 'P%'
```

The results pane shows the output of the third query:

COUNT(city)
3

The status bar at the bottom shows the following messages:

#	Time	Action	Message	Duration / Fetch
38	10:11:11	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	Error Code: 1054. Unknown column 'DOB' in 'group statement'	0.000 sec
39	10:11:20	SELECT COUNT(DOB) DOB FROM students GROUP BY DOB LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
40	10:22:44	Apply changes to teachers	Changes applied	
41	10:23:58	Apply changes to teachers	Changes applied	
42	10:24:05	SELECT * FROM db1 teachers LIMIT 0, 1000	15 row(s) returned	0.016 sec / 0.000 sec
43	10:26:54	SELECT COUNT(gender) FROM teachers GROUP BY gender LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
44	10:27:49	SELECT * FROM db1 students LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
45	10:28:55	Apply changes to students	Changes applied	
46	10:29:04	SELECT * FROM db1 students LIMIT 0, 1000	14 row(s) returned	0.000 sec / 0.000 sec
47	10:32:30	SELECT COUNT(city) FROM students GROUP BY city LIMIT 0, 1000	Error Code: 1630. FUNCTION db1.COUNT does not exist. Check the 'Function Name Parsing and Resolution' section in the Reference...	0.000 sec
48	10:32:41	SELECT COUNT(city) FROM students GROUP BY city LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
49	10:35:29	SELECT COUNT(city) FROM students GROUP BY city HAVING city LIKE 'P%' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

