Part One

Before add student

[MariaDB [ywang92]> select * from Students;

studentId	+ stName	+ email	 gpa	scholarship
j 2	yulong2	ywang@unb.ca ywang2@unb.ca ywang2@unb.ca	0 0 0	0

3 rows in set (0.00 sec)

[ywang92@gc112m39 ~/src2]\$ java AddStudent yulong4 ywang@unb.ca 80 [ywang92@gc112m39 ~/src2]\$ |

After adding

[MariaDB [ywang92]> select * from Students;

+	studentId	+ stName +	+ email +	+ gpa +	 scholarship
	2 3	yulong2 yulong2	ywang@unb.ca ywang2@unb.ca ywang2@unb.ca ywang@unb.ca	0 0 0	0 0 1000 0

4 rows in set (0.00 sec)

Exception:

[[ywang92@gc112m39 ~/src2]\$ java AddStudent yulong4 ywang@unb.ca -10 Invalid high school average.

Part Two

Current Enrollments and Courses

MariaDB [ywang92]> select * from Enrollments;

studentId	courseId	+ letterGrade +	
1		:	

1 row in set (0.00 sec)

MariaDB [ywang92]> select * from Courses;

_						
į	courseId	courseNumber	courseName	courseDescription	creditHours	approvedDate
į	1	CS1111	INTRO TO Something	intro to something description	NULL	NULL

1 row in set (0.00 sec)

```
Test:
```

```
[[ywang92@gc112m39 ~/src2]$ java StudentTranscript 1
INTRO TO Something B
[[ywang92@gc112m39 ~/src2]$ java StudentTranscript 2
[ywang92@gc112m39 ~/src2]$
Exception:
[[ywang92@gc112m39 ~/src2]$ java StudentTranscript 12
```

Student not Found. [ywang92@gc112m39 ~/src2]\$