

Atlas verdict map

One row per experiment family. Colour marks the block; the verdict is always shown as text, never colour alone.

| family                                                 | verdict                          | grade        | Evidence vector (0/1/2) |             |             |            |              |                   |
|--------------------------------------------------------|----------------------------------|--------------|-------------------------|-------------|-------------|------------|--------------|-------------------|
| Gaussian-mixture Bayes error                           | response shift (boundary of C)   | Grid         | 2                       | 1           | 0           | 2          | 0            | 0                 |
| Gardner storage capacity                               | transition supported             | B            | 2                       | 1           | 2           | 2          | 0            | 0                 |
| Specialisation under added depth                       | critical response, boundary of C | Unresolved   | 2                       | 1           | 1           | 0          | 0            | 0                 |
| Multi-index subspace recovery                          | candidate boundary               | C            | 1                       | 1           | 1           | 0          | 0            | 0                 |
| Committee specialisation vs sample ratio               | candidate boundary               | C            | 2                       | 1           | 1           | 0          | 0            | 0                 |
| Double descent vs parameterisation ratio               | threshold located (no scale C)   | Path         | 2                       | 1           | 0           | 0          | 0            | 0                 |
| Grokking: delayed generalisation vs weight decay       | response shift                   | C            | 1                       | 1           | 0           | 0          | 0            | 0                 |
| Lazy-to-rich transition vs initialisation scale        | critical response, boundary of B | Unresolved   | 2                       | 1           | 1           | 1          | 0            | 0                 |
| Linear mode connectivity vs width                      | no resolved response             | insufficient | 0                       | 1           | 0           | 0          | 0            | 0                 |
| SGD effective temperature vs stationary generalisation | critical response, boundary of B | Unresolved   | 1                       | 1           | 1           | 1          | 0            | 0                 |
| Attention selection vs context length                  | response shift (boundary of C)   | Grid         | 1                       | 1           | 0           | 0          | 0            | 0                 |
| In-context learning vs task diversity                  | response shift                   | C            | 2                       | 1           | 0           | 0          | 0            | 0                 |
| Induction-head formation                               | response shift (boundary of C)   | Grid         | 2                       | 1           | 0           | 0          | 0            | 0                 |
| Positional vs semantic attention                       | response shift (boundary of C)   | Grid         | 2                       | 1           | 0           | 0          | 0            | 0                 |
| Forgetting and transfer vs task similarity             | critical response, boundary of C | Unresolved   | 2                       | 1           | 1           | 0          | 0            | 0                 |
| Contrastive dimensional collapse vs temperature        | candidate boundary               | C            | 2                       | 1           | 1           | 0          | 0            | 0                 |
| LoRA rank threshold vs planted perturbation rank       | threshold located (no scale C)   | Path         | 2                       | 1           | 0           | 0          | 0            | 0                 |
| Model collapse vs real-data fraction                   | threshold located (no scale C)   | Path         | 1                       | 1           | 0           | 0          | 0            | 0                 |
| Expert specialisation vs load balancing                | no resolved response             | insufficient | 0                       | 1           | 0           | 0          | 0            | 0                 |
|                                                        |                                  |              | semantics               | replication | finite size | prediction | intervention | external validity |