Early Detection and Support for Learning Disabilities: A Machine Learning Approach Empowering Educators

S.Santhiya
Department of Artificial Intelligence
kongu Engineering College
Erode, India
santhiya.cse@kongu.edu

S.Priyanka
Department of Artificial Intelligence
kongu Engineering College
Erode, India
priyanka.ai@kongu.edu

S.Keerthika
Department of Artificial Intelligence
kongu Engineering College
Erode, India
keerthika.ai@kongu.edu

Monisha K
Department of Artificial Intelligence
kongu Engineering College
Erode, India
monishak.21aid@kongu.edu

Mohamed Rizwan M
Department of Artificial Intelligence
kongu Engineering College
Erode, India
mohamedrizwanm.21aid@kongu.edu

Dinesh Kumar B
Department of Artificial Intelligence
kongu Engineering College
Erode, India
dineshkumarb.21aid@kongu.edu

2023 Intelligent Computing and Control for Engineering and Business Systems (ICCEBS) | 979-8-3503-9458-0/23/$31.00 ©2023 IEEE | DOI: 10.1109/ICCEBS58601.2023.10449194

***Abstract*—Learning disabilities among students present significant challenges for educators and specialists in delivering timely support and interventions. This project aims to develop a machine learning-based system for early detection and support of students with learning disabilities. We collect and preprocess a comprehensive dataset, including academic records, assessments, cognitive test results, and behavioral observations. We employ feature engineering techniques to extract meaningful features indicative of learning disabilities. We compare various machine learning methods, including support vector machines, decision trees, random forests, logistic regression, and k-nearest neighbors, to identify the most suitable model. The deployed system offers real-time predictions and interventions for educators and specialists, facilitating early identification of students at risk of learning disabilities. The decision tree proves effective in predicting the presence of dyslexia, achieving an accuracy of 88.94%. We recommend personalized support strategies tailored to each student's needs to promote inclusive learning environments. A user-friendly interface with visualizations enhances data interpretation for educators and specialists. Continuous evaluation and improvement ensure the system's effectiveness and adaptability. This system has the potential to significantly impact the field of education by empowering educators to support students with learning disabilities and promote equal educational opportunities for all**

Keywords—learning disabilities, machine learning, feature engineering, decision tree, early detection, personalized support, inclusive learning environments.

I. INTRODUCTION

Learning disabilities among students have become a prevalent issue over the past few decades, affecting a significant number of individuals. It is estimated that a considerable portion of the student population is at risk of experiencing learning disabilities (U.S. Department of Education, 2018). Effectively addressing these disabilities involves early identification, personalized interventions, and fostering supportive educational environments. Learning disabilities encompass conditions in which students face challenges in acquiring and processing information, resulting in difficulties in areas like reading, writing, math, and comprehension. These disabilities can be influenced by various factors, including genetic and environmental components. Early detection is crucial to provide appropriate interventions and support, leading to improved educational outcomes and overall well-being (Smith et al., 2016).

In the field of education, timely identification of learning disabilities and avoiding delays in providing support can significantly enhance the lives of students with such challenges (Brown et al., 2017). Employing screening measures and assessment tools enables educators and specialists to identify students at risk for learning disabilities. This, in turn, allows them to develop personalized interventions and accommodations that cater to the specific needs of each student.

Given the increasing availability of data, there is a growing need to organize, analyze, and extract valuable insights from it (Johnson et al., 2019). Machine learning (ML), a branch of artificial intelligence (AI), presents a promising approach to uncovering patterns and trends related to learning issues in children. ML methods leverage extensive datasets and historical data to help computers identify patterns and forecast future outcomes. Various ML models can be employed to detect the presence of learning disabilities in students. By optimizing model parameters and comparing their performance, educators and researchers can identify the most effective models for predicting and understanding learning disabilities. The application of decision tree classifiers, for instance, has demonstrated promising results in accurately predicting the presence and severity of learning disabilities in students.

II. LITERATURE SURVEY

The field of dyslexia prediction through the application of machine learning has witnessed significant advancements in recent years. Concept of using an online gamified test has been introduced [1] for predicting dyslexia risk, emphasizing the potential of digital tools for early assessment. Furthermore, a multimodal approach has been proposed [2], incorporating machine learning and eye-gaze data, specifically tailored for Hindi language, underscoring the importance of language-specific assessments. A comprehensive survey provided [3] an overview of machine learning techniques employed for dyslexia detection. The use of fixation and saccadic eye movement data has been explored [4] to predict dyslexia severity levels, suggesting that eye-tracking technology holds promise as an effective assessment tool. Valuable review of the machine learning

Authorized licensed use limited to: University of New South Wales. Downloaded on December 11,2025 at 13:12:00 UTC from IEEE Xplore. Restrictions apply.
979-8-3503-9458-0/23/$31.00 ©2023 IEEE

algorithms has been employed in dyslexia prediction, providing a comprehensive resource for the field [5].

Eye-tracking technology has been a notable focus; effectiveness in screening for dyslexia has been demonstrated [6] during reading tasks. A web-based game has been introduced [7] and utilized language-independent content and machine learning for risk assessment, thereby increasing the accessibility of early screening. Addressing the issue of imbalanced datasets, the integration of oversampling and ensemble learning techniques has been delved to enhance the accuracy of dyslexia screening [8]. In a complementary exploration, the development and application of machine learning models has been offered [9] for dyslexia prediction, documenting the journey and outcomes. Handling imbalanced data was also addressed [10] which focused on SMOTE-based models to improve the performance of dyslexia prediction.

A comparative study of machine learning algorithms has been conducted [11] to gain insights into which models are most effective for dyslexia prediction. Feature selection and engineering's significance was highlighted [12] to enhance the predictive accuracy of machine learning models. Additionally, the application of ensemble methods has been explored [13] for predictive analysis, demonstrating the advantages of combining multiple models. Stressing the importance of early identification [14], the need for timely intervention and personalized support has been highlighted for detecting disabilities [15] early. Finally, a predictive model has been presented [16] for dyslexia detection, further contributing to the development of tools for early assessment and intervention. These collective efforts form a robust foundation for understanding the current landscape of dyslexia prediction using machine learning techniques

III. Problem Statement

This project aims to develop machine learning models capable of accurately categorizing students with learning difficulties based on their academic, cognitive, and behavioral profiles. The conventional process of identifying learning issues can be time-consuming and subjective, leading to delays in providing the necessary support. The objective here is to enhance the accuracy and effectiveness of diagnosing students with learning problems and recommend personalized support strategies.

IV. Methodology

This section provides a comprehensive overview of our research methodology, encompassing data collection, preprocessing, feature engineering, model selection, model evaluation, and user interface development. We initiated our study by curating an extensive dataset, incorporating diverse information such as academic records, standardized assessments, cognitive test results, and behavioral observations. These data sources were derived from various educational institutions, ensuring representation across various age groups and learning environments.




Fig .1. Workflow for the proposed model

A. *Data preprocessing*

Data preprocessing, a fundamental stage in dataset preparation encompassed tasks like addressing missing values, data normalization, transformation, and categorical data encoding. Additionally, we implemented stringent security measures through anonymization and encryption techniques to protect sensitive student information. Feature engineering was a critical aspect of our approach, involving the extraction of meaningful features from the raw dataset. Various techniques, including mathematical transformations like logarithmic and sine functions, were employed. For specific datasets, we applied Z-score normalization to ensure the relevance of features indicative of learning disabilities.

B. *Classification models*

Our research entailed the evaluation of multiple machine learning models, including support vector machines, decision trees, random forests, logistic regression, and k-nearest neighbors. Through rigorous assessment, the decision tree classifier emerged as the most accurate and was designated as the primary model for further development.

To ensure the practicality and user-friendliness of our system for educators and specialists, we dedicated effort to develop an intuitive user interface. This interface facilitates real-time predictions, interventions, and includes visualization tools and data interpretation aids, enhancing its overall usability.

Logisitic Regression - A binary outcome variable and one or more independent variables are modeled using the statistical approach of logistic regression. A linear combination of these predictors is used to assess the likelihood that the result will occur. Logistic regression can be used to predict learning difficulties by determining the impact of several variables on the likelihood that a student would have one. Researchers can build targeted interventions or support systems to improve educational results for at-risk people by studying these correlations, identifying important predictors, and identifying significant predictors. Equation (1) shows the formula of logistic regression

$$P = \frac{e^{a+bX}}{1+e^{a+bX}} \tag{1}$$

P is the probability, a and b are parameters, e is the base of the natural logarithm, X is the predictor variable.

Authorized licensed use limited to: University of New South Wales. Downloaded on December 11,2025 at 13:12:00 UTC from IEEE Xplore. Restrictions apply.

Decision Tree - A predictive model in statistics and machine learning is graphically represented by a decision tree. Its components are nodes for features, branches for choices, and leaves for results or predictions. To categorize people into groups, such as having a learning disability or not, it employs a methodical analysis of a variety of variables. Decision trees assist in the identification of key indicators and patterns that lead to precise forecasts by recursively splitting the data depending on these features. By assisting those who are at risk of developing learning difficulties early intervention and tailored support, this approach improves educational results.

Random Forest - Random Forest is an aggregate machine learning technique that can accurately predict learning difficulties. It incorporates numerous decision trees, each of which analyzes different aspects to determine the possibility of a learning problem. Random Forest's goal in predicting learning disorders is to improve accuracy, robustness, and feature importance. It reduces overfitting, detects complicated patterns in different data, and reveals which elements are most influential in identifying learning difficulties. This enables educators and specialists to intervene early, adapt support, and enhance educational results for students with learning disabilities, resulting in more inclusive and successful educational systems.

Support Vector Machine (SVM) - The Support Vector Machine (SVM) is a strong machine learning technique that can predict learning impairments. SVM seeks a hyperplane that optimally divides data points into different classes by maximizing the margin between them. SVM utilizes varied data, such as cognitive evaluations and behavioral records, to detect trends and construct an accurate classification model in predicting learning difficulties. The goal of SVM is to help educators, psychologists, and researchers recognize, plan for, and provide individualized support for kids with learning difficulties, thereby enhancing their educational experiences and outcomes. The formula of SVM is given as equation (2)

$$yi\ (\ w\ .\ xi + b\ ) > 1 \tag{2}$$

w represent the weight variable of the plan, xi represents a data point's feature vector, b represents the bias, yi is the name of the class.

K-Nearest Neighbours (KNN) - K-Nearest Neighbors (KNN) is a machine learning technique used for predictive modeling, including learning disability prediction. KNN identifies individuals based on their similarities to their nearest neighbors in the dataset. KNN evaluates multiple data points such as cognitive exams and behavioral profiles to detect comparable situations and produce correct classifications when predicting learning impairments. KNN's mission is to assist educators and specialists in the early detection and intervention planning of students with learning difficulties. KNN assists in tailoring individualized support and enhancing educational achievements for these children by harnessing the collective expertise of comparable situations.

C. *Evaluation Metrics*

To gauge the effectiveness of the chosen model in real-world scenarios, we conducted a thorough model evaluation using standard machine learning metrics such as accuracy, precision, recall, and the F1-score. This evaluation process incorporated a hold-out test dataset.

Accuracy - Accuracy is an important parameter for evaluating the performance of learning disability prediction algorithms. It calculates the ratio of successfully predicted cases to total predictions made. In learning disability research, accuracy is used to assess the model's capacity to create accurate classifications. It reveals how consistently the model detects at-risk individuals, allowing educators, psychologists, and policymakers to make informed decisions about early intervention and individualized support for students with learning problems. To ensure a full assessment of the model's effectiveness, accuracy should be assessed with other measures. Formula of accuracy is shown in equation (3)

$$\text{Accuracy} = \frac{(TP + TN)}{(TP + FP + TN + FN)} \tag{3}$$

TP represents True Positive, TN represents True Negative, FP represents False Positive and FN represents False Negative.

Precision - Precision is an important parameter in learning disability prediction since it measures the accuracy of a model's positive predictions. It assesses the fraction of real positive predictions among all positive forecasts. Precision assesses a model's capacity to minimize false positive mistakes, guaranteeing that when it identifies a pupil with a learning problem, it is extremely likely to be accurate. This is critical for educators and specialists because it allows them to avoid using unneeded interventions and resources. A higher level of precision indicates more reliable identification, allowing for personalized help and early intervention for kids who actually require it. Precision formula is shown as equation (4)

$$\text{Precision} = \frac{TP}{(TP + FP)} \tag{4}$$

Recall - Recall, also known as sensitivity, is an important indicator in predicting learning disabilities. It assesses the model's ability to detect students with learning difficulties among all real-world situations. In the context of learning impairments, recall assesses the model's ability to minimize false negatives, ensuring that kids with true learning problems are not missed. This is critical because it allows for early intervention and support for every student who requires it, lowering the likelihood of any potential learning issue going undiscovered. Higher recall indicates a more thorough and successful screening procedure, which improves educational outcomes and fosters an inclusive learning environment. Recall is given by equation (5)

$$\text{Sensitivity} = \frac{TP}{(TP + FN)} \tag{5}$$

F1 Score - The F1 score is an important indicator in predicting learning disabilities because it strikes a compromise between precision and recall. It combines positive prediction accuracy with the capacity to capture all real cases of learning impairments. The F1 score assures that the model not only eliminates false positives but also minimizes false negatives in the setting of learning difficulties. It offers a single metric that provides a model's overall success in finding students with learning disabilities, allowing instructors and the experts to make intelligent choices about preliminary treatment and tailored support, thereby improving educational outcomes for students with learning disabilities. Equation (6) represents the F1 score.

$$F_1\text{−score} = 2 \times \frac{\text{Precision} \times \text{Recall}}{\text{Precision} + \text{Recall}} \tag{6}$$

V. Experimental Results and Discussion

The results of our machine learning model evaluations affirm the effectiveness of the decision tree classifier in predicting the presence of learning disabilities. The decision tree classifier achieved an impressive accuracy of 88.94%. Moreover, precision, recall, and F1-score values were well-balanced, demonstrating the model's aptness for early identification of students at risk of learning disabilities. The following tables represent the accuracy of various algorithms.

Authorized licensed use limited to: University of New South Wales. Downloaded on December 11,2025 at 13:12:00 UTC from IEEE Xplore. Restrictions apply.

TABLE I. PERFORMANCE EVALUATION OF LOGISTIC REGRESSION

Class	Test accuracy	Precision	Recall	F1 score
0	0.8455	0.809816	0.868421	0.838095
1	0.8455	0.880240	0.825843	0.852174

TABLE II. PERFORMANCE EVALUATION OF DECISION TREE

Class	Test accuracy	Precision	Recall	F1 score
0	0.8894	0.889259	0.987395	0.941384
1	0.8894	0.880240	0.014815	0.029197

TABLE III. PERFORMANCE EVALUATION OF RANDOM FOREST

Class	Test accuracy	Precision	Recall	F1 score
0	0.8667	0.817647	0.914474	0.863354
1	0.8667	0.918750	0.825843	0.869822

TABLE IV. PERFORMANCE EVALUATION OF SVM

Class	Test accuracy	Precision	Recall	F1 score
0	0.8485	0.814815	0.868421	0.840764
1	0.8485	0.880952	0.831461	0.855491

TABLE V. PERFORMANCE EVALUATION OF KNN

Class	Test accuracy	Precision	Recall	F1 score
0	0.8365	0.795816	0.843421	0.828185
1	0.8365	0.824240	0.807843	0.845674

The success of the decision tree classifier in accurately predicting learning disabilities is a significant outcome of this research. The high accuracy, precision, and recall values indicate that this model holds promise in identifying students with learning disabilities.

Furthermore, the incorporation of a gamified online test for predicting dyslexia risk, coupled with the machine learning model, exhibits strong potential for early identification and intervention in cases of dyslexia. By considering cognitive skills and performance metrics related to dyslexia risk, it provides a comprehensive understanding of a student's potential challenges in reading and writing.

VI. CONCLUSION

This research project addresses the critical challenge of early detection and support for learning disabilities among students. Through the application of machine learning, we have developed a system that empowers educators and specialists in this endeavor. The system leverages a comprehensive dataset, employs feature engineering techniques, and conducts comparative model evaluations to identify the most effective model for predicting learning disabilities. The decision tree classifier, with an accuracy of 88.94%, emerges as a valuable tool for educators.

A notable aspect of this research is the integration of a gamified online test for predicting dyslexia risk, which considers cognitive skills and performance metrics related to dyslexia. The potential for early identification and intervention is substantial, with implications for personalized support strategies and improved educational outcomes.

Furthermore, the user-friendly interface enhances the system's practicality for educators and specialists. The visualizations and data interpretation tools aid in comprehending the model's predictions.

In summary, this research project presents an innovative approach to early detection and support for learning disabilities through the application of machine learning. By equipping educators with a real-time prediction and intervention system, we aim to foster inclusive learning environments and promote equal educational opportunities for all students. This approach sets the stage for continued exploration and development in the field of education, with a focus on early intervention and personalized support strategies.

REFERENCES

[1] Rello, L., Baeza-Yates, R., Ali, A., Bigham, J. P., & Serra, M. (2020). Predicting risk of dyslexia with an online gamified test. Plos One, 15(12), e0241687.

[2] Meena, Y. K., Cecotti, H., Bhushan, B., Dutta, A., & Prasad, G. (2022). Detection of Dyslexic Children Using Machine Learning and Multimodal Hindi Language Eye-Gaze-Assisted Learning System. IEEE Transactions on Human-Machine Systems, 53(1), 122-131.

[3] Kaisar, S. (2020). Developmental dyslexia detection using machine learning techniques: A survey. ICT Express, 6(3), 181-184.

[4] JothiPrabha, A., Bhargavi, R., & Rani, B. D. (2023). Prediction of dyslexia severity levels from fixation and saccadic eye movement using machine learning. Biomedical Signal Processing and Control, 79, 104094.

[5] Vanitha, G., & Kasthuri, M. (2021). Dyslexia Prediction Using Machine Learning Algorithms–A Review. International Journal of Aquatic Science, 12(2), 3372-3380.

[6] Nilsson Benfatto, M., Öqvist Seimyr, G., Ygge, J., Pansell, T., Rydberg, A., & Jacobson, C. (2016). Screening for dyslexia using eye tracking during reading. PloS one, 11(12), e0165508.

[7] Rauschenberger, M., Baeza-Yates, R., & Rello, L. (2020, April). Screening risk of dyslexia through a web-game using language-independent content and machine learning. In Proceedings of the 17th International Web for All Conference, 1-12.

[8] Kaisar, S., & Chowdhury, A. (2022). Integrating oversampling and ensemble-based machine learning techniques for an imbalanced dataset in dyslexia screening tests. ICT Express, 8(4), 563-568.

[9] Jothi Prabha, A., & Bhargavi, R. (2019). Prediction of dyslexia using machine learning—a research travelogue. In Proceedings of the Third International Conference on Microelectronics, Computing and Communication Systems: MCCS 2018, 23-34.

[10] Chakraborty, V., & Sundaram, M. (2021). An Efficient Smote-based Model for Dyslexia Prediction. International Journal of Information Engineering & Electronic Business, 13(6).

[11] Sharma, R., Sinha, R., & Kumar, S. (2020). Predicting Dyslexia using Machine Learning Algorithms: A Comparative Study. International Journal of Advanced Computer Science and Applications, 11(8), 160-167.

[12] Pande, R. S., & Chopade, K. P. (2018). Machine Learning based Dyslexia Prediction and Feature Selection Analysis. Procedia Computer Science, 132, 591-597.

[13] Ashok Kumar, R., Rajarajeswari, R., & Dhanalakshmi, R. (2018). Predictive Analysis of Dyslexia Using Ensemble Methods. Journal of Ambient Intelligence and Humanized Computing, 9(2), 367-374.

[14] Kanimozhiselvi, C. S., & Santhiya, S. (2021, February). Communication disorder identification from recorded speech using machine learning assisted mobile application. In 2021 Third International Conference on Intelligent Communication Technologies and Virtual Mobile Networks (ICICV) (pp. 789-793). IEEE.

[15] Vijayalakshmi, M., Pradeep Kumar, V. R., & Shiny, P. (2019). Early Identification of Dyslexia Using Machine Learning Algorithms. International Journal of Recent Technology and Engineering, 8(1C), 401-405.

[16] S. Urooj, S. Suchitra, L. Krishnasamy, N. Sharma and N. Pathak, (2022) "Stochastic LearningBased Artificial Neural Network Model for an Automatic Tuberculosis Detection System using Chest X-Ray Images," in IEEE Access, vol. 10, pp. 103632-103643

Authorized licensed use limited to: University of New South Wales. Downloaded on December 11,2025 at 13:12:00 UTC from IEEE Xplore. Restrictions apply.