

Neha Singh

proposal1_223325_22335367

 Only turnitin test

Document Details

Submission ID

trn:oid::3618:135754347

Submission Date

Apr 19, 2026, 10:34 PM GMT+8

Download Date

Apr 19, 2026, 10:37 PM GMT+8

File Name

proposal1_223325_22335367.docx

File Size

15.8 KB

2 Pages

991 Words

5,586 Characters

23% detected as AI

The percentage indicates the combined amount of likely AI-generated text as well as likely AI-generated text that was also likely AI-paraphrased.

Caution: Review required.

It is essential to understand the limitations of AI detection before making decisions about a student's work. We encourage you to learn more about Turnitin's AI detection capabilities before using the tool.

Detection Groups

-  **4 AI-generated only 23%**
Likely AI-generated text from a large-language model.
-  **0 AI-generated text that was AI-paraphrased 0%**
Likely AI-generated text that was likely revised using an AI-paraphrase tool or word spinner.

Disclaimer

Our AI writing assessment is designed to help educators identify text that might be prepared by a generative AI tool. Our AI writing assessment may not always be accurate (i.e., our AI models may produce either false positive results or false negative results), so it should not be used as the sole basis for adverse actions against a student. It takes further scrutiny and human judgment in conjunction with an organization's application of its specific academic policies to determine whether any academic misconduct has occurred.

Frequently Asked Questions

How should I interpret Turnitin's AI writing percentage and false positives?

The percentage shown in the AI writing report is the amount of qualifying text within the submission that Turnitin's AI writing detection model determines was either likely AI-generated text from a large-language model or likely AI-generated text that was likely revised using an AI paraphrase tool or word spinner.

False positives (incorrectly flagging human-written text as AI-generated) are a possibility in AI models.

AI detection scores under 20%, which we do not surface in new reports, have a higher likelihood of false positives. To reduce the likelihood of misinterpretation, no score or highlights are attributed and are indicated with an asterisk in the report (*%).

The AI writing percentage should not be the sole basis to determine whether misconduct has occurred. The reviewer/instructor should use the percentage as a means to start a formative conversation with their student and/or use it to examine the submitted assignment in accordance with their school's policies.

What does 'qualifying text' mean?

Our model only processes qualifying text in the form of long-form writing. Long-form writing means individual sentences contained in paragraphs that make up a longer piece of written work, such as an essay, a dissertation, or an article, etc. Qualifying text that has been determined to be likely AI-generated will be highlighted in cyan in the submission, and likely AI-generated and then likely AI-paraphrased will be highlighted purple.

Non-qualifying text, such as bullet points, annotated bibliographies, etc., will not be processed and can create disparity between the submission highlights and the percentage shown.



Urban Livability and Pet Infrastructure: A Global Analysis of Dog Park Accessibility, Population Aging, and Environmental Indicators

1. Introduction

The current global urbanization and demographic shift to an aging society are changing the expectations of urban recreation infrastructure. Specialized amenities have become an important component in determining urban livability, with emotional benefits that go beyond parks, such as accommodating the diverse and changing needs of city dwellers (Wolch et al., 2014). A case in point is dog parks. Typically, these are perceived to be an incidental form of recreation, but they are also places where people can socialize, stay active, and create community (Urbanik & Morgan, 2013), which is particularly relevant in the context of a growing elderly population. Many seniors depend on their pets to help maintain their physical activity and combat social isolation (Buffel et al., 2012).

While there has been a growing interest among academics in understanding the connection between urban green spaces and public health (Kondo et al., 2018), there have not been many empirical studies examining the global availability of pet-specific infrastructure across countries. This study contributes to filling this gap by examining the distribution of dog parks by country within a broader context of demographic, economic, and environmental factors. The main hypothesis is that the availability of dog parks is affected, not only by the wealth of a country but by multiple demographic, cultural, and urban planning factors, especially the age of the population and the cultural attitudes towards pet ownership.

2. Research Objectives

- To measure the place of dogs parks in each country by looking at how many there are compared to the population of that country (dogs parks per 100, 000 people).
- To see if there are differences in how many dog parks there are per person based on three other types of data (economic development; public health) and one other type of difference (environmental quality).
- To identify countries that are similar in terms of having the same dog park availability and to then create a cluster analysis of countries that have the same aging / elderly population and dog park availability using geographically weighted regression (GWR) for an individual and the country as a whole.

3. Data and Methodology

3.1 Data Sources

To build a comparative dataset that compares multiple dimensions through integrating geospatial data and socioeconomic indicators. Dog parks were sourced from OpenStreetMap (OSM) data through the Overpass API which provides dog park features labelled with "leisure=dog_park," from all over the world. OSM data is widely regarded as one of the largest sources of volunteered geographic information (VGI) available globally, yet there are many differences across the globe (for example= how much of the globe has OSM data, what geographies have greater or lesser OSM data) and data quality is directly correlated to the density of local contributors (Haklay, 2010). The limitations of using OSM are included below in the constraints section to outline issues related to OSM and data limitations.

To provide socioeconomic context, 18 indicators were retrieved from the World Bank API, organized into five thematic domains:

- **Demographic Dynamics:** Population size, growth rate, density, and urbanization levels.

- **Age Structure:** Elderly ratio (65+), youth ratio (0–14), life expectancy, death rate, and the aging index.
- **Health and Economy:** GDP per capita, GINI index, health expenditure per capita, and hospital bed availability.
- **Environmental Context:** Forest cover, carbon emissions per capita, and agricultural land use.

3.2 Spatial Data Management

The processing and analyzing of all spatial data are done in R. Country-level boundary data are imported via the sf package, which provides a standardized way to handle vector geometries and coordinate reference systems. The tmap and ggplot2 packages are used to create choropleth maps displaying the global distribution of dog park density. The maps are designed in accordance with established principles of cartographic communication, with an emphasis on classification schemes, color palettes, and legend construction to reduce the visual bias in the representation of spatial inequality.

3.3 Analytical Pipeline

There are four sequential phases in the analytical framework. The first involves performing exploratory spatial analysis to identify the distribution of population within the region and quantify the intra-regional inequality with Gini coefficients. In the second phase, spatial autocorrelation of the spatial distributions is conducted using Global Moran's I and Local Indicators of Spatial Autocorrelation (LISA) with the spdep package. Additionally, the Getis-Ord Gi* statistic is used to identify infrastructure concentrations. Thirdly, k-means clustering (k=4) will be completed for each country utilizing demographic, economic and environmental variables to create country profiles. Finally, a Geographically Weighted Regression model created using the spgwr package will be used to determine how demographic aging and park density are related in a spatial context.

3.4 Interactive Visualization

An interactive website dashboard that is created using HTML, CSS and JavaScript (with the use of Leaflet.js for map rendering and Chart.js to create statistical visualizations) was developed so users can access the data they seek through a web-based interface. This allows users to search for the number of dog parks (the density), examine different demographic indicators and analyse cluster types based on country.

References

- Buffel, T., Phillipson, C., & Scharf, T. (2012). Ageing in urban environments: Developing 'age-friendly' cities. *European Journal of Ageing*, 9(4), 357–375.
- Haklay, M. (2010). How good is volunteered geographical information? A comparative study of OpenStreetMap and Ordnance Survey datasets. *Environment and Planning B: Planning and Design*, 37(4), 682–703.
- Kondo, M. C., Fluehr, J. M., McKeon, T., & Branas, C. C. (2018). Urban green space and its impact on human health. *International Journal of Environmental Research and Public Health*, 15(3), 445.
- Urbanik, J., & Morgan, M. (2013). A tale of tails: The place of dog parks in the urban imaginary. *Geoforum*, 44, 292–302.
- Wolch, J. R., Byrne, J., & Newell, J. P. (2014). Urban green space, public health, and environmental justice: The challenge of making cities 'just green enough'. *Landscape and Urban Planning*, 125, 234–244.