

```
MINGW64:/c:/Users/bartv/OneDrive/Documenten/Git/Git Huiswerk

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk
$ git init
Initialized empty Git repository in C:/Users/bartv/OneDrive/Documenten/Git/Git Huiswerk/.git/

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git stash
fatal: bad revision 'HEAD'
fatal: bad revision 'HEAD'
fatal: Needed a single revision
You do not have the initial commit yet

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$
```

```
MINGW64:/c:/Users/bartv/OneDrive/Documenten/Git/Git Huiswerk

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)

        new file:   karel (2).txt
        new file:   karel (3).txt
        new file:   karel.txt

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git commit -m "Versie 0.1"
[master (root-commit) 148f387] Versie 0.1
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 karel (2).txt
 create mode 100644 karel (3).txt
 create mode 100644 karel.txt

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git status
On branch master
nothing to commit, working tree clean

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$
```

```
MINGW64/c:/Users/bartv/OneDrive/Documenten/Git/Git Huiswerk

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git status
On branch master
nothing to commit, working tree clean

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git checkout karel.txt

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git status
On branch master
nothing to commit, working tree clean

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)

        modified:   karel.txt

no changes added to commit (use "git add" and/or "git commit -a")

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git add karel.txt

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git add "karel (4).txt"

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git commit -m "Versie 2.0"
[master 80e766e] Versie 2.0
 2 files changed, 2 insertion(+)
 create mode 100644 karel (4).txt

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git status
On branch master
nothing to commit, working tree clean

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$
```

```
$ git status
On branch master
nothing to commit, working tree clean

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git checkout karel.txt

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git status
On branch master
nothing to commit, working tree clean

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git checkout karel.txt

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git status
On branch master
nothing to commit, working tree clean

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$
```

```
MINGW64/c:/Users/bartv/OneDrive/Documenten/Git/Git Huiswerk
bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git status
On branch master
nothing to commit, working tree clean

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git log
commit 80e766ed949d1b4489756a92d321f85e4f7b81a3 (HEAD -> master)
Author: bart231 <bartv56@gmail.com>
Date: Mon Sep 18 11:08:34 2017 +0200

    Versie 2.0

commit 148f387b6b2be794ba47409769b7fcd833a1f050
Author: bart231 <bartv56@gmail.com>
Date: Mon Sep 18 10:58:12 2017 +0200

    Versie 0.1

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ AC

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git checkout 148f387
Note: checking out '148f387'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by performing another checkout.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -b with the checkout command again. Example:

    git checkout -b <new-branch-name>

HEAD is now at 148f387... Versie 0.1

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk ((148f387..
..))
$ git log
commit 148f387b6b2be794ba47409769b7fcd833a1f050 (HEAD)
Author: bart231 <bartv56@gmail.com>
Date: Mon Sep 18 10:58:12 2017 +0200

    Versie 0.1

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk ((148f387..
..))
$
```

```
MINGW64/c:/Users/bartv/OneDrive/Documenten/Git/Git Huiswerk
bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ AC

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk (master)
$ git checkout 148f387
Note: checking out '148f387'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by performing another checkout.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -b with the checkout command again. Example:

    git checkout -b <new-branch-name>

HEAD is now at 148f387... Versie 0.1

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk ((148f387..
..))
$ git log
commit 148f387b6b2be794ba47409769b7fcd833a1f050 (HEAD)
Author: bart231 <bartv56@gmail.com>
Date: Mon Sep 18 10:58:12 2017 +0200

    Versie 0.1

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk ((148f387..
..))
$ git checkout 80e766e
Previous HEAD position was 148f387... Versie 0.1
HEAD is now at 80e766e... Versie 2.0

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk ((80e766e...))
$ git log
commit 80e766ed949d1b4489756a92d321f85e4f7b81a3 (HEAD, master)
Author: bart231 <bartv56@gmail.com>
Date: Mon Sep 18 11:08:34 2017 +0200

    Versie 2.0

commit 148f387b6b2be794ba47409769b7fcd833a1f050
Author: bart231 <bartv56@gmail.com>
Date: Mon Sep 18 10:58:12 2017 +0200

    Versie 0.1

bartv@DESKTOP-QTOHRRB MINGW64 ~/OneDrive/Documenten/Git/Git Huiswerk ((80e766e...))
$
```