Passo 1

```
Consys@comercial_00321 MINGW64 ~/Documents/GIT
Initialized empty Git repository in C:/Users/Consys/Documents/GIT/.git/
Consys@comercial_00321 MINGW64 ~/Documents/GIT (master)
$ git add index.html
Consys@comercial_00321 MINGW64 ~/Documents/GIT (master)
$ git commit -m "Adicionando arquivo inicial do projeto index.html"
[master (root-commit) 3ace7a0] Adicionando arquivo inicial do projeto index.html
 1 file changed, 10 insertions(+)
 create mode 100644 index.html
Consys@comercial_00321 MINGW64 ~/Documents/GIT (master)
$ git status
On branch master
nothing to commit, working tree clean
Consys@comercial_00321 MINGW64 ~/Documents/GIT (master)
$ git branch -M main
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git remote add origin https://github.com/Yuridiegotech/GIT.git
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 358 bytes | 358.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Yuridiegotech/GIT.git
 * [new branch] main -> main
branch 'main' set up to track 'origin/main'.
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
```

Passo 2

```
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: index.html
Untracked files:
  (use "git add <file>..." to include in what will be committed)
no changes added to commit (use "git add" and/or "git commit -a")
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git add index.html
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git add imagens/abc.png
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git commit -m "Adicionando Imagens e ajustando INDEX.HTML"
[main bOab6f2] Adicionando Imagens e ajustando INDEX.HTML
2 files changed, 3 insertions(+), 2 deletions(-)
 create mode 100644 imagens/abc.png
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git push origin master
error: src refspec master does not match any
            ed to push some refs to 'https://github.com/Yuridiegotech/GIT.git'
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 59.46 KiB | 19.82 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Yuridiegotech/GIT.git
   3ace7a0..b0ab6f2 main -> main
```

Atividade 2

```
rcial_00321 MINGW64 ~/Documents/GIT (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
 Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ echo senhas_secretas.txt > .gitignore
 Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
 Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git add .gitignore
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time
uches it
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git commit -m "Adicionar .gitignore para ignorar o arquivo senhas_secretas"
[main 00fae8f] Adicionar .gitignore para ignorar o arquivo senhas_secretas
 1 file changed, 1 insertion(+)
 create mode 100644 .gitignore
 Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 367 bytes | 367.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Yuridiegotech/GIT.git
   b0ab6f2..00fae8f main -> main
 Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
```

```
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git branch versao01
Consys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git checkout versao01
Switched to branch 'versao01'
Consys@comercial_00321 MINGW64 ~/Documents/GIT (versao01)
$ git add index.html
Consys@comercial_00321 MINGW64 ~/Documents/GIT (versao01)
$ git commit -m "Alterações na versão 01 do index.html
[versao01 354d75d] Alterações na versão 01 do index.html
 1 file changed, 1 insertion(+)
 Consys@comercial_00321 MINGW64 ~/Documents/GIT (versao01)
$ git push origin versao01
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 335 bytes | 335.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote: Create a pull request for 'versao01' on GitHub by visiting:
               https://github.com/Yuridiegotech/GIT/pull/new/versao01
remote:
remote:
To https://github.com/Yuridiegotech/GIT.git
 * [new branch]
                        versao01 -> versao01
Consys@comercial_00321 MINGW64 ~/Documents/GIT (versao01)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
 Onsys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git merge versao01
Updating OOfae8f..354d75d
Fast-forward
 index.html | 1 +
 1 file changed, 1 insertion(+)
 Onsys@comercial_00321 MINGW64 ~/Documents/GIT (main)
$ git push origin main
Total O (delta O), reused O (delta O), pack-reused O
To https://github.com/Yuridiegotech/GIT.git
00fae8f..354d75d main -> main
```