	Hoja de Trabajo	Generador de Consultas

```sql
SELECT CITY,NVL(STATE_PROVINCE,'NO TIENE') FROM LOCATIONS;
```

Resultado de la Consulta ×

SQL | Todas las Filas Recuperadas: 23 en 0,006 segundos

	CITY	NVL(STATE_PROVINCE,'NOTIENE')
1	Roma	NO TIENE
2	Venice	NO TIENE
3	Tokyo	Tokyo Prefecture
4	Hiroshima	NO TIENE
5	Southlake	Texas
6	South San Francisco	California
7	South Brunswick	New Jersey
8	Seattle	Washington
9	Toronto	Ontario
10	Whitehorse	Yukon
11	Beijing	NO TIENE
12	Bombay	Maharashtra
13	Sydney	New South Wales
14	Singapore	NO TIENE
15	London	NO TIENE
16	Oxford	Oxford
17	Stretford	Manchester
18	Munich	Bavaria
19	Sao Paulo	Sao Paulo
20	Geneva	Geneve

```sql
SELECT SALARY, COMMISSION_PCT,NVL2(COMMISSION_PCT, SALARY+SALARY*COMMISSION_PCT/100,SALARY) FROM EMPLOYEES;
```

Resultado de la Consulta ×

SQL | Todas las Filas Recuperadas: 107 en 0,014 segundos

	SALARY	COMMISSION_PCT	NVL2(COMMISSION_PCT,SALARY+SALARY*COMMISSION_PCT/100,SALARY)
1	24000	(null)	24000
2	17000	(null)	17000
3	17000	(null)	17000
4	9000	(null)	9000
5	6000	(null)	6000
6	4800	(null)	4800
7	4800	(null)	4800
8	4200	(null)	4200
9	12008	(null)	12008
10	9000	(null)	9000
11	8200	(null)	8200
12	7700	(null)	7700
13	7800	(null)	7800
14	6900	(null)	6900
15	11000	(null)	11000
16	3100	(null)	3100
17	2900	(null)	2900
18	2800	(null)	2800
19	2600	(null)	2600
20	2500	(null)	2500

```sql
SELECT DEPARTMENT_NAME, NVL(MANAGER_ID,-1) FROM DEPARTMENTS;
```

Resultado de la Consulta ×

SQL | Todas las Filas Recuperadas: 27 en 0,008 segundos

	DEPARTMENT_NAME	NVL(MANAGER_ID,-1)
1	Administration	200
2	Marketing	201
3	Purchasing	114
4	Human Resources	203
5	Shipping	121
6	IT	103
7	Public Relations	204
8	Sales	145
9	Executive	100
10	Finance	108
11	Accounting	205
12	Treasury	-1
13	Corporate Tax	-1
14	Control And Credit	-1
15	Shareholder Services	-1
16	Benefits	-1
17	Manufacturing	-1
18	Construction	-1
19	Contracting	-1
20	Operations	-1

```
SELECT CITY,STATE_PROVINCE,NULLIF(CITY,STATE_PROVINCE) FROM LOCATIONS;
```

Resultado de la Consulta ×

SQL | Todas las Filas Recuperadas: 23 en 0,008 segundos

	CITY	STATE_PROVINCE	NULLIF(CITY,STATE_PROVINCE)
1	Roma	(null)	Roma
2	Venice	(null)	Venice
3	Tokyo	Tokyo Prefecture	Tokyo
4	Hiroshima	(null)	Hiroshima
5	Southlake	Texas	Southlake
6	South San Francisco	California	South San Francisco
7	South Brunswick	New Jersey	South Brunswick
8	Seattle	Washington	Seattle
9	Toronto	Ontario	Toronto
10	Whitehorse	Yukon	Whitehorse
11	Beijing	(null)	Beijing
12	Bombay	Maharashtra	Bombay
13	Sydney	New South Wales	Sydney
14	Singapore	(null)	Singapore
15	London	(null)	London
16	Oxford	Oxford	(null)
17	Stretford	Manchester	Stretford
18	Munich	Bavaria	Munich
19	Sao Paulo	Sao Paulo	(null)
20	Geneva	Geneve	Geneva