Unit 2: Using Objects
Strings

Adapted from:

1) Building Java Programs: A Back to Basics Approach

by Stuart Reges and Marty Stepp

2) Runestone CSAwesome Curriculum

https://longbaonguyen.github.io

Strings

- **string**: An object storing a sequence of text characters.
  - String is not a primitive type. String is an object type.
  - Three ways to initialize a string:
    1. String a = new String("text");
    2. String b = "text";
    3. String c = expression;

  - Examples:

    ```
    String a = new String("John Smith");

    String b = "John Smith";

    String c = "John" + " " + "Smith";
    ```

The String class is part of the java.lang package. Classes in the java.lang package are available by default.

Indexes

- Characters of a string are numbered with 0-based *indexes*:

  ```
  String a = "J. Smith";
  ```

index	0	1	2	3	4	5	6	7
character	J	.		S	m	i	t	h

  - First character's index : 0
  - Last character's index : 1 less than the string's length

String concatenation

string concatenation: primitive values can be concatenated with a String object using +. This causes implicit conversion of the values to String objects.

```
"hello" + 42     is    "hello42"
1 + "abc" + 2    is    "1abc2"
"abc" + 1 + 2    is    "abc12"
1 + 2 + "abc"    is    "3abc"
"abc" + 9 * 3    is    "abc27"
"1" + 1          is    "11"
4 - 1 + "abc"    is    "3abc"
```

Use + to print a string and an expression's value together.

- System.out.println(**"Grade: " +** (95.1 + 71.9) / 2);

- Output: Grade: 83.5

Escape sequences

escape sequence: A special sequence of characters used to represent certain special characters in a string.

    `\n`   new line character

    `\"`   quotation mark character

    `\\`   backslash character

- Example:
  ```
  System.out.println("\\hello\nhow are \"you\"?\\\\");
  ```

- Output:
  ```
  \hello
  how are "you"?\\
  ```

Questions

- What is the output of the following `println` statements?

```
System.out.println("\\\\");
System.out.println("'");
System.out.println("\"\"\"");
```

- Write a `println` statement to produce this output:

```
/ \ // \\ /// \\\
```

Answers

- Output of each `println` statement:

```
\\
'
"""
```

- `println` statement to produce the line of output:

```
System.out.println("/ \\ // \\\\ /// \\\\\\");
```

String methods

Method name	Description
`String(String str)`	Constructs a new String object that represents the same sequence of characters as str
`int length()`	Returns number of characters in this string
`substring(`**index1**`, `**index2**`)` or `substring(`**index1**`)`	Returns the characters in this string from *index1* (inclusive) to *index2* (<u>exclusive</u>); if *index2* is omitted, grabs till end of string
`boolean equals(String other)`	Returns true if this is equal to other; returns false otherwise
`int compareTo(String other)`	Returns a value < 0 if this is less than other; returns zero if this is equal to other; returns a value > 0 if this is greater than other
`int indexOf(`**str**`)`	Returns index where the start of the given string appears in this string (-1 if not found)

String method examples

```java
// index        0123456789012345678
String s1 = "programming in java";

System.out.println(s1.length());
// 19
System.out.println(s1.indexOf("i")); // 8
System.out.println(s1.indexOf("gram")); // 3
System.out.println(s1.indexOf("hi")); // -1

System.out.println(s1.substring(7, 10)); // "min"
System.out.println(s1.substring(12)); // "in java"
System.out.println(s1.substring(2,3));// "o"
System.out.println(s1.substring(2,2));
// "", empty string

String s2 = s1.substring(10, 17); // "g in ja"
```

String method examples

Given the following string:

```
// index          0123456789012345678901
String book = "Building Java Programs";
```

How would you extract the word "Java" ?

```
String word = book.substring(9,13);
```

String's equals:

```
String a = "hello", b = "Hello";
System.out.println(a.equals(b)); // false
System.out.println(a.equals("hello")); // true
```

Comparing objects

When the operator == is used with object variables it returns true when the two variables *refer to the same object*. Two object variables that refer to the same object are called **aliases** for the object.

```
Point a = new Point(3, 5);
Point b = new Point(3, 5);
System.out.println(a == b); // false, same content
                           // but different objects
Point c = new Point(10, -2);
Point d = c;        // copies address/reference.
System.out.println(c == d); // true
                           // same object
```

Comparing strings

With String objects, you must use the **equals** method to test if two strings have the same characters in the same order instead of == which is used for primitive types.

If you use the **new** keyword to create a string it will create a new string object. So, even if we create two string objects with the same characters using the new operator they will not refer to the same object.

```
String a = new String("hi");;
String b = new String("hi");
System.out.println(a == b); //false, not same objects
System.out.println(a.equals(b)); //true, same characters & order
```

compareTo

The compareTo method compares strings in dictionary (lexicographical) order:

- If `string1.compareTo(string2) < 0`, then string1 precedes string2 in the dictionary.
- If `string1.compareTo(string2) > 0`, then string1 follows string2 in the dictionary.
- If `string1.compareTo(string2)==0`, then string1 and string2 are identical. (This test is an alternative to `string1.equals(string2)`.)

All you need to know is that all digits precede all capital letters, which precede all lowercase letters. Thus "5" comes before "R", which comes before "a".

compareTo

```
String s1 = "HOT", s2 = "HOTEL", s3 = "dog";
String s4 = "hot";
String s5 = new String("hot");
```

`s1.compareTo(s2)` returns a negative number(<0) since s1 < s2.

`s4.compareTo(s3)` returns a positive number(>0) since s4 > s3.

`s4.compareTo(s5)` returns 0 since s4 is equal to s5.

Modifying strings

- Methods like `substring` build and return a new string, rather than modifying the current string.
  - String is **immutable**; once created, its value cannot be changed.

```
String s = "kendrick";
s = "snoop dog";
//"kendrick" is discarded and a new String
// object "snoop dog" is created.

s.substring(0, 5); //returns snoop, not stored
System.out.println(s);
// snoop dog, s is not changed
```

Modifying strings

- To modify a variable's value, you must reassign it:

```
String s = "lil bow wow";
s = s.substring(0,3);
System.out.println(s);    // lil
```

Value semantics

Value semantics: String is the only object class that follows value semantics. Modifying the parameter will not affect the variable passed in.

```java
public class MyClass{
        public static void main(String[] args){
                String x = "hi";
                changeMe(x);
                System.out.println(x); // hi
        }
        public static void changeMe(String x){
                x = "hello";
        }
}
```

Note: The value of x in main did not change.

Silly Strings

```
String beans;
String cheese;
String quartet;
String bikini;
String theory;

String school = "Hogwarts: School for Pigs";
String headmaster = "Kevin Bacon";
String teacher = "Brad Pig";
String gf = "Piggy Azalea";

String fav_book = "Hamlet";
String fav_char_star_wars = "Ham Solo";
String fav_char_star_wars_2 = "ChewBacon";
```

Lab 1

Create a new repl on repl.it.

Implement the driver class(Main.java) to include two methods: printName and pigLatin.

`printName:` static, void method which takes a String input which represents a full name in the format: first name, a space, middle name, space and last name. The method extracts first, middle and last name and prints them. Use Scanner class to take input.(String full_name = console.nextLine();).

input: "Michael Benjamin Smith"

print output:
First: Michael
Middle: Benjamin
Last: Smith

Lab 1: Extracting Substring

`pigLatin`: static, method which takes a String input and returns the string in Pig Latin:take the first letter and put it at the end of the word and add the letters "ay" to the end. For example:

input: "pig"

returns: "igpay"

References

1) Building Java Programs: A Back to Basics Approach by Stuart Reges and Marty Stepp

2) Runestone CSAwesome Curriculum:
https://runestone.academy/runestone/books/published/csawesome/index.html

For more tutorials/lecture notes in Java, Python, game programming, artificial intelligence with neural networks:

https://longbaonguyen.github.io