


Exposures inversely associated with breast cancer risk

Exposure	N studies	N	Cases	Pooled RR (95% CI)
类胡萝卜素				
叶黄素	10	1,067,447	48,416	0.65 (0.54–0.78)
番茄红素	11	334,206	132,822	0.68 (0.55–0.84)
-胡萝卜素	34	1,382,343	76,186	0.77 (0.68–0.89)
维生素 A、C、D、E、K				
维生素 D	79	1,568,014	240,492	0.84 (0.8–0.87)
维生素 A	15	551,013	143,360	0.9 (0.74–1.08)
维生素 C	16	512,782	35,415	0.94 (0.82–1.06)
维生素 E	20	717,001	276,935	0.94 (0.81–1.1)
B族维生素				
维生素 B6	7	92,079	3,337	0.56 (0.42–0.76)
维生素 B12	9	88,794	11,404	0.66 (0.48–0.91)
维生素 B1	2	38,639	853	0.75 (0.61–0.93)
叶酸	38	1,079,462	52,354	0.82 (0.74–0.92)
抗氧化剂				
抗氧化剂	17	856,523	267,423	0.72 (0.61–0.84)
矿物质与微量元素				
钾	2	1,370	587	0.55 (0.3–1.03)
钼	4	5,809	2,459	0.56 (0.33–0.96)
碘	2	3,284	1,288	0.68 (0.46–1)
钙	27	893,832	76,347	0.92 (0.87–0.96)
硒	18	343,803	20,200	0.96 (0.89–1.05)
多酚与黄酮类				
绿茶	12	233,848	16,921	0.97 (0.85–1.1)
水果与蔬菜				
蘑菇	5	4,428	1,957	0.59 (0.24–1.43)
豆类	15	273,560	15,479	0.61 (0.5–0.75)
大蒜	4	243,855	1,388	0.71 (0.55–0.94)
橄榄	10	248,595	16,870	0.8 (0.69–0.92)
发酵食品与益生菌				
味噌	3	87,065	751	0.8 (0.56–1.13)
发酵食品	12	190,614	42,598	0.82 (0.65–1.04)
酸奶	5	20,962	40,377	0.82 (0.73–0.94)
脂肪酸与脂质				
Omega-3 脂肪酸	20	242,088	10,615	0.65 (0.56–0.76)
鱼油	6	508,427	63,225	0.76 (0.56–1.02)
鳕鱼肝油	2	4,001	1,731	0.78 (0.68–0.9)
植物雌激素				
大豆	39	959,523	33,957	0.73 (0.63–0.84)
草本与植物制品				
黑升麻	2	12,594	4,413	0.61 (0.34–1.07)
其他				
燕麦	2	28,604	1,075	0.7 (0.3–1.65)
地中海饮食	23	539,860	28,634	0.71 (0.64–0.79)
咖啡因	11	872,194	38,461	0.97 (0.92–1.01)
乳制品	40	2,737,742	194,366	0.98 (0.95–1.01)
代谢物与氨基酸				
胆碱	4	80,262	6,805	0.76 (0.52–1.11)
甜菜碱	3	77,198	5,297	0.77 (0.56–1.07)
支链氨基酸 (BCAAs)	2	197,211	10,396	0.77 (0.4–1.48)
激素与内源性物质				
褪黑素	9	28,894	2,650	0.87 (0.73–1.03)



Exposure group

