

Exposures negatively associated with ovarian cancer risk meta-analysis of dietary-intake studies				
Exposure	# of studies	Sample size	Cases	Pooled RR (95% CI)
CAROTENOÏDEN				
Luteïne	4	529,715	3,624	0.66 (0.45-0.98)
Bètacaroteen	8	611,872	4,692	0.72 (0.57-0.91)
VITAMINEN A, C, D, E EN K				
Vitamine D	2	4,611	1,993	0.52 (0.38-0.71)
Vitamine E	6	591,029	4,497	0.66 (0.48-0.92)
Vitamine C	3	583,089	2,528	0.71 (0.38-1.29)
Vitamine A	6	1,588,466	9,351	0.97 (0.86-1.09)
B-VITAMINEN				
Foliumzuur	8	723,200	3,495	0.76 (0.56-1.02)
ANTIOXIDANTEN				
Antioxidanten	4	523,871	2,791	0.59 (0.36-0.99)
MINERALEN EN SPORENELEMENTEN				
Seleen	2	1,633	611	0.58 (0.38-0.9)
Calcium	3	36,513	1,667	0.66 (0.54-0.81)
POLYFENOLEN EN FLAVONOÏDEN				
Thee	8	307,213	4,002	0.77 (0.55-1.08)
FRUIT EN GROENTEN				
Peulvruchten	2	63,479	506	0.58 (0.22-1.49)
VETZUREN EN LIPIDEN				
Omega 6-vetzuren	2	6,630	3,238	0.78 (0.67-0.9)
FYTO-OESTROGENEN				
Soja	2	1,906	754	0.37 (0.22-0.64)
OVERIG				
Alcohol	18	819,111	17,098	0.95 (0.82-1.11)
Cafeïne	11	336,054	38,479	0.95 (0.79-1.15)

