
# Exposures positively associated with prostate cancer\aggressive risk
## Meta-analysis of dietary-intake studies

| Exposure | Studies | N | Cases | Pooled RR (95% CI) |
|---|---|---|---|---|
| ***VITAMINS A, C, D, E, K*** | | | | |
| **Vitamin A** | 5 | 3,207 | 1,358 | *1.12 (0.63-1.99)* |
| **Vitamin D** | 3 | 247,791 | 29,373 | *1.34 (0.90-2.01)* |
| ***B VITAMINS*** | | | | |
| **Vitamin B12** | 2 | 719 | 245 | *1.47 (1.02-2.12)* |
| ***ANTIOXIDANTS*** | | | | |
| **Antioxidants** | 2 | 50,507 | 7,155 | *1.08 (0.76-1.54)* |
| ***MINERALS & TRACE ELEMENTS*** | | | | |
| **Iron** | 4 | 183,783 | 11,462 | *1.02 (0.94-1.10)* |
| **Selenium** | 10 | 235,441 | 18,652 | *1.02 (0.93-1.12)* |
| **Zinc** | 8 | 47,636 | 6,169 | *1.12 (0.86-1.45)* |
| **Calcium** | 16 | 673,101 | 45,112 | *1.17 (1.07-1.27)* |
| ***FERMENTED FOODS & PROBIOTICS*** | | | | |
| **Yogurt** | 3 | 201,324 | 7,680 | *1.25 (1.00-1.56)* |
| **Fermented foods** | 3 | 3,460 | 339 | *1.37 (0.76-2.45)* |
| ***FATTY ACIDS & LIPIDS*** | | | | |
| **Omega-3 fatty acids** | 6 | 271,067 | 17,634 | *1.00 (0.90-1.10)* |
| **Omega-9 fatty acids** | 2 | 200,518 | 7,678 | *1.08 (0.84-1.40)* |
| **Polyunsaturated Fat (PUFA)** | 9 | 288,745 | 21,673 | *1.11 (0.98-1.25)* |
| **Alpha-linolenic acid** | 3 | 172,482 | 9,151 | *1.13 (0.89-1.44)* |
| **Monounsaturated Fat (MUFA)** | 5 | 253,195 | 12,727 | *1.20 (1.03-1.39)* |
| ***DIET*** | | | | |
| **Western pattern diet** | 2 | 44,462 | 1,702 | *1.35 (1.00-1.82)* |
| ***OTHER*** | | | | |
| **Multivitamin** | 2 | 5,473 | 2,403 | *1.02 (0.84-1.25)* |
| **Ultra-processed food intake** | 6 | 248,736 | 13,760 | *1.02 (0.95-1.10)* |
| **Processed meat intake** | 8 | 1,089,615 | 64,702 | *1.09 (1.02-1.17)* |
| **Whole-grain intake** | 3 | 79,458 | 7,209 | *1.11 (0.97-1.26)* |
| **Alcohol** | 27 | 1,911,711 | 47,035 | *1.20 (1.10-1.31)* |
| **Dairy** | 23 | 688,143 | 33,749 | *1.22 (1.11-1.34)* |
| **Red meat** | 10 | 873,126 | 56,254 | *1.60 (1.15-2.23)* |




Exposure group
Vitamins A, C, D, E, K
B Vitamins
Antioxidants
Minerals & Trace Elements
Fermented Foods & Probiotics
Fatty Acids & Lipids
Diet
Other

*RR > 1 = positively associated with prostate cancer\aggressive risk. |◆ pooled RR (size reflects number of studies) |◇ red outline = statistically significant (95% CI excludes 1.0) |◆ faded = not statistically significant | dashed line below CI = 95% prediction interval (where available) | arrowhead = interval continues beyond the axis*

Include subexposures: Yes