
Exposures negatively associated with bladder cancer risk

Exposure	Estimates	N	Cases	Pooled RR (95% CI)
CAROTENOIDS				
Lutein	3	122,821	1,415	*0.70 (0.38-1.27)*
Beta Carotene	6	368,253	2,305	*0.83 (0.66-1.04)*
Lycopene	3	222,792	1,333	*0.95 (0.90-1.00)*
VITAMINS A, C, D, E, K				
Vitamin A	4	126,541	1,212	*0.72 (0.52-0.98)*
Vitamin C	3	8,606	902	*0.75 (0.56-1.01)*
Vitamin D	10	339,695	9,964	*0.75 (0.35-1.61)*
Vitamin E	5	158,299	1,839	*0.77 (0.59-1.00)*
B VITAMINS				
Folic Acid	5	309,245	2,289	*0.78 (0.61-0.99)*
MINERALS & TRACE ELEMENTS				
Selenium	8	161,440	3,121	*0.73 (0.55-0.97)*
Phosphorus	2	1,147	522	*0.97 (0.28-3.42)*
POLYPHENOLS & FLAVONOIDS				
Tea	9	580,076	17,811	*0.97 (0.80-1.18)*
FRUITS & VEGETABLES				
Legumes	2	2,541	1,268	*0.64 (0.43-0.95)*
Avocado	2	112,328	1,165	*0.78 (0.60-1.01)*
FERMENTED FOODS & PROBIOTICS				
Yogurt	2	101,981	906	*0.65 (0.25-1.65)*
Fermented Foods	5	203,999	2,474	*0.76 (0.51-1.14)*
FATTY ACIDS & LIPIDS				
Omega-3 Fatty Acids	2	1,061	572	*0.31 (0.20-0.48)*
Monounsaturated Fat MUFA	2	648,914	3,592	*0.95 (0.44-2.04)*
METABOLITES & AMINO ACIDS				
Plant Protein Intake	2	585,408	2,402	*0.84 (0.71-1.00)*
OTHER				
Whole Grain Intake	3	219,042	5,247	*0.73 (0.52-1.01)*
Dairy	8	306,953	3,788	*0.74 (0.54-1.01)*
Total Dietary Fiber Intake	2	676,447	3,990	*0.85 (0.77-0.95)*
Alcohol	12	1,003,146	9,243	*0.88 (0.76-1.02)*



Exposure group

Carotenoids · Vitamins A, C, D, E, K · B Vitamins · Minerals & Trace Elements · Polyphenols & Flavonoids · Fruits & Vegetables · Fermented Foods & Probiotics · Fatty Acids & Lipids · Metabolites & Amino Acids · Other

RR < 1 = negatively associated with bladder cancer risk. | ◆ pooled RR (size reflects number of estimates) | ◇ red outline = statistically significant (95% CI excludes 1.0) | ◆ faded = not statistically significant | dashed line = 95% prediction interval | N and case totals sum estimates and may overlap across strata | arrowhead = interval continues beyond the axis

Include subexposures: No