Enter-Exit System (BCG Shared Assets)


Supports all BCG vehicle controllers now. Enables / disables character controllers, registers / deregisters vehicles, and observes all events.

First, you have to import "BCG Shared Assets" into your project in order to use enter / exit system. It will add necessary scripts and resources to use your FPS or TPS player for enter / exit vehicles. Package is located in the "Addon Packages\For BCG Shared Assets (Enter-Exit)" folder. You can also import integration package from the welcome window as well.

Tools \rightarrow BCG \rightarrow RCC \rightarrow Welcome Window \rightarrow Addons.

There will be two new scenes imported to the "**Demo Scenes**" folder. One for FPS, and the other one for TPS controllers. FPS and TPS controllers are using different cameras. Usually, camera of the FPS character is in the character gameobject. But TPS characters have unattached and independent cameras, and they are not parented to the character. Therefore, **BCG_EnterExitPlayer.cs** script has two options for usement with FPS or TPS. If TPS is choosen, you must select the TPS camera in the scene.

You can edit some settings from (Tools → BCG → Shared Assets → Edit Settings).



How The System Works (Simple)

All enter exit vehicles must have "BCG_EnterExitVehicle" component. And our FPS/TPS character must has "BCG_EnterExitPlayer" component. BCG_SceneManager (Will be created automatically in the scene) will be observing all vehicles and your character in the scene. If vehicle has no driver, *canControl of the vehicle will be disabled, and not registered as player vehicle. If our character has entered any vehicle, BCG_SceneManager will register the target vehicle as player vehicle, enables the canControl of the vehicle. At that moment, our character will be parented to the vehicle and disabled entirely. Now, BCG_EnterExitVehicle has a **driver now. If player gets out from the vehicle, BCG_SceneManager will be activating character controller, and transport it to "Get Out Pos" of the vehicle. And lastly, deregister the vehicle and disable *canControl of the vehicle. Now, vehicle is not controllable, not a player vehicle.

How To Make It Work

All you have to do is, add necessary scripts to the vehicles and to your character player. Get out position of the vehicles are created automatically in script if you don't select it in BCG_EnterExitCar. You can replace get out positions.

For FPS characters, it will depend on your camera of the FPS player. For TPS player, it depends on your actual TPS Player, not camera.

Character Controllers must have BCG_EnterExitPlayer

Vehicles must have BCG EnterExitVehicle

_BCGEnterExitManager will be created automatically in your scene. _BCGEnterExitManager will be managing all the process.

^{* =} canControl bool of the RCC_CarControllerV3. If it's enabled, the vehicle is controllable.

^{** =} driver variable of the BCG EnterExitVehicle.

How The System Works (Detailed)

Please read simple version first if you haven't read. Let's get it straight with more detailed version;

- 1- BCG_EnterExitVehicle must be attached to all vehicles.
- 2- BCG_EnterExitPlayer must be attached to the character.
- 3- BCG_EnterExitManager will be created automatically.

All the system is based on events. **BCG_EnterExitPlayer** is firing an event when it's spawned, destroyed, gets in a vehicle, or gets out of the vehicle. **BCG_SceneManager** will be listening to this event as well. So, manager knows your all your character events. All events are explained below;

```
public delegate void <a href="mailto:onBCGPlayerSpawned">onBCGPlayerSpawned</a>(BCG_EnterExitPlayer player);
```

public delegate void onBCGPlayerDestroyed(BCG_EnterExitPlayer player);

public delegate void **onBCGPlayerEnteredAVehicle**(BCG_EnterExitPlayer player, BCG_EnterExitVehicle vehicle);

public delegate void **onBCGPlayerExitedFromAVehicle**(BCG_EnterExitPlayer player, BCG_EnterExitVehicle vehicle);

You can listen any events on the **BCG_EnterExitPlayer or BCG_EnterExitVehicle**. For example;

```
© Unity Message | 0 references
private void Awake () {

BCG_EnterExittPlayer_OnBCGPlayerSpawned += BCG_Player_OnBCGPlayerSpawned; // Listening to any FPS/TPS character when they spawned.
BCG_EnterExittPlayer_OnBCGPlayerDestroyed += BCG_Player_OnBCGPlayerDestroyed; // Listening to any FPS/TPS character when they destroyed.
BCG_EnterExittPlayer_OnBCGPlayerDestroyed += BCG_Player_OnBCGPlayerDestroyed; // Listening to any Vehicle when they spawn.
BCG_EnterExittPlayer_OnBCGPlayerEnteredAVehicle += BCG_Player_OnBCGPlayerEnteredAVehicle; // Listening an event when player gets in a vehicle.
BCG_EnterExittPlayer_OnBCGPlayerExitedFromAVehicle += BCG_Player_OnBCGPlayerExitedFromAVehicle; // Listening an event when player gets out of a vehicle.
BCG_EnterExitCharacterUICanvas_OnBCGPlayerCanvasSpawned += BCG_EnterExitCharacterUICanvas_OnBCGPlayerCanvasSpawned; // Listening an event when UI canvas spawned.
}
```

Nice color scheme, isn't it? Anyways, BCG_EnterExitManager will be using GetIn() or GetOut() methods by listening these events. GetIn() method requires "targetVehicle". GetOut() method doesn't require any parameters.

When our character standing next to the any vehicle, get in text will be enabled by BCG_EnterExitPlayer. If player pushes the interaction button,

OnBCGPlayerEnteredAVehicle event will be fired with targetVehicle data. As you well now, this event has been listening by BCG_SceneManager. So, BCG_SceneManager will be firing GetIn(targetVehicle) method to do the rest.