



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$(6 + 4) \times 9$$

$$3 \times 4 + 2$$

$$5 \times (6 + 2)$$

$$2 \times (3 + 8)$$

$$2 \times 3 + 8$$

$$5 \times (10 + 3)$$

$$(4 + 3) \times 7$$

$$5 + 7 \times 4$$

$$10 + 6 \times 4$$

$$10 \times 5 + 7$$



Solve each expression using the correct order of operations.

$$\begin{aligned} &(\underline{6 + 4}) \times 9 \\ &= \underline{10 \times 9} \\ &= 90 \end{aligned}$$

$$\begin{aligned} &\underline{3 \times 4} + 2 \\ &= \underline{12 + 2} \\ &= 14 \end{aligned}$$

$$\begin{aligned} &5 \times (\underline{6 + 2}) \\ &= \underline{5 \times 8} \\ &= 40 \end{aligned}$$

$$\begin{aligned} &2 \times (\underline{3 + 8}) \\ &= \underline{2 \times 11} \\ &= 22 \end{aligned}$$

$$\begin{aligned} &\underline{2 \times 3} + 8 \\ &= \underline{6 + 8} \\ &= 14 \end{aligned}$$

$$\begin{aligned} &5 \times (\underline{10 + 3}) \\ &= \underline{5 \times 13} \\ &= 65 \end{aligned}$$

$$\begin{aligned} &(\underline{4 + 3}) \times 7 \\ &= \underline{7 \times 7} \\ &= 49 \end{aligned}$$

$$\begin{aligned} &5 + \underline{7 \times 4} \\ &= \underline{5 + 28} \\ &= 33 \end{aligned}$$

$$\begin{aligned} &10 + \underline{6 \times 4} \\ &= \underline{10 + 24} \\ &= 34 \end{aligned}$$

$$\begin{aligned} &\underline{10 \times 5} + 7 \\ &= \underline{50 + 7} \\ &= 57 \end{aligned}$$



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$(2 + 9) \times 8 + 3 \times (10 + 5)$$

$$((3 + 10) \times 4) \times 2 + 8 + 9$$

$$(6 + 7) \times 5 + 4 \times (2 + 3)$$

$$((4 + 3) \times 7) \times 2 + 5 + 9$$

$$(2 \times (9 + 6)) \times 3 + 5 + 7$$

$$((4 + 3) \times 7) \times 2 + 6 \times 8$$

$$(7 + 10) \times 2 + 6 \times (3 \times 5)$$

$$(3 + 9) \times 5 + 4 \times (2 + 8)$$



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$\begin{aligned} & (2 + 9) \times 8 + 3 \times (10 + 5) \\ &= 11 \times 8 + 3 \times (10 + 5) \\ &= 11 \times 8 + 3 \times 15 \\ &= 88 + 3 \times 15 \\ &= 88 + 45 \\ &= 133 \end{aligned}$$

$$\begin{aligned} & ((3 + 10) \times 4) \times 2 + 8 + 9 \\ &= (13 \times 4) \times 2 + 8 + 9 \\ &= 52 \times 2 + 8 + 9 \\ &= 104 + 8 + 9 \\ &= 112 + 9 \\ &= 121 \end{aligned}$$

$$\begin{aligned} & (6 + 7) \times 5 + 4 \times (2 + 3) \\ &= 13 \times 5 + 4 \times (2 + 3) \\ &= 13 \times 5 + 4 \times 5 \\ &= 65 + 4 \times 5 \\ &= 65 + 20 \\ &= 85 \end{aligned}$$

$$\begin{aligned} & ((4 + 3) \times 7) \times 2 + 5 + 9 \\ &= (7 \times 7) \times 2 + 5 + 9 \\ &= 49 \times 2 + 5 + 9 \\ &= 98 + 5 + 9 \\ &= 103 + 9 \\ &= 112 \end{aligned}$$

$$\begin{aligned} & (2 \times (9 + 6)) \times 3 + 5 + 7 \\ &= (2 \times 15) \times 3 + 5 + 7 \\ &= 30 \times 3 + 5 + 7 \\ &= 90 + 5 + 7 \\ &= 95 + 7 \\ &= 102 \end{aligned}$$

$$\begin{aligned} & ((4 + 3) \times 7) \times 2 + 6 \times 8 \\ &= (7 \times 7) \times 2 + 6 \times 8 \\ &= 49 \times 2 + 6 \times 8 \\ &= 98 + 6 \times 8 \\ &= 98 + 48 \\ &= 146 \end{aligned}$$

$$\begin{aligned} & (7 + 10) \times 2 + 6 \times (3 \times 5) \\ &= 17 \times 2 + 6 \times (3 \times 5) \\ &= 17 \times 2 + 6 \times 15 \\ &= 34 + 6 \times 15 \\ &= 34 + 90 \\ &= 124 \end{aligned}$$

$$\begin{aligned} & (3 + 9) \times 5 + 4 \times (2 + 8) \\ &= 12 \times 5 + 4 \times (2 + 8) \\ &= 12 \times 5 + 4 \times 10 \\ &= 60 + 4 \times 10 \\ &= 60 + 40 \\ &= 100 \end{aligned}$$



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$5 + 2 \times (4 + 7) \times 3$$

$$5 + 4 \times (2 + 6 \times 3)$$

$$(5 + 4) \times 2 + 10 \times 8$$

$$(6 + 7 \times 5) \times 2 + 8$$

$$9 \times 7 + 5 \times (3 + 4)$$

$$(4 \times 5 + 9) \times 2 + 10$$

$$4 + 2 \times (5 \times 7 + 10)$$

$$(6 + 7) \times 5 + 2 \times 4$$

$$2 \times (3 + 7 + 4 \times 9)$$

$$(7 + 9) \times 3 + 2 \times 4$$



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$\begin{aligned} & 5 + 2 \times (4 + 7) \times 3 \\ &= 5 + 2 \times 11 \times 3 \\ &= 5 + 22 \times 3 \\ &= 5 + 66 \\ &= 71 \end{aligned}$$

$$\begin{aligned} & 5 + 4 \times (2 + 6 \times 3) \\ &= 5 + 4 \times (2 + 18) \\ &= 5 + 4 \times 20 \\ &= 5 + 80 \\ &= 85 \end{aligned}$$

$$\begin{aligned} & (5 + 4) \times 2 + 10 \times 8 \\ &= 9 \times 2 + 10 \times 8 \\ &= 18 + 10 \times 8 \\ &= 18 + 80 \\ &= 98 \end{aligned}$$

$$\begin{aligned} & (6 + 7 \times 5) \times 2 + 8 \\ &= (6 + 35) \times 2 + 8 \\ &= 41 \times 2 + 8 \\ &= 82 + 8 \\ &= 90 \end{aligned}$$

$$\begin{aligned} & 9 \times 7 + 5 \times (3 + 4) \\ &= 9 \times 7 + 5 \times 7 \\ &= 63 + 5 \times 7 \\ &= 63 + 35 \\ &= 98 \end{aligned}$$

$$\begin{aligned} & (4 \times 5 + 9) \times 2 + 10 \\ &= (20 + 9) \times 2 + 10 \\ &= 29 \times 2 + 10 \\ &= 58 + 10 \\ &= 68 \end{aligned}$$

$$\begin{aligned} & 4 + 2 \times (5 \times 7 + 10) \\ &= 4 + 2 \times (35 + 10) \\ &= 4 + 2 \times 45 \\ &= 4 + 90 \\ &= 94 \end{aligned}$$

$$\begin{aligned} & (6 + 7) \times 5 + 2 \times 4 \\ &= 13 \times 5 + 2 \times 4 \\ &= 65 + 2 \times 4 \\ &= 65 + 8 \\ &= 73 \end{aligned}$$

$$\begin{aligned} & 2 \times (3 + 7 + 4 \times 9) \\ &= 2 \times (3 + 7 + 36) \\ &= 2 \times (10 + 36) \\ &= 2 \times 46 \\ &= 92 \end{aligned}$$

$$\begin{aligned} & (7 + 9) \times 3 + 2 \times 4 \\ &= 16 \times 3 + 2 \times 4 \\ &= 48 + 2 \times 4 \\ &= 48 + 8 \\ &= 56 \end{aligned}$$



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$2 \times (6 + 7 - 3 + 4) \times (9 - 8)$$

$$(6 - 4) \times (9 + 5 - 7) \times (3 + 2)$$

$$6 - 3 + 5 \times (8 + 4) \times (10 - 9)$$

$$6 - 3 + 9 \times (4 \times (8 + 2 - 10))$$

$$(8 + 7 - 10) \times (9 - 3 + 4) \times 2$$

$$(10 - 9) \times (8 + 7 + 3 - 2) \times 6$$



Solve each expression using the correct order of operations.

$$\begin{aligned} & 2 \times (6 + 7 - 3 + 4) \times (9 - 8) \\ &= 2 \times (13 - 3 + 4) \times (9 - 8) \\ &= 2 \times (10 + 4) \times (9 - 8) \\ &= 2 \times 14 \times (9 - 8) \\ &= 2 \times 14 \times 1 \\ &= 28 \times 1 \\ &= 28 \end{aligned}$$

$$\begin{aligned} & (6 - 4) \times (9 + 5 - 7) \times (3 + 2) \\ &= 2 \times (9 + 5 - 7) \times (3 + 2) \\ &= 2 \times (14 - 7) \times (3 + 2) \\ &= 2 \times 7 \times (3 + 2) \\ &= 2 \times 7 \times 5 \\ &= 14 \times 5 \\ &= 70 \end{aligned}$$

$$\begin{aligned} & 6 - 3 + 5 \times (8 + 4) \times (10 - 9) \\ &= 6 - 3 + 5 \times 12 \times (10 - 9) \\ &= 6 - 3 + 5 \times 12 \times 1 \\ &= 6 - 3 + 60 \times 1 \\ &= 6 - 3 + 60 \\ &= 3 + 60 \\ &= 63 \end{aligned}$$

$$\begin{aligned} & 6 - 3 + 9 \times (4 \times (8 + 2 - 10)) \\ &= 6 - 3 + 9 \times (4 \times (10 - 10)) \\ &= 6 - 3 + 9 \times (4 \times 0) \\ &= 6 - 3 + 9 \times 0 \\ &= 6 - 3 + 0 \\ &= 3 + 0 \\ &= 3 \end{aligned}$$

$$\begin{aligned} & (8 + 7 - 10) \times (9 - 3 + 4) \times 2 \\ &= (15 - 10) \times (9 - 3 + 4) \times 2 \\ &= 5 \times (9 - 3 + 4) \times 2 \\ &= 5 \times (6 + 4) \times 2 \\ &= 5 \times 10 \times 2 \\ &= 50 \times 2 \\ &= 100 \end{aligned}$$

$$\begin{aligned} & (10 - 9) \times (8 + 7 + 3 - 2) \times 6 \\ &= 1 \times (8 + 7 + 3 - 2) \times 6 \\ &= 1 \times (15 + 3 - 2) \times 6 \\ &= 1 \times (18 - 2) \times 6 \\ &= 1 \times 16 \times 6 \\ &= 16 \times 6 \\ &= 96 \end{aligned}$$



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$(-5)^2 - 4 \times (6 \div ((-7) + 8)) \times 3$$

$$((-9) + 7)^3 \times (-5) \div ((4 - (-6)) \times 2)$$

$$(2^2 \times (6 - 9)) \div 3 + (-4)^2$$

$$((-7) + 7) \div (-9)^2 \times (8 - (-3)^2)$$

$$((-7) + 9 - 7)^2 \times (5 \div (-5))^2$$

$$((-3) \times (10 + (-7)))^2 \div 3 - (-9)^2$$



Solve each expression using the correct order of operations.

$$\begin{aligned} & (-5)^2 - 4 \times \left(6 \div \left(\underline{(-7) + 8} \right) \right) \times 3 \\ &= (-5)^2 - 4 \times \left(\underline{6 \div 1} \right) \times 3 \\ &= \underline{(-5)^2} - 4 \times 6 \times 3 \\ &= 25 - \underline{4 \times 6} \times 3 \\ &= 25 - \underline{24 \times 3} \\ &= \underline{25 - 72} \\ &= -47 \end{aligned}$$

$$\begin{aligned} & \left(\underline{(-9) + 7} \right)^3 \times (-5) \div \left((4 - (-6)) \times 2 \right) \\ &= (-2)^3 \times (-5) \div \left(\left(\underline{4 - (-6)} \right) \times 2 \right) \\ &= (-2)^3 \times (-5) \div (\underline{10 \times 2}) \\ &= \underline{(-2)^3} \times (-5) \div 20 \\ &= \underline{(-8) \times (-5)} \div 20 \\ &= \underline{40 \div 20} \\ &= 2 \end{aligned}$$

$$\begin{aligned} & (2^2 \times \underline{6 - 9}) \div 3 + (-4)^2 \\ &= (\underline{2^2} \times (-3)) \div 3 + (-4)^2 \\ &= \left(\underline{4 \times (-3)} \right) \div 3 + (-4)^2 \\ &= (-12) \div 3 + \underline{(-4)^2} \\ &= \underline{(-12) \div 3} + 16 \\ &= \underline{(-4) + 16} \\ &= 12 \end{aligned}$$

$$\begin{aligned} & \left(\underline{(-7) + 7} \right) \div (-9)^2 \times \left(8 - (-3)^2 \right) \\ &= 0 \div (-9)^2 \times \left(8 - \underline{(-3)^2} \right) \\ &= 0 \div (-9)^2 \times \underline{8 - 9} \\ &= 0 \div \underline{(-9)^2} \times (-1) \\ &= \underline{0 \div 81} \times (-1) \\ &= \underline{0 \times (-1)} \\ &= 0 \end{aligned}$$

$$\begin{aligned} & \left(\underline{(-7) + 9} - 7 \right)^2 \times (5 \div (-5))^2 \\ &= (\underline{2 - 7})^2 \times (5 \div (-5))^2 \\ &= (-5)^2 \times \left(\underline{5 \div (-5)} \right)^2 \\ &= \underline{(-5)^2} \times (-1)^2 \\ &= 25 \times \underline{(-1)^2} \\ &= \underline{25 \times 1} \\ &= 25 \end{aligned}$$

$$\begin{aligned} & \left((-3) \times \left(\underline{10 + (-7)} \right) \right)^2 \div 3 - (-9)^2 \\ &= \left(\underline{(-3) \times 3} \right)^2 \div 3 - (-9)^2 \\ &= \underline{(-9)^2} \div 3 - (-9)^2 \\ &= 81 \div 3 - \underline{(-9)^2} \\ &= \underline{81 \div 3} - 81 \\ &= \underline{27 - 81} \\ &= -54 \end{aligned}$$



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$(2^2 + (-9)) \div ((-10) - (-5)) \times (-2)$$

$$(-3)^2 \div 3 \times (5 - 10 + (-8))$$

$$(-7) \times ((-8) - (-6) + 8 \div (-2)^3)$$

$$((9 - (-6)) \div (-5) + 5) \times 2^3$$

$$(4 \div (2 - (-3) + (-9))) \times (-10)^2$$

$$((-10) + 2 - (-7)) \times ((-3)^2 \div 9)$$



Solve each expression using the correct order of operations.

$$\begin{aligned} & (\underline{2^2} + (-9)) \div ((-10) - (-5)) \times (-2) \\ & = (\underline{4 + (-9)}) \div ((-10) - (-5)) \times (-2) \\ & = (-5) \div (\underline{(-10) - (-5)}) \times (-2) \\ & = \underline{(-5) \div (-5)} \times (-2) \\ & = \underline{1 \times (-2)} \\ & = -2 \end{aligned}$$

$$\begin{aligned} & (-3)^2 \div 3 \times (\underline{5 - 10}) + (-8) \\ & = (-3)^2 \div 3 \times (\underline{(-5) + (-8)}) \\ & = \underline{(-3)^2} \div 3 \times (-13) \\ & = \underline{9 \div 3} \times (-13) \\ & = \underline{3 \times (-13)} \\ & = -39 \end{aligned}$$

$$\begin{aligned} & (-7) \times ((-8) - (-6) + 8 \div \underline{(-2)^3}) \\ & = (-7) \times ((-8) - (-6) + \underline{8 \div (-8)}) \\ & = (-7) \times (\underline{(-8) - (-6)} + (-1)) \\ & = (-7) \times (\underline{(-2) + (-1)}) \\ & = \underline{(-7) \times (-3)} \\ & = 21 \end{aligned}$$

$$\begin{aligned} & ((\underline{9 - (-6)}) \div (-5) + 5) \times 2^3 \\ & = (\underline{15 \div (-5)} + 5) \times 2^3 \\ & = (\underline{(-3) + 5}) \times 2^3 \\ & = 2 \times \underline{2^3} \\ & = \underline{2 \times 8} \\ & = 16 \end{aligned}$$

$$\begin{aligned} & (4 \div (\underline{2 - (-3)} + (-9))) \times (-10)^2 \\ & = (4 \div (\underline{5 + (-9)})) \times (-10)^2 \\ & = (\underline{4 \div (-4)}) \times (-10)^2 \\ & = (-1) \times \underline{(-10)^2} \\ & = \underline{(-1) \times 100} \\ & = -100 \end{aligned}$$

$$\begin{aligned} & (\underline{(-10) + 2} - (-7)) \times ((-3)^2 \div 9) \\ & = (\underline{(-8) - (-7)}) \times ((-3)^2 \div 9) \\ & = (-1) \times (\underline{(-3)^2} \div 9) \\ & = (-1) \times (\underline{9 \div 9}) \\ & = \underline{(-1) \times 1} \\ & = -1 \end{aligned}$$



Name: _____

Date: _____

Solve each expression using the correct order of operations.

$$(2^2 + (-9)) \div ((-10) - (-5)) \times (-2)$$

$$(-3)^2 \div 3 \times (5 - 10 + (-8))$$

$$(-7) \times ((-8) - (-6) + 8 \div (-2)^3)$$

$$((9 - (-6)) \div (-5) + 5) \times 2^3$$

$$(4 \div (2 - (-3) + (-9))) \times (-10)^2$$

$$((-10) + 2 - (-7)) \times ((-3)^2 \div 9)$$



$$\begin{aligned} & (2^2 + (-9)) \div ((-10) - (-5)) \times (-2) \\ &= (4 + (-9)) \div ((-10) - (-5)) \times (-2) \\ &= (-5) \div ((-10) - (-5)) \times (-2) \\ &= (-5) \div (-5) \times (-2) \\ &= 1 \times (-2) \\ &= -2 \end{aligned}$$

$$\begin{aligned} & (-3)^2 \div 3 \times (5 - 10) + (-8) \\ &= (-3)^2 \div 3 \times ((-5) + (-8)) \\ &= (-3)^2 \div 3 \times (-13) \\ &= 9 \div 3 \times (-13) \\ &= 3 \times (-13) \\ &= -39 \end{aligned}$$

$$\begin{aligned} & (-7) \times ((-8) - (-6) + 8 \div (-2)^3) \\ &= (-7) \times ((-8) - (-6) + 8 \div (-8)) \\ &= (-7) \times ((-8) - (-6) + (-1)) \\ &= (-7) \times ((-2) + (-1)) \\ &= (-7) \times (-3) \\ &= 21 \end{aligned}$$

$$\begin{aligned} & ((9 - (-6)) \div (-5) + 5) \times 2^3 \\ &= (15 \div (-5) + 5) \times 2^3 \\ &= ((-3) + 5) \times 2^3 \\ &= 2 \times 2^3 \\ &= 2 \times 8 \\ &= 16 \end{aligned}$$

$$\begin{aligned} & (4 \div (2 - (-3) + (-9))) \times (-10)^2 \\ &= (4 \div (5 + (-9))) \times (-10)^2 \\ &= (4 \div (-4)) \times (-10)^2 \\ &= (-1) \times (-10)^2 \\ &= (-1) \times 100 \\ &= -100 \end{aligned}$$

$$\begin{aligned} & ((-10) + 2 - (-7)) \times ((-3)^2 \div 9) \\ &= ((-8) - (-7)) \times ((-3)^2 \div 9) \\ &= (-1) \times ((-3)^2 \div 9) \\ &= (-1) \times (9 \div 9) \\ &= (-1) \times 1 \\ &= -1 \end{aligned}$$



Solve each expression using the correct order of operations.

$$(-5)^2 - 2 \times (-9) + 6$$

$$3 \times 10 + 8 - 4^2$$

$$(-9) - (-8) + 2 \times 4^2$$

$$(-3)^3 - 2 + 8 \div (-8)$$

$$8 \div (-4) \times (-6)^2 + 7$$

$$4 \times (-8) + 6 - (-2)^3$$

$$10 \times 5 - (-6)^2 + (-8)$$

$$(-5)^2 \times 3 \div 5 + 9$$

$$(10 \div (-5) - (-2)) \times (-3)^3$$

$$4 \times (-6) \div 8 + 3^3$$



Solve each expression using the correct order of operations.

$$\begin{aligned} & (-5)^2 - 2 \times (-9) + 6 \\ &= 25 - \underline{2 \times (-9)} + 6 \\ &= \underline{25 - (-18)} + 6 \\ &= \underline{43 + 6} \\ &= 49 \end{aligned}$$

$$\begin{aligned} & (-9) - (-8) + 2 \times \underline{4^2} \\ &= (-9) - (-8) + \underline{2 \times 16} \\ &= \underline{(-9) - (-8)} + 32 \\ &= \underline{(-1) + 32} \\ &= 31 \end{aligned}$$

$$\begin{aligned} & 8 \div (-4) \times \underline{(-6)^2} + 7 \\ &= \underline{8 \div (-4)} \times 36 + 7 \\ &= \underline{(-2) \times 36} + 7 \\ &= \underline{(-72) + 7} \\ &= -65 \end{aligned}$$

$$\begin{aligned} & 10 \times 5 - \underline{(-6)^2} + (-8) \\ &= \underline{10 \times 5} - 36 + (-8) \\ &= \underline{50 - 36} + (-8) \\ &= \underline{14 + (-8)} \\ &= 6 \end{aligned}$$

$$\begin{aligned} & \left(\underline{10 \div (-5)} - (-2) \right) \times (-3)^3 \\ &= \left(\underline{(-2) - (-2)} \right) \times (-3)^3 \\ &= 0 \times \underline{(-3)^3} \\ &= \underline{0 \times (-27)} \\ &= 0 \end{aligned}$$

$$\begin{aligned} & 3 \times 10 + 8 - \underline{4^2} \\ &= \underline{3 \times 10} + 8 - 16 \\ &= \underline{30 + 8} - 16 \\ &= \underline{38 - 16} \\ &= 22 \end{aligned}$$

$$\begin{aligned} & \underline{(-3)^3} - 2 + 8 \div (-8) \\ &= (-27) - 2 + \underline{8 \div (-8)} \\ &= \underline{(-27) - 2} + (-1) \\ &= \underline{(-29) + (-1)} \\ &= -30 \end{aligned}$$

$$\begin{aligned} & 4 \times (-8) + 6 - \underline{(-2)^3} \\ &= \underline{4 \times (-8)} + 6 - (-8) \\ &= \underline{(-32) + 6} - (-8) \\ &= \underline{(-26) - (-8)} \\ &= -18 \end{aligned}$$

$$\begin{aligned} & \underline{(-5)^2} \times 3 \div 5 + 9 \\ &= \underline{25 \times 3} \div 5 + 9 \\ &= \underline{75 \div 5} + 9 \\ &= \underline{15 + 9} \\ &= 24 \end{aligned}$$

$$\begin{aligned} & 4 \times (-6) \div 8 + \underline{3^3} \\ &= \underline{4 \times (-6)} \div 8 + 27 \\ &= \underline{(-24) \div 8} + 27 \\ &= \underline{(-3) + 27} \\ &= 24 \end{aligned}$$



Solve each expression using the correct order of operations.

$$(-10) \times 2 - (-7)^2$$

$$6 \times 5 + (-4)^2$$

$$(-8) \times (-6) - (-5)^2$$

$$8 - 5 \times 4^2$$

$$2^2 \times (-9) - 9$$

$$3 \times (9 + (-8))^2$$

$$5 - (-4) \times (-3)^2$$

$$10 \times (-5) + (-6)^2$$

$$(7 - 8) \times 2^2$$

$$(-7) \times (-4) + 2^3$$



Solve each expression using the correct order of operations.

$$\begin{aligned} & (-10) \times 2 - \underline{(-7)^2} \\ &= \underline{(-10) \times 2} - 49 \\ &= \underline{(-20) - 49} \\ &= -69 \end{aligned}$$

$$\begin{aligned} & 6 \times 5 + \underline{(-4)^2} \\ &= \underline{6 \times 5} + 16 \\ &= \underline{30 + 16} \\ &= 46 \end{aligned}$$

$$\begin{aligned} & (-8) \times (-6) - \underline{(-5)^2} \\ &= \underline{(-8) \times (-6)} - 25 \\ &= \underline{48 - 25} \\ &= 23 \end{aligned}$$

$$\begin{aligned} & 8 - 5 \times \underline{4^2} \\ &= 8 - \underline{5 \times 16} \\ &= \underline{8 - 80} \\ &= -72 \end{aligned}$$

$$\begin{aligned} & \underline{2^2} \times (-9) - 9 \\ &= \underline{4 \times (-9)} - 9 \\ &= \underline{(-36) - 9} \\ &= -45 \end{aligned}$$

$$\begin{aligned} & 3 \times \left(\underline{9 + (-8)} \right)^2 \\ &= 3 \times \underline{1^2} \\ &= \underline{3 \times 1} \\ &= 3 \end{aligned}$$

$$\begin{aligned} & 5 - (-4) \times \underline{(-3)^2} \\ &= 5 - \underline{(-4) \times 9} \\ &= \underline{5 - (-36)} \\ &= 41 \end{aligned}$$

$$\begin{aligned} & 10 \times (-5) + \underline{(-6)^2} \\ &= \underline{10 \times (-5)} + 36 \\ &= \underline{(-50) + 36} \\ &= -14 \end{aligned}$$

$$\begin{aligned} & \underline{(7 - 8)} \times 2^2 \\ &= (-1) \times \underline{2^2} \\ &= \underline{(-1) \times 4} \\ &= -4 \end{aligned}$$

$$\begin{aligned} & (-7) \times (-4) + \underline{2^3} \\ &= \underline{(-7) \times (-4)} + 8 \\ &= \underline{28 + 8} \\ &= 36 \end{aligned}$$