UACA ablations: one table or two?

All ablations use $\pi_{0.5}$ + GRPO. Success rate (%); all values are placeholders.

A. One grouped table

Table 1. Ablation study.

Method	RoboTwin 2.0	RoboDojo
$\pi_{0.5}$	0.0	0.0
+ GRPO	0.0	0.0
+ GRPO + UACA	0.0	0.0
Granularity and failure tails		
w/o intra-chunk	0.0	0.0
w/o inter-chunk	0.0	0.0
w/o failure-tail handling	0.0	0.0
Weighting direction		
Reversed weighting	0.0	0.0
Weight mapping		
Hard top-q	0.0	0.0
Rank-linear	0.0	0.0
Sigmoid	0.0	0.0
Training recipe		
w/o annealing	0.0	0.0
w/o dropout	0.0	0.0

B. Two tables (recommended)

Table 2. Ablations of UACA components.

Method	RoboTwin 2.0	RoboDojo
$\pi_{0.5}$	0.0	0.0
+ GRPO	0.0	0.0
+ GRPO + UACA	0.0	0.0
Granularity and failure tails		
w/o intra-chunk	0.0	0.0
w/o inter-chunk	0.0	0.0
w/o failure-tail handling	0.0	0.0
Training recipe		
w/o annealing	0.0	0.0
w/o dropout	0.0	0.0

Table 3. Entropy-based reweighting.

Method	RoboTwin 2.0	RoboDojo
GRPO	0.0	0.0
UACA (exponential)	0.0	0.0
Weighting direction		
Reversed weighting	0.0	0.0
Weight mapping		
Hard top-q	0.0	0.0
Rank-linear	0.0	0.0
Sigmoid	0.0	0.0

Twelve unique conditions: three references and nine ablation variants.

Alternative: three short tables

All ablations use $\pi_{0.5}$ + GRPO. Success rate (%); all values are placeholders.

C.1. Granularity and failure tails

Table 4. Reweighting granularity and failure tails.

Method	RoboTwin 2.0	RoboDojo
$\pi_{0.5}$	0.0	0.0
+ GRPO	0.0	0.0
+ GRPO + UACA	0.0	0.0
w/o intra-chunk	0.0	0.0
w/o inter-chunk	0.0	0.0
w/o failure-tail handling	0.0	0.0

C.2. Entropy-based reweighting

Table 5. Entropy-based reweighting.

Method	RoboTwin 2.0	RoboDojo
GRPO	0.0	0.0
UACA (exponential)	0.0	0.0
Weighting direction		
Reversed weighting	0.0	0.0
Weight mapping		
Hard top-q	0.0	0.0
Rank-linear	0.0	0.0
Sigmoid	0.0	0.0

C.3. Training recipe

Table 6. Reweighting annealing and dropout.

Method	RoboTwin 2.0	RoboDojo
GRPO	0.0	0.0
UACA	0.0	0.0
w/o annealing	0.0	0.0
w/o dropout	0.0	0.0

Main Table 2: shared method names

A. Name on the first row

Table 7. xxx

Policy	Method	Variant	RoboTwin 2.0		RoboDojo	
			Original	+ UACA	Original	+ UACA
π_0	DSRL	UACA-Q	0.0	0.0	0.0	0.0
	RL Token	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
	EXPO-FT	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0

B. Name centered across two rows (recommended)

Table 8. xxx

Policy	Method	Variant	RoboTwin 2.0		RoboDojo	
			Original	+ UACA	Original	+ UACA
π_0	DSRL	UACA-Q	0.0	0.0	0.0	0.0
	RL Token	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
	EXPO-FT	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0

B applied to the complete Table 2

Table 9. xxx

Policy	Method	Variant	RoboTwin 2.0		RoboDojo	
			Original	+ UACA	Original	+ UACA
π_0	DSRL	UACA-Q	0.0	0.0	0.0	0.0
	RL Token	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
	EXPO-FT	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
$\pi_{0.5}$	DSRL	UACA-Q	0.0	0.0	0.0	0.0
	RL Token	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
	EXPO-FT	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
Fast-WAM	DSRL	UACA-Q	0.0	0.0	0.0	0.0
	RL Token	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
	EXPO-FT	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
OpenWAM	DSRL	UACA-Q	0.0	0.0	0.0	0.0
	RL Token	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0
	EXPO-FT	UACA-Q	0.0	0.0	0.0	0.0
		UACA-Sup	0.0	0.0	0.0	0.0