



CHRIST
(DEEMED TO BE UNIVERSITY)
DELHI - NCR, INDIA

MCA 172: Web Stack Development

School of Sciences

Software Requirements and Design Specifications Document

GameScored: Connect, Share & Level Up

PROJECT MENTOR:

Prof. Vandna Kansal

Mob: 9999622806

vandna.kansal@christuniversity.in

SUBMITTED BY:

Agamya Tanwar (Reg No: 24225034)

Shaina Doraiswamy (Reg No:
24225026)

Yuvraj Singh Chauhan (Reg No:
24225033)

TABLE OF CONTENTS

1. Introduction.....	Page No: 3
2. Aim and Objective.....	Page No: 4
3. Future Scope.....	Page No: 4
4. Hardware and Software Requirements.....	Page No: 5
5. Data Flow diagram.....	Page No: 5
6. Database design.....	Page No: 6
7. Code.....	Page No: 7
8. Screenshots.....	Page No: 76

Introduction

- 'Gamescored: Connect, Share and Level Up' is an innovative platform designed to connect gamers in a highly interactive and dynamic environment. Gamescored offers a space where users can not only follow the latest advancements in gaming but also share their experiences and content with fellow gamers.
- The platform stands out as a community-driven hub where users can engage in meaningful discussions through dedicated rooms, stay updated on new game releases, and immerse themselves in both offline and online gaming tournaments.
- Unlike many current gaming community platforms, which often focus on either content sharing or communication, Gamescored aims to provide an integrated experience. Gamers no longer need to switch between apps or websites to engage in discussions, share gameplay, and get the latest news. This cohesive approach ensures users can easily transition between connecting with friends, discovering new games, and participating in gaming events, all within a unified platform.
- The advantage of Gamescored lies in its user-centered design, prioritizing ease of use, real-time interactions, and a comprehensive set of tools that address the varied needs of the gaming community. Its streamlined interface and features distinguish it from other fragmented platforms, offering gamers a one-stop solution to stay connected, informed, and engaged with the broader gaming world.

Aim

The platform aims to bridge the gap between passive information consumption and active community engagement, offering features that encourage discussion, content creation, and participation in events. With a focus on accessibility and user engagement, Gamescored provides a centralized, all-in-one platform, setting itself apart from current gaming community platforms that often require users to use multiple services to achieve the same functionality.

Gamescored offers a streamlined user experience with easy navigation, content sharing, and discussion rooms. Gamers can connect with peers, share content, and participate in both offline and online tournaments all in one place.

Future Scope:

The future scope of *Gamescored* presents numerous opportunities for growth and expansion:

1. **Mobile App Development:** To enhance accessibility, developing a mobile application for both Android and iOS platforms will provide users with an improved experience, allowing them to stay connected on the go.
2. **Advanced Personalization:** Implementing machine learning algorithms to recommend games, content, and discussion topics based on user preferences and behavior can improve user engagement and retention.
3. **Monetization Features:** Allowing users to monetize their content, such as through paid subscriptions or advertising for creators, could encourage more content generation and increase platform activity.
4. **Incorporation of eSports:** Introducing an eSports section that includes live streaming, tournament registration, and real-time updates for major events will attract competitive gamers and expand the platform's user base.
5. **Global Expansion:** Expanding the platform to support multiple languages and cater to a broader global audience can increase its reach and attract diverse gaming communities worldwide.

6. **Jobs** – We also plan to help gamers convert their passion for gaming into a career, enabling them to find opportunities through networking or otherwise on our page. Fulfilling our goals of making the page for gamers by gamers

HARDWARE INTERFACE

Server Hardware:


- **Processor:** Intel Xeon E5-2670 or equivalent.
- **RAM:** Minimum 16 GB (32 GB recommended for high traffic).
- **Storage:** 500 GB SSD (scalable based on user data growth).

Client Hardware:


- **Device:** Any device capable of running modern browsers (PC, laptop, tablet, mobile).
- **Processor:** Minimum Intel i3 or equivalent.
- **RAM:** 4 GB or higher.
- **Storage:** 200 MB for cache and data storage.

Data flow diagram:


1. Login credentials:



2. Sign Up Verification



3. Content Uploading:



Database Design:

login_credentials			
Field_name	Datatype	Description	Constraints
userid	varchar	stores the unique identification userid of user	primary key
pswrd	varchar	stores password for login	not null

signup_details			
Field_name	Datatype	Description	Constraints
userid	varchar	stores the unique identification userid of user	primary key
email	varchar	stores email address associated with account	
pswrd	varchar	stores password for login	not null
cnfrm_pswrd	varchar	stores same data as pswrd	not null

upload_content			
Field_name	Datatype	Description	Constraints
img_path	varchar	stores path of the image	primary key
caption	varchar	stores caption/information associated with image	

Code:

Home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Homepage</title>
  <style>
    /* General reset */
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    /* Container setup */
    body {
      background: linear-gradient(45deg, #000000, #080404); /* Black and
dark grey ombre */
      font-family: 'Arial', sans-serif;
      height: 100vh;
      display: flex;
      justify-content: center;
      align-items: center;
      overflow: hidden; /* Prevent scrolling */
    }

    /* Main container */
    .container {
      width: 90%;
      max-width: 1200px;
      height: 80vh;
```

```

    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 20px;
    position: relative;
    background-color: rgba(20, 20, 20, 0.8); /* Semi-transparent background
*/
    border-radius: 15px;
    box-shadow: 0 0 30px rgba(0, 0, 0, 0.5); /* Shadow for depth */
    backdrop-filter: blur(10px); /* Frosted glass effect */
    transition: transform 0.3s; /* Container hover effect */
}

/* Container hover effect */
.container:hover {
    transform: scale(1.02);
}

/* Content area */
.content {
    display: flex;
    justify-content: space-between;
    width: 100%;
    height: 100%;
}

/* Image section */
.image-section {
    flex: 1;
    display: flex;
    justify-content: center;
    align-items: center;
}

.image {

```



```

border-radius: 30px;
width: 80%;
height: auto;
object-fit: cover;
box-shadow: 0 4px 8px rgba(64, 0, 0, 0.5);
transition: transform 0.3s ease; /* Image hover effect */
}

/* Image hover effect */
.image:hover {
  transform: scale(1.05);
  box-shadow: 0 8px 16px rgba(64, 0, 0, 0.7);
}

/* Text section */
.text-section {
  flex: 1;
  color: white;
  padding: 20px;
}

.text-section h1 {
  font-size: 2.5rem;
  margin-bottom: 10px;
  text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.7); /* Text shadow for depth */
}

.text-section p {
  font-size: 1.2rem;
  line-height: 1.6;
}

/* Button */
.sign-in-button {
  position: absolute;

```

```

    bottom: 20px;
    right: 20px;
    padding: 10px 20px;
    background-color: #f59002; /* Orange */
    color: white;
    border: none;
    border-radius: 10px;
    font-size: 1.2rem;
    cursor: pointer;
    transition: all 0.3s ease;
    box-shadow: 0 0 20px rgba(255, 130, 6, 0.5); /* Soft shadow */
}

/* Glowy hover effect */
.sign-in-button:hover {
    background-color: #ff8000; /* Darker orange on hover */
    transform: scale(1.1); /* Slightly enlarge button on hover */
    box-shadow: 0 0 30px rgba(255, 130, 6, 0.8), 0 0 40px rgba(255, 11, 11,
0.6), 0 0 60px rgba(253, 212, 50, 0.4); /* Glowing effect */
}

/* Responsive Design */
@media (max-width: 768px) {
    .content {
        flex-direction: column;
    }
    .image {
        width: 90%;
        margin-bottom: 20px;
    }
}
</style>
</head>
<body>
    <div class="container">

```

```
<div class="content">
  <div class="image-section">
    
  </div>
  <div class="text-section">
    <h1>GAMESCORED</h1>
    <p>Welcome to Gamescored, the ultimate hub for gamers who live
and breathe gaming! At Gamescored, we believe that gaming is more than just
a pastime – it's a lifestyle. Our community is built for gamers, by gamers, where
you can explore new titles, connect with fellow players, and share your epic
gaming experiences. Whether you're into casual gaming or competitive play,
Gamescored offers a platform where everyone's voice is heard.
```

We also organize exciting events, from local meetups to online gaming nights, where you can engage with the community, showcase your skills, and build lasting friendships. No matter your gaming style, Gamescored is the place to level up your gaming life. Jump into the fun, connect with passionate gamers, and become part of something bigger. Let's play, share, and grow together!

```
</p>
</div>
</div>
<a href="signup.html">
  <button class="sign-in-button">Sign In</button>
</a>
</div>

<script>
  document.querySelector('.sign-in-button').addEventListener('click',
function() {
  // You can add any functionality here before redirecting
  console.log("Sign In button clicked!");
  // Redirect to the login page
  window.location.href = 'login.html';
});
```

```
</script>  
</body>  
</html>
```

Signup.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles.css">
  <title>Sign Up</title>
  <style>
    /* Internal CSS for Signup Page */
    body {
      background-color: #111; /* Dark background */
      color: #fff;
      font-family: Arial, sans-serif;
      display: flex;
      flex-direction: column;
      min-height: 100vh; /* Ensure full height for footer positioning */
    }

    .login-container {
      background-color: rgba(0, 0, 0, 0.8); /* Dark background with
transparency */
      padding: 30px;
      border-radius: 10px;
      box-shadow: 0 4px 8px rgba(0, 0, 0, 0.5);
      max-width: 400px;
      width: 100%;
      text-align: center;
      margin: 200px auto; /* Center horizontally and add top margin */
      flex: 1; /* Allow to grow and take available space */
      display: flex;
      flex-direction: column;
      justify-content: center; /* Center vertically */
      align-items: center; /* Center children */
    }
```

```
}

.login-container h1 {
  margin-bottom: 20px;
}

.login-container .form-group {
  position: relative;
  margin-bottom: 15px;
  width: 100%; /* Ensure full width for input fields */
}

.login-container label {
  display: block;
  margin-bottom: 5px;
  font-weight: bold;
}

.login-container input {
  width: 100%;
  padding: 10px;
  border: 1px solid #555;
  border-radius: 5px;
  background: #222;
  color: #fff;
}

.login-container button {
  background-color: #f60;
  color: #fff;
  padding: 10px 20px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  font-size: 16px;
}
```

```

        transition: background-color 0.3s, transform 0.3s;
    }

    .login-container button:hover {
        background-color: #ff792f;
        transform: scale(1.05);
    }

    .login-container p {
        margin-top: 15px;
    }

    .login-container a {
        color: #f60;
    }

    .login-container a:hover {
        color: #ff792f;
    }

    footer {
        background-color: #222;
        padding: 20px 5%;
        text-align: center;
        color: #999;
        margin-top: auto; /* Push footer to the bottom */
    }

    footer p {
        margin: 0;
    }
</style>
</head>
<body>
    <header>

```

```

<nav class="navbar">
  <div class="navbar-left">
    <a href="#" class="logo">
      <i class="fas fa-gamepad"></i>
    </a>
  </div>
  <ul class="navbar-menu">
    <li class="dropdown">
      <a href="index.html">Home</a>
    </li>
    <li class="dropdown">
      <a href="aboutus.html">Who We Are</a>
    </li>
    <li class="dropdown">
      <a href="news.html">News</a>
    </li>
    <li class="dropdown">
      <a href="content.html">Content</a>
    </li>
    <li class="dropdown">
      <a href="topic_page.html">Discussion</a>
    </li>
  </ul>
  <div class="navbar-right">
    <div class="search-box">
      <input type="text" placeholder="Search">
      <i class="fas fa-search"></i>
    </div>
  </div>
</nav>
</header>

```

```

<!-- Signup Section -->
<section id="signup" style="flex: 1; display: flex; justify-content: center; align-
items: flex-start; margin-top: 20px;">

```



```

<div class="login-container">
  <h1>Sign Up</h1>
  <form id="signupForm">
    <div class="form-group">
      <label for="username">Username</label>
      <input type="text" id="username" name="username" required>
    </div>
    <div class="form-group">
      <label for="email">Email</label>
      <input type="email" id="email" name="email" required>
    </div>
    <div class="form-group">
      <label for="password">Password</label>
      <input type="password" id="password" name="password"
required>
    </div>
    <div class="form-group">
      <label for="confirm-password">Confirm Password</label>
      <input type="password" id="confirm-password" name="confirm-
password" required>
    </div>
    <button type="submit" class="cta-button">Sign Up</button>
  </form>
  <p>Already have an account? <a href="login.html">Log in</a></p>
</div>
</section>

<footer>
  <p>&copy; 2024 Your Website. All Rights Reserved.</p>
</footer>

<script type="module">
  // Import the functions you need from the SDKs you need
  import { initializeApp } from
"https://www.gstatic.com/firebasejs/10.13.2/firebase-app.js";

```

```

import { getAuth, createUserWithEmailAndPassword } from
"https://www.gstatic.com/firebasejs/10.13.2/firebase-auth.js";

// Your web app's Firebase configuration
const firebaseConfig = {
  apiKey: "AlzaSyDrMnHq2EnDTgDpTnBOvkgBlhatQeWEj2s",
  authDomain: "gamescored-christ.firebaseio.com",
  projectId: "gamescored-christ",
  storageBucket: "gamescored-christ.appspot.com",
  messagingSenderId: "381303784116",
  appId: "1:381303784116:web:8ab20afdd496c941f50de1",
  measurementId: "G-WPTKN23X72"
};

// Initialize Firebase
const app = initializeApp(firebaseConfig);
const auth = getAuth();

// Handle signup form submission
const signupForm = document.getElementById('signupForm');
signupForm.addEventListener('submit', (e) => {
  e.preventDefault();

  const email = document.getElementById('email').value;
  const password = document.getElementById('password').value;
  const confirmPassword = document.getElementById('confirm-
password').value;

  if (password !== confirmPassword) {
    alert("Passwords do not match!");
    return;
  }

  // Firebase user creation
  createUserWithEmailAndPassword(auth, email, password)

```

```
.then((userCredential) => {
  const user = userCredential.user;
  console.log('User created:', user);
  alert('Signup successful!');
  // Optionally, redirect to another page after signup
})
.catch((error) => {
  console.error('Error during signup:', error.message);
  alert('Signup failed: ' + error.message);
});
});
</script>
</body>
</html>
```

Login.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles.css">
  <title>Login</title>
</head>
<body>
  <header>
    <nav class="navbar">
      <div class="navbar-left">
        <a href="#" class="logo">
          <i class="fas fa-gamepad"></i>
        </a>
      </div>
      <ul class="navbar-menu">
        <li class="dropdown">
          <a href="index.html">Home</a>
        </li>
        <li class="dropdown">
          <a href="aboutus.html">Who We Are</a>
        </li>
        <li class="dropdown">
          <a href="news.html">News</a>
        </li>
        <li class="dropdown">
          <a href="content.html">Content</a>
        </li>
        <li class="dropdown">
          <a href="topic_page.html">Discussion</a>
        </li>
        <li class="dropdown"></li>
      </ul>
    </nav>
  </header>
</body>
</html>
```

```

        <a href="event.html">Event</a>
    </li>
</ul>
<div class="navbar-right">
    <div class="search-box">
        <input type="text" placeholder="Search">
        <i class="fas fa-search"></i>
    </div>
</div>
</nav>
</header>

<!-- Login Section -->
<section id="login">
    <div class="login-container">
        <h1>Login</h1>
        <form id="loginForm">
            <div class="form-group">
                <label for="email">Email</label>
                <input type="email" id="email" name="email" required>
            </div>
            <div class="form-group">
                <label for="password">Password</label>
                <input type="password" id="password" name="password"
required>
            </div>
            <button type="submit" class="cta-button">Login</button>
        </form>
        <p>Don't have an account? <a href="signup.html">Sign up</a></p>
    </div>
</section>

<footer>
    <p>&copy; 2024 Your Website. All Rights Reserved.</p>
</footer>

```

```

<script type="module">
  // Import the functions you need from the SDKs you need
  import { initializeApp } from
    "https://www.gstatic.com/firebasejs/10.13.2/firebase-app.js";
  import { getAuth, signInWithEmailAndPassword } from
    "https://www.gstatic.com/firebasejs/10.13.2/firebase-auth.js";

  // Your web app's Firebase configuration
  const firebaseConfig = {
    apiKey: "AlzaSyDrMnHq2EnDTgDpTnBOvkgBlhatQeWEj2s",
    authDomain: "gamescored-christ.firebaseio.com",
    projectId: "gamescored-christ",
    storageBucket: "gamescored-christ.appspot.com",
    messagingSenderId: "381303784116",
    appId: "1:381303784116:web:8ab20afdd496c941f50de1",
    measurementId: "G-WPTKN23X72"
  };

  // Initialize Firebase
  const app = initializeApp(firebaseConfig);
  const auth = getAuth();

  // Handle login form submission
  const loginForm = document.getElementById('loginForm');
  loginForm.addEventListener('submit', (e) => {
    e.preventDefault();

    const email = document.getElementById('email').value;
    const password = document.getElementById('password').value;

    // Firebase user login
    signInWithEmailAndPassword(auth, email, password)
      .then((userCredential) => {
        const user = userCredential.user;

```

```
        console.log('User logged in:', user);
        alert('Login successful!');
        // Optionally redirect to another page after login
        window.location.href = 'index.html'; // Example redirection after
login
    })
    .catch((error) => {
        console.error('Error during login:', error.message);
        alert('Login failed: ' + error.message);
    });
});
</script>
</body>
</html>
```

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>GAMESCORED.in</title>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0-beta3/css/all.min.css">
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <header>
    <nav class="navbar">
      <ul class="navbar-menu">
        <li class="dropdown">
          <a href="index.html">Home</a>
        </li>
        <li class="dropdown">
          <a href="aboutus.html">Who We Are</a>
        </li>
        <li class="dropdown">
          <a href="news.html">News</a>
        </li>
        <li class="dropdown">
          <a href="content.html">Content</a>
        </li>
        <li class="dropdown">
          <a href="topic_page.html">Discussion</a>
        </li>
        <li class="dropdown"></li>
        <a href="event.html">Event</a>
      </li>
    </ul>
```



```
<div class="navbar-right">
  <div class="search-box">
    <input type="text" placeholder="Search">
    <i class="fas fa-search"></i>
  </div>
</div>
</nav>
```

```
</header>
<script>
  document.querySelector('.hamburger').addEventListener('click', function()
{
  document.querySelector('.navbar-menu').classList.toggle('show');
});
</script>
```

```
<main>
  <!-- Hero Section -->
  <section id="hero">
    <video autoplay muted loop playsinline class="background-video">
      <source src="background-video.mp4" type="video/mp4">
      Your browser does not support the video tag.
    </video>
    <div class="hero-content">
      <h1>Explore Legendary Worlds</h1>
      <p>Discover epic adventures and unforgettable stories.</p>
    </div>
  </section>

  <!-- Games Section -->
  <section id="games">
```

```

<h2>New Games</h2>
<div class="game-grid">
  <div class="game-item">
    
    <h3>Black Myth WOKONG</h3>
    <p>Based on the novel 'journey to the west'</p>
    <a href="#" class="read-more">Read More</a>
  </div>
  <div class="game-item">
    
    <h3>Star Wars OUTLAWS</h3>
    <p>Conquer the universe... </p>
    <a href="#" class="read-more">Read More</a>
  </div>
  <div class="game-item">
    
    <h3>HELLDIVERS 2</h3>
    <p>Survive the Invasion.</p>
    <a href="#" class="read-more">Read More</a>
  </div>
</div>
</section>

<!-- News Section -->
<section id="news">
  <h2>Latest News</h2>
  <div class="news-grid">
    <div class="news-item">
      <h3>Esports tournament Highlights</h3>
      <a href="news.html" class="read-more">Read More</a>
    </div>
    <div class="news-item">
      <h3>Ps5 pro Release Date</h3>
      <a href="news.html" class="read-more">Read More</a>
    </div>
  </div>

```

```
<div class="news-item">
  <h3>New Open World Game Announced</h3>
  <a href="news.html" class="read-more">Read More</a>
</div>
</div>
</section>
```

```
<footer>
  <p></p>
  <div class="social-media">
    <a href="#"><i class="fab fa-twitter"></i></a>
    <a href="#"><i class="fab fa-facebook-f"></i></a>
    <a href="#"><i class="fab fa-instagram"></i></a>
    <a href="#"><i class="fab fa-youtube"></i></a>
  </div>
</footer>
```

```
<script src="script.js"></script>
</body>
</html>
```

Aboutus.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles.css">
  <title>About Us - Gamescored</title>
  <style>
    /* General reset */
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    /* Container setup */
    body {
      background: linear-gradient(45deg, #000000, #080404); /* Black and
dark grey ombre */
      font-family: 'Arial', sans-serif;
      height: 100vh;
      display: flex;
      justify-content: center;
      align-items: center;
      overflow: hidden; /* Prevent scrolling */
    }

    /* Main container */
    .container {
      width: 90%;
      max-width: 1200px;
      height: auto;
      display: flex;
```

```

    flex-direction: column;
    align-items: center;
    padding: 20px;
    position: relative;
    background-color: rgba(20, 20, 20, 0.8); /* Semi-transparent background
*/
    border-radius: 15px;
    box-shadow: 0 0 30px rgba(0, 0, 0, 0.5); /* Shadow for depth */
    backdrop-filter: blur(10px); /* Frosted glass effect */
    transition: transform 0.3s; /* Container hover effect */
}

/* Container hover effect */
.container:hover {
    transform: scale(1.02);
}

/* Title section */
h1 {
    color: white;
    font-size: 2.5rem;
    margin-bottom: 20px;
    text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.7); /* Text shadow for depth */
    position: relative;
    overflow: hidden; /* Prevent overflow of text shadow */
}

/* Text section */
.text-section {
    color: white;
    padding: 20px;
    font-size: 1.2rem;
    line-height: 1.8; /* Increased line height for better readability */
}

```

```

/* Spacing between paragraphs */
.text-section p {
    margin-bottom: 20px; /* Increased spacing between paragraphs */
}

/* Responsive Design */
@media (max-width: 768px) {
    h1 {
        font-size: 2rem;
    }
    .text-section {
        font-size: 1rem;
    }
}
</style>
</head>
<body>
<header>
<nav class="navbar">
<ul class="navbar-menu">
<li class="dropdown">
<a href="index.html">Home</a>
</li>
<li class="dropdown">
<a href="aboutus.html">Who We Are</a>
</li>
<li class="dropdown">
<a href="news.html">News</a>
</li>
<li class="dropdown">
<a href="content.html">Content</a>
</li>
<li class="dropdown">
<a href="topic_page.html">Discussion</a>
</li>

```

```
<li class="dropdown"></li>
  <a href="event.html">Discussion</a>
</li>
</ul>
```

```
<div class="navbar-right">
  <div class="search-box">
    <input type="text" placeholder="Search">
    <i class="fas fa-search"></i>
  </div>
</div>
</nav>
</header>
<div class="container">
  <h1>About Us</h1>
  <div class="text-section">
    <p>At the heart of Gamescored are its visionary founders: Yuvraj,
Agamy, and Shaina. Together, they have crafted a vibrant community where
gamers of all backgrounds can unite.</p>
```

<p>Yuvraj, a dedicated gamer and tech enthusiast, envisioned a space where players could not only connect but thrive by sharing their passion for gaming. His technical expertise and love for creating seamless digital experiences have made Gamescored a hub for gamers to engage and explore.</p>

<p>Agamy, with her deep understanding of community building and leadership, brought her passion for inclusivity to Gamescored. She ensured that the platform was accessible to everyone, from casual players to competitive pros, fostering an environment where every voice is valued. Agamy's organizational skills and love for strategic play have shaped Gamescored's exciting events, which bring the community closer together.</p>

<p>Shaina, the creative force behind the platform, combined her love for storytelling with game design, helping shape Gamescored's unique brand

identity. Her creativity has inspired gamers to not just play but share their stories, turning Gamescored into a space where epic gaming moments live on. Together, Yuvraj, Agamyra, and Shaina have built a gaming community that's more than a website—it's a movement.</p>

</div>

</div>

</body>

</html>

News.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles.css">
  <title>Gaming News</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #000;
      color: #fff;
      margin: 0;
      padding: 0;
    }

    .container {
      max-width: 1200px;
      margin: 20px auto;
      padding: 10px;
    }

    .news-card {
      display: flex;
      flex-direction: column;
      background-color: #1c1c1c;
      border-radius: 10px;
      margin-bottom: 20px;
      overflow: hidden;
      box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
      transition: transform 0.3s ease;
    }
```

```
.news-card:hover {  
  transform: scale(1.05);  
}  
  
.news-card img {  
  width: 100%;  
  height: auto;  
}  
  
.news-content {  
  padding: 20px;  
}  
  
.news-content h2 {  
  font-size: 1.5em;  
  color: #ff4500;  
  margin-bottom: 10px;  
  transition: color 0.3s;  
}  
  
.news-content h2:hover {  
  color: #fff;  
}  
  
.news-content p {  
  font-size: 1.1em;  
  line-height: 1.6;  
}  
  
.news-content a {  
  color: #ff4500;  
  text-decoration: none;  
  font-weight: bold;  
  transition: color 0.3s ease;  
}
```

```

.news-content a:hover {
    color: #fff;
}
</style>
</head>
<body>
<header>
<nav class="navbar">
<ul class="navbar-menu">
<li class="dropdown">
<a href="index.html">Home</a>
</li>
<li class="dropdown">
<a href="aboutus.html">Who We Are</a>
</li>
<li class="dropdown">
<a href="news.html">News</a>
</li>
<li class="dropdown">
<a href="content.html">Content</a>
</li>
<li class="dropdown">
<a href="topic_page.html">Discussion</a>
</li>
<li class="dropdown"></li>
<a href="event.html">Event</a>
</li>
</ul>

<div class="navbar-right">
<div class="search-box">
<input type="text" placeholder="Search">
<i class="fas fa-search"></i>
</div>

```

```
</div>
</nav>
```

```
</header>
<div class="container">
```

```
<div class="news-card">
  
  <div class="news-content">
    <h2>New Open-World Game Announced!</h2>
    <p>Game studio XYZ has just announced their new open-world game
that takes players on an epic adventure through a sprawling fantasy landscape.
Set to release next year, the game features real-time weather changes, a
dynamic story, and breathtaking graphics.</p>
    <a href="https://www.youtube.com/c/Gameranks"
target="_blank">Read More</a>
  </div>
</div>
```

```
<div class="news-card">
  
  <div class="news-content">
    <h2>Latest Esports Tournament Highlights</h2>
    <p>The latest esports tournament concluded with thrilling matches
between the top teams worldwide. Team ABC clinched the title in a dramatic
final, securing their spot as one of the best in the world.</p>
    <a href="https://www.youtube.com/c/Gameranks"
target="_blank">Read More</a>
  </div>
</div>
```

```
<div class="news-card">
  
  <div class="news-content">
```

```
<h2>Upcoming Console Release Date Leaked!</h2>
<p>Rumors are swirling about the upcoming console from a leading
manufacturer. Leaked documents suggest that the release date will be sooner
than expected. Fans are eager to see what new features the console will
offer.</p>
  <a href="https://www.youtube.com/c/Gameranks"
target="_blank">Read More</a>
</div>
</div>

</body>
</html>
```

Content.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles.css">
  <title>GAMESCORED CONTENT</title>
  <style>
    body {
      background-color: #1a1a1a;
      color: white;
      font-family: Arial, sans-serif;
    }

    .image-gallery {
      display: flex;
      justify-content: center;
      flex-wrap: wrap;
      gap: 20px;
      padding: 20px;
      margin: 40px;
    }

    .upload-box {
      background-color: #2b2b2b;
      border: 2px solid rgb(57, 54, 54);
      width: 400px;
      height: 600px; /* Adjusted height */
      overflow: hidden;
      transition: transform 0.3s ease;
      margin: 40px;
    }
  </style>
</html>
```

```
.upload-box:hover {  
  transform: scale(1.05);  
}  
  
.inner-box {  
  background-color: #1c1c1c;  
  width: 100%;  
  height: 80%; /* Adjusted to 80% of the new height */  
  display: flex;  
  justify-content: center;  
  align-items: center;  
}  
  
.plus-sign {  
  font-size: 3rem;  
  color: white;  
  opacity: 0.5;  
}  
  
.caption-box {  
  background-color: #2b2b2b;  
  height: 20%; /* Adjusted to 20% of the new height */  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  border-top: 2px solid rgb(26, 20, 20);  
}  
  
.caption-input {  
  background-color: #2b2b2b;  
  border: none;  
  color: #fff;  
  font-size: 1rem;  
  text-align: center;  
  width: 90%;
```

```
}

.caption-input::placeholder {
  color: #aaa;
}

.caption-input:focus {
  outline: none;
  border-bottom: 1px solid #ff6600;
}

.image-gallery img {
  width: 200px;
  height: auto;
  border-radius: 10px;
  transition: transform 0.3s, box-shadow 0.3s;
}

.image-gallery img:hover {
  transform: scale(1.1);
  box-shadow: 0 8px 16px rgba(0, 0, 0, 0.6);
}

.upload-btn {
  position: fixed;
  bottom: 20px;
  left: 20px;
  width: 50px;
  height: 50px;
  border-radius: 50%;
  background-color: #f60;
  border: none;
  font-size: 30px;
  color: white;
  cursor: pointer;
}
```



```

        transition: transform 0.3s, background-color 0.3s;
    }

    .upload-btn:hover {
        background-color: #ff751a;
        transform: scale(1.1);
    }

    .upload-btn::after {
        content: 'Upload';
        position: absolute;
        top: -30px;
        left: 0;
        width: 100%;
        text-align: center;
        font-size: 14px;
        color: #fff;
        opacity: 0;
        transition: opacity 0.3s;
    }

    .upload-btn:hover::after {
        opacity: 1;
    }
</style>
</head>
<body>
    <header>
        <nav class="navbar">
            <div class="navbar-left">
                <a href="#" class="logo">
                    <i class="fas fa-gamepad"></i>
                </a>
            </div>

```

```

<div class="hamburger">
  <div></div>
  <div></div>
  <div></div>
</div>

<ul class="navbar-menu">
  <li class="dropdown">
    <a href="index.html">Home</a>
  </li>
  <li class="dropdown">
    <a href="topic_page.html">Who We Are</a>
  </li>
  <li class="dropdown">
    <a href="news.html">News</a>
  </li>
  <li class="dropdown">
    <a href="content.html">Content</a>
  </li>
  <li class="dropdown">
    <a href="aboutus.html">Discussion</a>
  </li>
  <li class="dropdown"></li>
    <a href="event.html">Event</a>
  </li>
</ul>

<div class="navbar-right">
  <div class="search-box">
    <input type="text" placeholder="Search">
    <i class="fas fa-search"></i>
  </div>
</div>
</nav>
</header>

```

```

<div class="image-gallery">
  <div class="upload-box">
    <div class="inner-box">
      <span class="plus-sign"></span>
    </div>
    <div class="caption-box">
      <input type="text" placeholder="caption..." class="caption-input">
    </div>
  </div>
  <div class="upload-box">
    <div class="inner-box">
      <span class="plus-sign"></span>
    </div>
    <div class="caption-box">
      <input type="text" placeholder="caption..." class="caption-input">
    </div>
  </div>
  <div class="upload-box">
    <div class="inner-box">
      <span class="plus-sign"></span>
    </div>
    <div class="caption-box">
      <input type="text" placeholder="caption..." class="caption-input">
    </div>
  </div>
</div>

<button class="upload-btn" id="uploadBtn">+</button>

<script>
  // Redirect to upload.html when the upload button is clicked
  document.getElementById("uploadBtn").addEventListener("click",
function() {

```

```
    window.location.href = "upload.html"; // Ensure this file exists in the
    same directory
  });
```

```
  // Fetch image data from the backend API and display them
  document.addEventListener("DOMContentLoaded", function() {
    const backendUrl = 'http://localhost:3000/api/images';

    fetch(backendUrl)
      .then(response => response.json())
      .then(data => {
        const gallery = document.querySelector('.image-gallery');

        data.forEach(image => {
          const imgElement = document.createElement('img');
          imgElement.src =
            `http://localhost:3000/images/${image.filename}`; // Use template literal
          imgElement.alt = image.altText || "Image";
          gallery.appendChild(imgElement);
        });
      })
      .catch(error => {
        console.error('Error fetching images:', error);
      });
  });
</script>

</body>
</html>
```

Discussion.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles.css">
  <title>Discussion Forum</title>
  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    body {
      font-family: 'Roboto', sans-serif;
      background-color: #121212;
      color: #f0f0f0;
      display: flex;
      flex-direction: column;
      height: 100vh;
      overflow: hidden;
    }

    .main {
      flex: 1;
      padding: 1rem;
      margin-top: 70px; /* Adjust this value based on the height of your
navbar */
      overflow-y: auto;
      position: relative;
    }
  </style>
</head>
<body>
  <div class="main">
    <div class="navbar">
      <div class="logo">
        <img alt="Logo" data-bbox="120 120 180 180"/>
      </div>
      <div class="title">
        Discussion Forum
      </div>
    </div>
    <div class="content">
      <div class="post">
        <div class="avatar">
          <img alt="Avatar" data-bbox="220 220 260 260"/>
        </div>
        <div class="text">
          Hello, I am a student at the University of...
        </div>
      </div>
      <div class="post">
        <div class="avatar">
          <img alt="Avatar" data-bbox="320 320 360 360"/>
        </div>
        <div class="text">
          I am a student at the University of...
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

```

.messages-container {
  max-height: 60vh;
  overflow-y: auto;
  padding-right: 10px;
}

/* Bullet trails */
@keyframes bullet-trail {
  0% { transform: translateX(100vw); opacity: 1; }
  100% { transform: translateX(-100vw); opacity: 0; }
}

.bullet-trail {
  position: absolute;
  top: 50%;
  width: 5px;
  height: 2px;
  background: radial-gradient(circle, #ff0, #ff6600);
  animation: bullet-trail 1s infinite ease-in-out;
}

.message-box, .reply-box {
  margin-bottom: 1rem;
  padding: 1rem;
  background-color: rgba(30, 30, 30, 0.9);
  backdrop-filter: blur(5px);
  border-radius: 10px;
  border-left: 4px solid #ff6600;
  animation: fadeIn 0.5s ease, slideInGunfire 0.5s ease, impactGlow 1.5s
ease;
  box-shadow: 0 0 10px rgba(255, 100, 0, 0.6);
  position: relative;
}

.reply-box {

```

```
margin-left: 2rem;
border-color: #ff9c33;
}

.message-options {
  text-align: right;
  margin-top: 0.5rem;
}

.message-options button {
  padding: 0.5rem 1rem;
  background-color: rgba(255, 102, 0, 0.7);
  border: none;
  color: #fff;
  font-size: 0.85rem;
  border-radius: 5px;
  cursor: pointer;
  transition: background-color 0.3s ease, box-shadow 0.3s ease;
  backdrop-filter: blur(3px);
  text-shadow: 0 0 5px #ff6600;
}

.message-options button:hover {
  background-color: #e55d00;
  box-shadow: 0 0 15px #ff6600;
}

footer {
  background-color: rgba(30, 30, 30, 0.9);
  padding: 1rem;
  display: flex;
  align-items: center;
  justify-content: space-between;
  position: relative;
  bottom: 0;
```

```
width: 100%;
backdrop-filter: blur(10px);
}

input[type="text"] {
width: 80%;
padding: 0.75rem;
background-color: rgba(51, 51, 51, 0.5);
border: 1px solid rgba(68, 68, 68, 0.7);
color: #fff;
border-radius: 10px;
outline: none;
font-size: 1rem;
backdrop-filter: blur(3px);
transition: border-color 0.3s ease;
text-shadow: 0 0 5px #ff6600;
}

input[type="text"]:focus {
border-color: #ff6600;
}

button {
padding: 0.75rem 1.5rem;
background-color: rgba(255, 102, 0, 0.7);
color: white;
font-size: 1rem;
border: none;
cursor: pointer;
border-radius: 10px;
backdrop-filter: blur(5px);
transition: background-color 0.3s ease, box-shadow 0.3s ease;
text-shadow: 0 0 5px #ff6600;
}
```



```

button:hover {
    background-color: #e55d00;
    box-shadow: 0 0 15px #ff6600;
}

/* Animation keyframes */
@keyframes fadeIn {
    0% { opacity: 0; }
    100% { opacity: 1; }
}

@keyframes slideInGunfire {
    0% { transform: translateX(-100%) scale(0.9); opacity: 0; }
    100% { transform: translateX(0) scale(1); opacity: 1; }
}

@keyframes impactGlow {
    0% { box-shadow: 0 0 0 rgba(255, 255, 0, 0); }
    50% { box-shadow: 0 0 25px rgba(255, 255, 0, 0.8); }
    100% { box-shadow: 0 0 0 rgba(255, 255, 0, 0); }
}

@keyframes gunfire-flash {
    0% { opacity: 0; }
    50% { opacity: 1; }
    100% { opacity: 0; }
}

/* Scrollbar styling */
.messages-container::-webkit-scrollbar {
    width: 8px;
}

.messages-container::-webkit-scrollbar-thumb {
    background-color: #ff6600;
}

```

```

        border-radius: 4px;
    }

.messages-container::-webkit-scrollbar-track {
    background-color: #1e1e1e;
}
</style>
</head>
<body>
    <header>
        <nav class="navbar">
            <div class="navbar-left">
                <a href="#" class="logo">
                    <i class="fas fa-gamepad"></i>
                </a>
            </div>

            <!-- Hamburger menu for mobile view -->
            <div class="hamburger">
                <div></div>
                <div></div>
                <div></div>
            </div>

            <ul class="navbar-menu">
                <li class="dropdown">
                    <a href="index.html">Home</a>
                </li>
                <li class="dropdown">
                    <a href="aboutus.html">Who We Are</a>
                </li>
                <li class="dropdown">
                    <a href="news.html">News</a>
                </li>
                <li class="dropdown">

```

```

        <a href="content.html">Content</a>
    </li>
    <li class="dropdown">
        <a href="topic_page.html">Discussion</a>
    </li>
    <li class="dropdown"></li>
        <a href="event.html">Event</a>
    </li>
</ul>
</div>
</nav>
</header>

```

```

<!-- Animated bullet trails -->
<div class="bullet-trail" style="top: 30%;"></div>
<div class="bullet-trail" style="top: 70%;"></div>

```

```

<div class="main">
    <div class="messages-container" id="messagesContainer">
        <!-- Messages will be displayed here -->
    </div>
</div>

```

```

<footer>
    <input type="text" id="messageInput" placeholder="Type your
message...">
    <button onclick="sendMessage()">Send</button>
</footer>

```

```

<script>
    let replyTarget = null;

    function sendMessage(isReply = false) {
        const messageInput = document.getElementById('messageInput');
        const message = messageInput.value.trim();
    }

```

```

if (message) {
  const messageBox = document.createElement('div');
  messageBox.classList.add(isReply ? 'reply-box' : 'message-box');
  messageBox.innerText = message;

  const optionsDiv = document.createElement('div');
  optionsDiv.classList.add('message-options');
  const replyButton = document.createElement('button');
  replyButton.innerText = 'Reply';
  replyButton.onclick = () => enableReply(messageBox);

  optionsDiv.appendChild(replyButton);
  messageBox.appendChild(optionsDiv);

  const messagesContainer = replyTarget ? replyTarget :
document.getElementById('messagesContainer');
  messagesContainer.appendChild(messageBox);

  messageInput.value = ''; // Clear input box
  document.getElementById('messagesContainer').scrollTop =
document.getElementById('messagesContainer').scrollHeight; // Auto-scroll to
the latest message
  replyTarget = null; // Reset reply target
}
}

function enableReply(messageElement) {
  replyTarget = messageElement;
  document.getElementById('messageInput').focus(); // Focus on the
input box
}

// Enter key functionality

```

```
document.getElementById('messageInput').addEventListener('keyup',  
function(event) {  
    if (event.key === 'Enter') {  
        sendMessage(replyTarget !== null);  
    }  
});  
</script>  
</body>  
</html>
```

Event.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles.css">
  <title>Events</title>
  <style>
    body {
      background-color: #1c1c1c;
      color: #fff;
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 0;
    }

    header {
      background-color: #333;
      padding: 20px;
    }

    .background-image {
      background-image: url('events.jpg'); /* Add your background image URL
*/
      height: 100vh; /* Full viewport height */
      background-size: cover; /* Cover the entire area */
      display: flex;
      justify-content: center;
      align-items: center;
    }

    #find-events {
      background-color: #333;
```

```
    color: #fff;
    border: 1px solid #555;
    padding: 10px;
    margin: 20px;
    font-size: 16px;
}

.image-grid {
    display: flex;
    justify-content: space-around;
    margin: 40px 0;
}

.image-box {
    width: 300px;
    background-color: #222;
    padding: 20px;
    border-radius: 10px;
    text-align: center;
}

.image-box img {
    width: 100%;
    border-radius: 10px;
}

.caption {
    margin-top: 10px;
}

.read-more {
    color: #1e90ff;
    text-decoration: none;
    font-weight: bold;
}
```

```

        .read-more:hover {
            text-decoration: underline;
        }
    </style>
</head>
<body>
    <header></header>
    <nav class="navbar">
        <ul class="navbar-menu">
            <li class="dropdown">
                <a href="index.html">Home</a>
            </li>
            <li class="dropdown">
                <a href="aboutus.html">Who We Are</a>
            </li>
            <li class="dropdown">
                <a href="news.html">News</a>
            </li>
            <li class="dropdown">
                <a href="content.html">Content</a>
            </li>
            <li class="dropdown">
                <a href="topic_page.html">Discussion</a>
            </li>
            <li class="dropdown"></li>
            <li class="dropdown">
                <a href="events.html">Event</a>
            </li>
        </ul>

        <div class="navbar-right">
            <div class="search-box">
                <input type="text" placeholder="Search">
                <i class="fas fa-search"></i>
            </div>

```



```
</div>
</nav>
```

```
</header>
```

```
<div class="background-image">
  <h1></h1>
</div>
```

```
<div class="content">
  <select id="find-events">
    <option value="">Find events</option>
    <option value="Afghanistan">Afghanistan</option>
    <option value="Albania">Albania</option>
    <option value="Algeria">Algeria</option>
    <!-- Add more country options as needed -->
    <option value="Zimbabwe">Zimbabwe</option>
  </select>
```

```
<section class="image-grid">
  <div class="image-box">
    
    <div class="caption">
      <p>Twitchcon is coming to San Diego, 2025! Make sure to grab your
tickets and join us</p>
      <a href="https://www.twitchcon.com/san-diego-2025/"
class="read-more">Read More</a>
    </div>
  </div>
```

```
<div class="image-box">
  
  <div class="caption">
```

<p>Love playing competitive Valorant? The first tournaments are ready for this week! We're offering over \$300+ in cash prizeing!</p>

Read More

</div>
</div>

<div class="image-box">

<div class="caption">

<p>SAVE THE DATE: Calling all women gamers! Join us on 26 April 2024, for the Women's Game Jam Meet-up at Goethe-Institut South Africa.</p>

Read More

</div>
</div>
</section>
</div>
</body>
</html>

Script.js

```
document.addEventListener("DOMContentLoaded", function () {  
    // Dropdown Menu Functionality  
    const dropdowns = document.querySelectorAll('.dropdown');  
  
    dropdowns.forEach(dropdown => {  
        dropdown.addEventListener('mouseenter', function () {  
            this.querySelector('.dropdown-menu').classList.add('active');  
        });  
  
        dropdown.addEventListener('mouseleave', function () {  
            this.querySelector('.dropdown-menu').classList.remove('active');  
        });  
  
        dropdown.addEventListener('click', function () {  
            this.classList.toggle('active');  
            let dropdownMenu = this.querySelector('.dropdown-menu');  
            dropdownMenu.classList.toggle('show');  
        });  
    });  
  
    // Search Box Functionality  
    const searchBox = document.querySelector('.search-box input');  
    const searchIcon = document.querySelector('.search-box i');  
  
    searchIcon.addEventListener('click', function () {  
        const query = searchBox.value.trim();  
        if (query) {  
            alert(`Search for: ${query}`);  
            // Add your search logic here  
        }  
    });  
  
    searchBox.addEventListener('keydown', function (event) {
```

```

    if (event.key === 'Enter') {
      const query = searchBox.value.trim();
      if (query) {
        alert(`Search for: ${query}`);
        // Add your search logic here
      }
    }
  });

  // Mobile Menu Toggle (if needed)
  const mobileToggle = document.querySelector('.mobile-menu-toggle');
  const navbarMenu = document.querySelector('.navbar-menu');

  if (mobileToggle) {
    mobileToggle.addEventListener('click', function () {
      navbarMenu.classList.toggle('active');
    });
  }

  // Login Form Handling
  const loginForm = document.querySelector("#loginForm");

  if (loginForm) {
    loginForm.addEventListener("submit", function (event) {
      event.preventDefault(); // Prevent the form from submitting normally
      const username = document.querySelector("#username").value;
      const password = document.querySelector("#password").value;

      if (username && password) {
        alert(`Logging in as ${username}`);
        // Here you can add your login logic (e.g., sending data to a server)
        window.location.href = 'index.html'; // Redirect to index.html after
login
      } else {
        alert("Please fill in all fields");
      }
    });
  }

```

```
    }  
    });  
}  
});
```

Style.css

```
/* Global Styles */
body {
  margin: 0;
  padding: 0;
  font-family: Arial, sans-serif;
  background-color: #111;
  color: #fff;
}

a {
  color: #f60;
  text-decoration: none;
  transition: color 0.3s;
}

a:hover {
  color: #ff792f;
}

.container {
  max-width: 1200px;
  margin: 0 auto;
  padding: 0 20px;
}

/* Hero Section Styles */
#hero {
  position: relative;
  height: 80vh;
  overflow: hidden;
  display: flex;
  justify-content: center;
  align-items: center;
```

```

    text-align: center;
    color: #fff;
    animation: fadeIn 1.5s ease-out;
}

.background-video {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    object-fit: cover;
    z-index: -1;
    opacity: 0.8; /* Adjust opacity as needed */
}

.hero-content {
    position: relative;
    z-index: 1;
    max-width: 700px;
    animation: fadeInUp 1.5s ease-out;
}

.hero-content h1 {
    font-size: 3em;
    margin-bottom: 10px;
    text-shadow: 2px 2px 8px rgba(0, 0, 0, 0.7);
}

.hero-content p {
    font-size: 1.2em;
    margin-bottom: 20px;
}

.cta-button {

```

```
background-color: #f60;
color: #fff;
padding: 10px 20px;
border-radius: 5px;
text-decoration: none;
font-weight: bold;
transition: background-color 0.3s, transform 0.3s;
animation: fadeInUp 2s ease-out;
}
```

```
.cta-button:hover {
  background-color: #ff792f;
  transform: scale(1.05);
}
```

```
/* Main Content Styles */
#games, #news, #media {
  padding: 50px 5%;
  animation: fadeIn 1.5s ease-out;
}
```

```
#games h2, #news h2, #media h2 {
  font-size: 2.5em;
  margin-bottom: 20px;
  text-align: center;
  animation: fadeInDown 1.5s ease-out;
}
```

```
.game-grid, .news-grid, .media-grid {
  display: grid;
  gap: 20px;
  animation: fadeIn 2s ease-out;
}
```

```
.game-grid {
```



```
    grid-template-columns: repeat(3, 1fr);
}

.news-grid {
    grid-template-columns: repeat(3, 1fr);
}

.media-grid {
    grid-template-columns: repeat(3, 1fr);
}

.game-item, .news-item, .media-item {
    background-color: #333;
    padding: 20px;
    border-radius: 8px;
    text-align: center;
    transition: transform 0.3s, background-color 0.3s;
}

.game-item img, .media-item img {
    width: 100%;
    border-radius: 5px;
}

.game-item:hover, .news-item:hover, .media-item:hover {
    transform: scale(1.05);
    background-color: #444;
}

.read-more {
    display: inline-block;
    margin-top: 10px;
    color: #f60;
    text-decoration: none;
    transition: color 0.3s, transform 0.3s;
```

```

}

.read-more:hover {
    color: #ff792f;
    text-decoration: underline;
    transform: scale(1.05);
}

/* Footer Styles */
footer {
    background-color: #222;
    padding: 20px 5%;
    text-align: center;
    color: #999;
    animation: fadeIn 1.5s ease-out;
    margin-top: 50px;
}

footer p {
    margin: 0;
}

/* Login Styles */

/* Animations */
@keyframes fadeIn {
    from {
        opacity: 0;
    }
    to {
        opacity: 1;
    }
}

@keyframes fadeInDown {

```

```
from {
    opacity: 0;
    transform: translateY(-20px);
}
to {
    opacity: 1;
    transform: translateY(0);
}
}
```

```
@keyframes fadeInUp {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}
```

```
/* Global Styles */
body {
    margin: 0;
    padding: 0;
    font-family: Arial, sans-serif;
    background-color: #111;
    color: #fff;
}
```

```
a {
    color: #f60;
    text-decoration: none;
```

```

    transition: color 0.3s;
}

a:hover {
    color: #ff792f;
}

.container {
    max-width: 1200px;
    margin: 0 auto;
    padding: 0 20px;
}

/* Navbar Styles */
/* Navbar Styles */
.navbar {
    display: flex;
    justify-content: center; /* Center the entire navbar */
    align-items: center;
    padding: 20px 5%;
    background-color: #1a1a1a;
    position: fixed;
    width: 100%;
    z-index: 1000;
    top: 0;
    transition: background-color 0.3s, padding 0.3s;
}

/* Navbar Menu */
.navbar-menu {
    display: flex;
    list-style: none;
    gap: 20px;
    justify-content: center; /* Center the menu items */
    margin-left: 20px;

```

```

}

.navbar-menu a {
  font-weight: bold;
  font-size: 1em;
  padding: 5px 10px;
  color: #fff;
  transition: color 0.3s, transform 0.3s;
}

.navbar-menu a:hover {
  color: #f60;
  transform: scale(1.1);
}

/* Navbar Search Box */
.navbar-right {
  display: flex;
  align-items: center;
  margin-left: 20px; /* Adjusts space between menu and search box */
}

.search-box {
  display: flex;
  align-items: center;
  background-color: rgba(255, 255, 255, 0.1);
  padding: 5px 10px;
  border-radius: 20px;
  overflow: hidden;
}

.search-box input {
  border: none;
  outline: none;
  background: none;

```

```

    color: #fff;
    padding: 3px;
    width: 100px;
    transition: width 0.3s, background-color 0.3s;
    min-width: 100px;
}

.search-box input:focus {
    width: 200px;
    background-color: rgba(255, 255, 255, 0.2);
}

.search-box i {
    color: #fff;
    margin-left: 10px;
    cursor: pointer;
    transition: color 0.3s;
}

.search-box i:hover {
    color: #f60;
}

/* Video Background Styles */
.video-background {
    position: relative;
    height: 100vh; /* Full viewport height */
    overflow: hidden;
    z-index: 1; /* Ensure it's below the login section */
}

.video-background video {
    position: absolute;
    top: 0;

```

```

    left: 0;
    width: 100%;
    height: 100%;
    opacity: 0.7;
    object-fit: cover;
    z-index: -1; /* Place video behind other content */
}

/* Login Styles */
#login {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    display: flex;
    justify-content: center;
    align-items: center;
    z-index: 10; /* Ensure it appears on top of the video */
}

.login-container {
    background-color: rgba(0, 0, 0, 20); /* Dark background with some
transparency */
    padding: 30px;
    border-radius: 10px;
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.5);
    max-width: 400px;
    width: 100%;
    text-align: center;
}

.login-container h1 {
    margin-bottom: 20px;
}

```

```
.login-container .form-group {  
  margin-bottom: 15px;  
}
```

```
.login-container label {  
  display: block;  
  margin-bottom: 5px;  
  font-weight: bold;  
}
```

```
.login-container input {  
  width: 100%;  
  padding: 10px;  
  border: 1px solid #555;  
  border-radius: 5px;  
  background: #222;  
  color: #fff;  
}
```

```
.login-container button {  
  background-color: #f60;  
  color: #fff;  
  padding: 10px 20px;  
  border: none;  
  border-radius: 5px;  
  cursor: pointer;  
  font-size: 16px;  
  transition: background-color 0.3s, transform 0.3s;  
}
```

```
.login-container button:hover {  
  background-color: #ff792f;  
  transform: scale(1.05);  
}
```



```
.login-container p {  
    margin-top: 15px;  
}
```

```
.login-container a {  
    color: #f60;  
}
```

```
.login-container a:hover {  
    color: #ff792f;  
}
```

```
/* Footer Styles */  
footer {  
    background-color: #222;  
    padding: 20px 5%;  
    text-align: center;  
    color: #999;  
    animation: fadeIn 1.5s ease-out;  
    margin-top: 50px;  
}
```

```
footer p {  
    margin: 0;  
}
```

```
/* Animations */  
@keyframes fadeIn {  
    from {  
        opacity: 0;  
    }  
    to {  
        opacity: 1;  
    }  
}
```

```
}
```

```
@keyframes fadeInDown {  
  from {  
    opacity: 0;  
    transform: translateY(-20px);  
  }  
  to {  
    opacity: 1;  
    transform: translateY(0);  
  }  
}
```


```
@keyframes fadeInUp {  
  from {  
    opacity: 0;  
    transform: translateY(20px);  
  }  
  to {  
    opacity: 1;  
    transform: translateY(0);  
  }  
}
```

```
@media (max-width: 768px) {  
  .navbar-menu {  
    display: none;  
  }  
  
  .navbar-right {  
    flex-direction: column;  
    gap: 10px;  
  }  
  
  .search-box {
```


```
    width: 100%;  
    justify-content: center;  
    padding: 5px;  
  }  
  
  .search-box input {  
    width: 100%;  
  }  
}  
  
@media (max-width: 480px) {  
  .search-box input {  
    width: 100px; /* Smaller width for very small screens */  
  }  
}
```

Screenshots:


- Home Page




- Sign-Up Page




- Login Page




- Who we are Page





• Index Page





• News Page



- Content View Page




- Discussion Page




• Events Page

[Home](#) [Who We Are](#) [News](#) [Content](#) [Discussion](#) [Event](#)




Events




Twitchcon is coming to San diego, 2025! Make sure to grab your tickets and join us

[Read More](#)



Love playing competitive valorant? The first tournaments are ready for this week
We're offering over \$300+ in cash prize!!!

[Read More](#)



SAVE THE DATE: Calling all women gamers! Join us on 26 April 2024, from 17:30-19:00 for the Women's Game Jam Meet-up at Goethe-Institut South Africa.

[Read More](#)