Status	Finished
Started	Saturday, 17 October 2026, 1:45 PM
Completed	Saturday, 17 October 2026, 1:52 PM
Duration	7 mins 19 secs
Grade	**10.00** out of 15.00 (**66.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

b. TypeError: update() doesn't allow list as a argument.

c. Name Error

d. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

Question **2**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓
True

b. False
True

c. True
False

d. False
False

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. True
False

c. False
True

d. True ✓
True

Question **5**

Incorrect

Mark 0.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii
b. i,ii
c. iii
d. All of the above ✗

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t = (58, 47, 36, 25, 14, 3)
x = t[2:-1]
print(x)
```

a. (3,14,25)
b. Error
c. (36, 25, 14) ✓
d. (58,47,36,25)

Question **7**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set2 will get appended to set1
b. Elements of set1 will get appended to set2
c. A new set will be created with the elements of both set1 and set2
d. A new set will be created with the unique elements of set1 and set2. ✗

Question **8**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. ([55,33,11])

b. (55,33,11)

c. [55, 33, 11] ✓

d. [(55,33,11)]

Question **9**

Incorrect

Mark 0.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

```
a=(15,16,17,18,19,25)
print((a[1:-1]))
```

a. (25,19,18,17) ✗

b. (16,17,18,19)

c. (16,17,18)

d. Error

Question **10**

Incorrect

Mark 0.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. Error

b. False

c. True ✗

d. Error

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. ("Wonder")
- b. [1,2,3,4]
- c. {1,3,8,9,41}
- d. (1,4,5,6,7) ✓

Question **12**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. Error
- b. ✗
  {'rec', True, ('cse', 'ece')}
- c. {'rec', 1, ('cse', 'ece')}
- d. {'rec', 1, ('cse', 'ece'),True}

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

- a. Computer
- b. (Computer)
- c. Error
- d. () ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

a. Error

b. 2

c. 100

d. 117 ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, '10', 50, 20, 60, 30}

b. {40, 10, '10', 50, 20, 60, 30} ✓

c. SynatxError: Different types cannot be used with sets

d. {40, 10, 50, 20, 60, 30}