




Project Development Phase Model Performance Test

Date	03 October 2026
Team ID	SWTID-2026-6385
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	10 Marks

Model Performance Testing:

S.No.	Parameter	Values	Screenshot
1.	Metrics	This project is rule-based (Script-Controlled ACL) and has no machine-learning model, so regression metrics do not apply. The access decisions are evaluated like a classification (Allowed / Denied) against the expected result. Regression Model: MAE, MSE, RMSE, R2 score – Not applicable. Classification Model (access decisions): Confusion Matrix – Allowed correctly allowed = 5, Denied correctly denied = 1, Allowed wrongly denied = 0, Denied wrongly allowed = 0. Accuracy Score – 100% (6 of 6 access test cases matched the expected result). Classification Report – Precision = 1.00, Recall = 1.00, F1-score = 1.00 for the Allowed and Denied decisions. Test cases used: Admin read, EEE User (bb1) read, Create (bb2), Write (bb3), Delete	 Administrator view: all 3 branch records visible  EEE User view: only the EEE record (STU200) visible

S.No.	Parameter	Values	Screenshot
		(bb4) and a user without the required role (denied).	
2.	Tune the Model	Hyperparameter Tuning – Not applicable (no model parameters to tune). Only the ACL conditions and script were reviewed and corrected where required in Sprint-4 (USN-16). Validation Method – Functional validation using ServiceNow user impersonation: each user (admin, EEE User with bb1, users with bb2, bb3 and bb4, and a user without the role) was impersonated and the Read, Create, Write and Delete results were compared with the expected result. Result after re-testing – all defined test cases passed (100%).	 Read ACL: Branch is EEE and advanced script  Impersonating a user to validate access