




Project Development Phase Model Performance Test

Date	03 October 2026
Team ID	SWTID-2026-6385
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	

Model Performance Testing:

S.No.	Parameter	Values	Screenshot
1.	Model Summary	Setup: ServiceNow automation for data management using the custom object (table) Institution Details, its fields and role-based access rules. This project is rule-based and uses no machine-learning model. Note: If a record is created with valid data and the user has the required role, the record is created; otherwise the ACL denies the operation. Table secured: Institution Details (u_institution_details) with Student Roll Number, Student Name, Faculty Name, Branch (ECE / EEE / CSE), Email, Phone Number and Description. Rules implemented: • Read: role bb1 + script condition Branch = EEE • Create: role bb2 • Write: role bb3 • Delete: role bb4 • Administrator: full access to all records Logic: the ACL script returns true for admin, returns true for	 Four ACLs (create, read, delete, write) on u_institution_details  Read ACL: Branch is EEE and advanced script

S.No.	Parameter	Values	Screenshot
		bb1 users (on EEE records only) and returns false for everyone else. Platform: ServiceNow cloud instance, server-side JavaScript.	
2.	Accuracy	Training Accuracy – Not applicable (no training is involved in a rule-based ACL). Validation Accuracy – 100% (6 out of 6 access test cases gave the expected result). Test summary: - Administrator sees all 3 records (ECE, EEE, CSE) – Pass - EEE User (bb1) sees only the EEE record (STU200) – Pass - Users without the required role are denied – Pass - Create / Write / Delete work only with bb2 / bb3 / bb4 – Pass Method: each user was impersonated in ServiceNow and the Read, Create, Write and Delete results were checked.	 Administrator view: all 3 branch records visible  EEE User view: only the EEE record (STU200) visible
3.	Confidence Score (Only Yolo Projects)	Not applicable. This is not a YOLO / object-detection project, so there is no class detection and no confidence score. Class Detected – Not applicable. Confidence Score – Not applicable. Access decisions in this project are rule-based and deterministic: the ACL script always returns the same Allowed / Denied result for the	Not applicable

S.No.	Parameter	Values	Screenshot
		same user role and Branch value.	