#### MINI PROJECT 2 – WEB PAGE CREATION

## **HTML** and CSS Layout with JS:

Use HTML to structure the page and CSS (with Bootstrap) to style it.

- Create a responsive layout with a sidebar, navigation and content area for User Display information, Task list display, Date time display.
- Include sections for displaying user information, display user task/order/\* list in Table/Grid/Flex and a date/time display on user page.
- Add top priority pending task with a mouse-over colour effect or other effects of your choice.

## Basic I/O:

Provide input fields with form to enter their name and city.

- Display required field validation.
- Display messages using alert() or confirm() or custom Bootstrap modals before submission.
- Provide List priority button P1, P2, P3, P4. Based on user selection show P1 as High priority, P2 and P3 as Medium priority and P4 as Low priority. Hint: Use Switch.

## Date/Time Display:

- Display the current date and time.
- Update the time using setInterval.

#### CODE:

```
height: 100vh;
 background: linear-gradient(135deg, #f8f9fa, #e0e0e0);
}
.sidebar {
 width: 250px;
 height: 100%;
 position: fixed;
 background: linear-gradient(135deg, #343a40, #212529);
 padding-top: 20px;
 padding-left: 15px;
 box-shadow: 2px 0 5px rgba(0, 0, 0, 0.1);
.sidebar .nav-link {
 color: #fff;
 margin-bottom: 10px;
 transition: background-color 0.3s;
}
.sidebar .nav-link:hover {
 background-color: #495057;
 border-radius: 5px;
}
.content {
 margin-left: 250px;
 padding: 20px;
 width: calc(100% - 250px);
 overflow-y: auto;
}
.card {
 margin-bottom: 20px;
 border-radius: 10px;
 box-shadow: 0 4px 8px rgba(0,0,0,0.1);
 transition: transform 0.3s, box-shadow 0.3s;
}
.card:hover {
 transform: translateY(-5px);
 box-shadow: 0 8px 16px rgba(0,0,0,0.2);
}
.priority-high {
 background: linear-gradient(135deg, #ffdddd, #ffcccc);
}
```

```
.priority-medium {
  background: linear-gradient(135deg, #fff0b3, #ffeb99);
 }
 .priority-low {
  background: linear-gradient(135deg, #d4edda, #c3e6cb);
 .task-row:hover {
  background-color: #f1f1f1;
 }
 .btn-group .btn {
  margin-right: 5px;
 }
 </style>
</head>
<body>
 <nav class="sidebar">
 class="nav-item">
   <a class="nav-link active" href="#user-info">User Info</a>
  <a class="nav-link" href="#task-list">Tasks</a>
  <a class="nav-link" href="#date-time">Date/Time</a>
  </nav>
 <div class="content">
 <div id="user-info" class="mt-4 card p-4">
  <h2>User Information</h2>
  <form id="user-form">
   <div class="form-group">
    <label for="name">Name</label>
    <input type="text" class="form-control" id="name" placeholder="Enter name"
required>
   </div>
   <div class="form-group">
    <label for="city">City</label>
```

```
<input type="text" class="form-control" id="city" placeholder="Enter city"
required>
   </div>
   <button type="submit" class="btn btn-primary">Submit</button>
  </form>
 </div>
 <div id="task-list" class="mt-4 card p-4">
  <h2>Task List</h2>
  <div class="form-group">
   <input type="text" class="form-control" id="task-name" placeholder="Enter
task name">
  </div>
  <div class="btn-group mb-3" role="group" aria-label="Priority buttons">
   <button class="btn btn-secondary" onclick="addTask('P1')">P1</button>
   <button class="btn btn-secondary" onclick="addTask('P2')">P2</button>
   <button class="btn btn-secondary" onclick="addTask('P3')">P3</button>
   <button class="btn btn-secondary" onclick="addTask('P4')">P4</button>
  </div>
  <thead>
    Task
     Priority
    </thead>
   <!-- Task rows will be inserted here -->
   </div>
 <div id="date-time" class="mt-4 card p-4">
  <h2>Date and Time</h2>
  </div>
</div>
<!-- Bootstrap Modal -->
```

```
<div class="modal fade" id="confirmationModal" tabindex="-1" aria-</pre>
labelledby="confirmationModalLabel" aria-hidden="true">
  <div class="modal-dialog">
   <div class="modal-content">
    <div class="modal-header">
     <h5 class="modal-title" id="confirmationModalLabel">Form Submission</h5>
     <button type="button" class="close" data-dismiss="modal" aria-label="Close">
      <span aria-hidden="true">&times;</span>
     </button>
    </div>
    <div class="modal-body">
     Are you sure you want to submit the form?
    </div>
    <div class="modal-footer">
     <button type="button" class="btn btn-secondary" data-
dismiss="modal">Cancel</button>
     <button type="button" class="btn btn-primary"
id="confirmSubmit">Submit</button>
    </div>
   </div>
  </div>
 </div>
 <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"></script>
 <script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.2/dist/umd/popper.min.js"
></script>
 <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></
script>
 <script>
  document.addEventListener('DOMContentLoaded', function() {
   function updateDateTime() {
    const now = new Date();
    document.getElementById('current-date-time').textContent =
now.toLocaleString();
   }
   setInterval(updateDateTime, 1000);
   updateDateTime();
```

```
document.getElementById('user-form').addEventListener('submit',
function(event) {
    event.preventDefault();
    $('#confirmationModal').modal('show');
   });
   document.getElementById('confirmSubmit').addEventListener('click', function() {
    const name = document.getElementById('name').value;
    const city = document.getElementById('city').value;
    $('#confirmationModal').modal('hide');
    alert(`Name: ${name}\nCity: ${city}`);
   });
   const tasks = [
    { task: 'Task 1', priority: 'P1' },
    { task: 'Task 2', priority: 'P2' },
    { task: 'Task 3', priority: 'P3' },
    { task: 'Task 4', priority: 'P4' }
   ];
   function renderTasks(priorityFilter) {
    const taskList = document.getElementById('tasks');
    taskList.innerHTML = ";
    tasks.forEach(task => {
     if (priorityFilter && task.priority !== priorityFilter) return;
     const row = document.createElement('tr');
     const taskCell = document.createElement('td');
     const priorityCell = document.createElement('td');
     taskCell.textContent = task.task;
     priorityCell.textContent = task.priority;
     row.appendChild(taskCell);
     row.appendChild(priorityCell);
     row.classList.add('task-row');
     if (task.priority === 'P1') {
       row.classList.add('priority-high');
     } else if (task.priority === 'P2' | | task.priority === 'P3') {
       row.classList.add('priority-medium');
     } else {
       row.classList.add('priority-low');
     }
```

```
taskList.appendChild(row);
    });
   }
   renderTasks();
   window.addTask = function(priority) {
    const taskName = document.getElementById('task-name').value;
    if (taskName.trim() === ") {
     alert('Please enter a task name');
     return;
    }
    tasks.push({ task: taskName, priority: priority });
    renderTasks();
    document.getElementById('task-name').value = ";
   }
   window.setPriority = function(priority) {
    renderTasks(priority);
   }
  });
 </script>
</body>
</html>
```

# **OUTPUT:**





