IMPLEMENTATION OF NEXT TWO MODULES 24/4/2021

AIM:


To implement the required modules for online e-waste collection system

SCREENSHOTS:

```
7) ADMIN LOGIN:
```



```
Login.php:
<?php include 'includes/session.php'; ?>
<?php
 if(isset($_SESSION['user'])){
  header('location: cart_view.php');
 }
?>
<?php include 'includes/header.php'; ?>
<body class="hold-transition login-page">
<div class="login-box">
          <?php
   if(isset($_SESSION['error'])){
    echo "
      <div class='callout callout-danger text-center'>
      ".$ SESSION['error']."
     </div>
    unset($_SESSION['error']);
   if(isset($_SESSION['success'])){
      <div class='callout callout-success text-center'>
      ".$_SESSION['success']."
    unset($_SESSION['success']);
  ?>
          <div class="login-box-body">
          Sign in to start your session
          <form action="verify.php" method="POST">
                     <div class="form-group has-feedback">
                     <input type="email" class="form-control" name="email" placeholder="Email" required>
                     <span class="glyphicon glyphicon-envelope form-control-feedback"></span>
                     </div>
     <div class="form-group has-feedback">
      <input type="password" class="form-control" name="password" placeholder="Password" required>
      <span class="glyphicon glyphicon-lock form-control-feedback"></span>
      </div>
                     <div class="row">
                               <div class="col-xs-4">
                               <button type="submit" class="btn btn-primary btn-block btn-flat"
name="login"><i class="fa fa-sign-in"></i> Sign In</button>
                     </div>
                     </div>
          </form>
```



Dashboard of admin:

Home.php:

```
<?php
include 'includes/session.php';
include 'includes/format.php';
?>
<?php
$today = date('Y-m-d');
$year = date('Y');
if(isset($_GET['year'])){
    $year = $_GET['year'];
}
$conn = $pdo->open();
?>
<?php include 'includes/header.php'; ?>
<body class="hold-transition skin-green sidebar-mini">
<div class="wrapper">
<?php include 'includes/navbar.php'; ?>
<?php include 'includes/menubar.php'; ?>
<?php include 'includes/menubar.php'; ?>
```

```
<!-- Content Wrapper. Contains page content -->
 <div class="content-wrapper">
  <!-- Content Header (Page header) -->
  <section class="content-header">
   < h1 >
    Dashboard
   </h1>
   <a href="#"><i class="fa fa-dashboard"></i> Home</a>
    cli class="active">Dashboard
   </section>
  <!-- Main content -->
  <section class="content">
   <?php
    if(isset($_SESSION['error'])){
      echo "
       <div class='alert alert-danger alert-dismissible'>
        <button type="button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button>
        <h4><i class='icon fa fa-warning'></i> Error!</h4>
        ".$_SESSION['error']."
       </div>
     unset($_SESSION['error']);
    if(isset($_SESSION['success'])){
     echo '
       <div class='alert alert-success alert-dismissible'>
        <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button>
        <h4><i class='icon fa fa-check'></i> Success!</h4>
        ".$_SESSION['success']."
       </div>
      ":
     unset($_SESSION['success']);
   ?>
   <!-- Small boxes (Stat box) -->
   <div class="row">
    <div class="col-lg-3 col-xs-6">
      <!-- small box -->
      <div class="small-box bg-aqua">
       <div class="inner">
        <?php
         $stmt = $conn->prepare("SELECT * FROM details LEFT JOIN products ON
products.id=details.product_id");
         $stmt->execute();
         \text{stotal} = 0;
         foreach($stmt as $srow){
          $subtotal = $srow['price']*$srow['quantity'];
          $total += $subtotal;
         echo "<h3>&#36; ".number_format_short($total, 2)."</h3>";
        Total Sales
       </div>
       <div class="icon">
        <i class="fa fa-shopping-cart"></i>
```

```
<a href="book.php" class="small-box-footer">More info <i class="fa fa-arrow-circle-right"></i></a>
    </div>
    <!-- ./col -->
    <div class="col-lg-3 col-xs-6">
      <!-- small box -->
      <div class="small-box bg-green">
       <div class="inner">
        <?php
         $stmt = $conn->prepare("SELECT *, COUNT(*) AS numrows FROM products");
         $stmt->execute();
         $prow = $stmt->fetch();
         echo "<h3>".$prow['numrows']."</h3>";
        ?>
        Number of Products
       </div>
       <div class="icon">
        <i class="fa fa-barcode"></i>
       <a href="student.php" class="small-box-footer">More info <i class="fa fa-arrow-circle-right"></i></ia>
      </div>
    </div>
    <!-- ./col -->
    <div class="col-lg-3 col-xs-6">
      <!-- small box -->
      <div class="small-box bg-yellow">
       <div class="inner">
         $stmt = $conn->prepare("SELECT *, COUNT(*) AS numrows FROM users");
         $stmt->execute();
         $urow = $stmt->fetch();
         echo "<h3>".$urow['numrows']."</h3>";
        Number of Users
       </div>
       <div class="icon">
        <i class="fa fa-users"></i>
       <a href="return.php" class="small-box-footer">More info <i class="fa fa-arrow-circle-right"></i></a>
      </div>
    </div>
    <!-- ./col -->
    <div class="col-lg-3 col-xs-6">
      <!-- small box -->
      <div class="small-box bg-red">
       <div class="inner">
         $stmt = $conn->prepare("SELECT * FROM details LEFT JOIN sales ON sales.id=details.sales id
LEFT JOIN products ON products.id=details.product_id WHERE sales_date=:sales_date");
         $stmt->execute(['sales_date'=>$today]);
         \text{stotal} = 0;
         foreach($stmt as $trow){
          $subtotal = $trow['price']*$trow['quantity'];
          $total += $subtotal;
```

</div>

```
}
         echo "<h3>&#36; ".number_format_short($total, 2)."</h3>";
        ?>
        Sales Today
       </div>
       <div class="icon">
        <i class="fa fa-money"></i>
       <a href="borrow.php" class="small-box-footer">More info <i class="fa fa-arrow-circle-right"></i></a>
      </div>
    </div>
    <!-- ./col -->
   </div>
   <!-- /.row -->
   <div class="row">
    <div class="col-xs-12">
      <div class="box">
       <div class="box-header with-border">
        <h3 class="box-title">Monthly Sales Report</h3>
        <div class="box-tools pull-right">
         <form class="form-inline">
           <div class="form-group">
            <label>Select Year: </label>
            <select class="form-control input-sm" id="select_year">
             <?php
              for($i=2015; $i<=2065; $i++){
               $selected = ($i==$year)?'selected':";
                 <option value="".$i."" ".$selected.">".$i."</option>
              }
             ?>
            </select>
          </div>
         </form>
        </div>
       </div>
       <div class="box-body">
        <div class="chart">
         <div id="legend" class="text-center"></div>
         <canvas id="barChart" style="height:350px"></canvas>
        </div>
       </div>
      </div>
    </div>
   </div>
   </section>
   <!-- right col -->
  </div>
           <?php include 'includes/footer.php'; ?>
</div>
<!-- ./wrapper -->
<!-- Chart Data -->
```

```
<?php
 months = array();
 sales = array();
 for(m = 1; m \le 12; m++) {
  try{
   $stmt = $conn->prepare("SELECT * FROM details LEFT JOIN sales ON sales.id=details.sales_id LEFT
JOIN products ON products.id=details.product_id WHERE MONTH(sales_date)=:month AND
YEAR(sales_date)=:year");
   $stmt->execute(['month'=>$m, 'year'=>$year]);
   \text{stotal} = 0;
   foreach($stmt as $srow){
    $subtotal = $srow['price']*$srow['quantity'];
    $total += $subtotal;
   array_push($sales, round($total, 2));
  catch(PDOException $e){
   echo $e->getMessage();
  $num = str_pad( $m, 2, 0, STR_PAD_LEFT );
  month = date('M', mktime(0, 0, 0, $m, 1));
  array_push($months, $month);
 $months = json_encode($months);
 $sales = json_encode($sales);
?>
<!-- End Chart Data -->
<?php $pdo->close(); ?>
<?php include 'includes/scripts.php'; ?>
<script>
$(function(){
 var barChartCanvas = $('#barChart').get(0).getContext('2d')
 var barChart = new Chart(barChartCanvas)
 var barChartData = {
  labels : <?php echo $months; ?>,
  datasets: [
    label
                  : 'SALES',
    fillColor
                   : 'rgba(60,141,188,0.9)',
    strokeColor
                     : 'rgba(60,141,188,0.8)',
                     : '#3b8bba',
    pointColor
    pointStrokeColor: 'rgba(60,141,188,1)',
    pointHighlightFill: '#fff',
    pointHighlightStroke: 'rgba(60,141,188,1)',
                  : <?php echo $sales; ?>
    data
  1
 //barChartData.datasets[1].fillColor = '#00a65a'
 //barChartData.datasets[1].strokeColor = '#00a65a'
 //barChartData.datasets[1].pointColor = '#00a65a'
 var barChartOptions
                               = {
  //Boolean - Whether the scale should start at zero, or an order of magnitude down from the lowest value
  scaleBeginAtZero
                        : true,
  //Boolean - Whether grid lines are shown across the chart
  scaleShowGridLines
                         : true,
```

```
//String - Colour of the grid lines
  scaleGridLineColor
                          : 'rgba(0,0,0,.05)',
  //Number - Width of the grid lines
  scaleGridLineWidth
                           : 1,
  //Boolean - Whether to show horizontal lines (except X axis)
  scaleShowHorizontalLines: true,
  //Boolean - Whether to show vertical lines (except Y axis)
  scaleShowVerticalLines: true,
  //Boolean - If there is a stroke on each bar
  barShowStroke
                         : true,
  //Number - Pixel width of the bar stroke
  barStrokeWidth
                         : 2,
  //Number - Spacing between each of the X value sets
  barValueSpacing
                          : 5.
  //Number - Spacing between data sets within X values
  barDatasetSpacing
                          : 1,
  //String - A legend template
  legendTemplate
                         : '\!\!<\!\!\text{ul class}= "\!\!<\!\!\% = \!\! \text{name.toLowerCase}()\% \!\!> \!\!\!- \!\!\! \text{legend"} \!\!>\!\!<\!\!\% \text{ for (var i=0; i} \!\!<\!\! \text{datasets.length; }
i++){%>span style="background-
color:<%=datasets[i].fillColor%>"></span><%iif(datasets[i].label){%><%=datasets[i].label%><%}%>
}%>',
  //Boolean - whether to make the chart responsive
  responsive
                      : true,
  maintainAspectRatio
                          : true
 barChartOptions.datasetFill = false\\
 var myChart = barChart.Bar(barChartData, barChartOptions)
 document.getElementById('legend').innerHTML = myChart.generateLegend();
});
</script>
<script>
$(function(){
 $('#select year').change(function(){
  window.location.href = 'home.php?year='+$(this).val();
 });
});
</script>
</body>
</html>
```





Newly added product by the admin:

```
Products_add.php:

<?php
include 'includes/session.php';
include 'includes/slugify.php';
```

```
if(isset($_POST['add'])){
                      $name = $_POST['name'];
                      $slug = slugify($name);
                      $category = $_POST['category'];
                      $price = $_POST['price'];
                      $description = $_POST['description'];
                      $filename = $_FILES['photo']['name'];
                      $conn = $pdo->open();
                      $stmt = $conn->prepare("SELECT *, COUNT(*) AS numrows FROM products
WHERE slug=:slug");
                      $stmt->execute(['slug'=>$slug]);
                      $row = $stmt->fetch();
                      if(\text{srow}[\text{'numrows'}] > 0)
                                 $_SESSION['error'] = 'Product already exist';
                      else{
                                 if(!empty($filename)){
                                            $ext = pathinfo($filename, PATHINFO_EXTENSION);
                                            $new_filename = $slug.'.'.$ext;
                                            move_uploaded_file($_FILES['photo']['tmp_name'],
'../images/'.$new_filename);
                                 }
                                 else{
                                            $new_filename = ";
                                 }
                                 try{
                                            $stmt = $conn->prepare("INSERT INTO products (category id,
name, description, slug, price, photo) VALUES (:category, :name, :description, :slug, :price, :photo)");
                                            $stmt->execute(['category'=>$category, 'name'=>$name,
'description'=>$description, 'slug'=>$slug, 'price'=>$price, 'photo'=>$new_filename]);
                                            $_SESSION['success'] = 'User added successfully';
                                 catch(PDOException $e){
                                            $_SESSION['error'] = $e->getMessage();
                                 }
                      $pdo->close();
           else{
                      $_SESSION['error'] = 'Fill up product form first';
           }
           header('location: products.php');
```







Deleted product:

```
Products_delete.php:
```

?>





8) COLLECTION PRODUCTS LIST MAINTAINED BY ADMIN:

BUYER'S CART:

```
Cart.php:
```

```
<?php include 'includes/session.php'; ?>
<?php
if(!isset($_GET['user'])){
  header('location: users.php');
  exit();
}
else{
  $conn = $pdo->open();

$stmt = $conn->prepare("SELECT * FROM users WHERE id=:id");
  $stmt->execute(['id'=>$_GET['user']]);
  $user = $stmt->fetch();

$pdo->close();
}
```


```
?>
<?php include 'includes/header.php'; ?>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">
 <?php include 'includes/navbar.php'; ?>
 <?php include 'includes/menubar.php'; ?>
 <!-- Content Wrapper. Contains page content -->
 <div class="content-wrapper">
  <!-- Content Header (Page header) -->
  <section class="content-header">
    <?php echo $user['firstname'].' '.$user['lastname']."s Cart' ?>
   </h1>

    class="breadcrumb">


    <a href="#"><i class="fa fa-dashboard"></i> Home</a>
    Users
    Cart
   </section>
  <!-- Main content -->
  <section class="content">
   <?php
    if(isset($_SESSION['error'])){
     echo "
       <div class='alert alert-danger alert-dismissible'>
        <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button>
        <h4><i class='icon fa fa-warning'></i> Error!</h4>
        ".$_SESSION['error']."
      </div>
     unset($_SESSION['error']);
    if(isset($_SESSION['success'])){
     echo "
      <div class='alert alert-success alert-dismissible'>
        <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button>
        <h4><i class='icon fa fa-check'></i> Success!</h4>
        ".$_SESSION['success']."
      </div>
     unset($_SESSION['success']);
    }
   ?>
   <div class="row">
    <div class="col-xs-12">
     <div class="box">
      <div class="box-header with-border">
        <a href="#addnew" data-toggle="modal" id="add" data-id="<?php echo $user['id']; ?>" class="btn btn-
primary btn-sm btn-flat"><i class="fa fa-plus"></i> New</a>
        <a href="users.php" class="btn btn-sm btn-primary btn-flat"><i class="fa fa-arrow-left"></i>
Users</a>
      </div>
      <div class="box-body">
        <thead>
          Product Name
          Quantity
```

```
<th>Tools</th>
         </thead>
         <?php
           $conn = $pdo->open();
           try{
             $stmt = $conn->prepare("SELECT *, cart.id AS cartid FROM cart LEFT JOIN products ON
products.id=cart.product_id WHERE user_id=:user_id");
             $stmt->execute(['user_id'=>$user['id']]);
             foreach($stmt as $row){
              echo "
               ".$row['name']."
                ".$row['quantity']."
                >
                 <button class='btn btn-success btn-sm edit btn-flat' data-id="".$row['cartid']."'><i class='fa fa-
edit'></i> Edit Quantity</button>
                 <button class='btn btn-danger btn-sm delete btn-flat' data-id="".$row['cartid']."'><i class='fa
fa-trash'></i> Delete</button>
                catch(PDOException $e){
            echo $e->getMessage();
           $pdo->close();
          ?>
         </div>
      </div>
    </div>
   </div>
  </section>
 </div>
          <?php include 'includes/footer.php'; ?>
  <?php include 'includes/cart_modal.php'; ?>
</div>
<!-- ./wrapper -->
<?php include 'includes/scripts.php'; ?>
<script>
$(function(){
 $(document).on('click', '.edit', function(e){
  e.preventDefault();
  $('#edit').modal('show');
  var id = $(this).data('id');
  getRow(id);
 });
 $(document).on('click', '.delete', function(e){
  e.preventDefault();
  $('#delete').modal('show');
  var id = $(this).data('id');
```

```
getRow(id);
 });
 $('#add').click(function(e){
  e.preventDefault();
  var id = $(this).data('id');
  getProducts(id);
 });
 $("#addnew").on("hidden.bs.modal", function () {
    $('.append_items').remove();
 });
});
function getProducts(id){
 $.ajax({
  type: 'POST',
  url: 'products_all.php',
  dataType: 'json',
  success: function(response){
   $('#product').append(response);
   $('.userid').val(id);
  }
 });
}
function getRow(id){
 $.ajax({
  type: 'POST',
  url: 'cart_row.php',
  data: {id:id},
  dataType: 'json',
  success: function(response){
   $('.cartid').val(response.cartid);
   $('.userid').val(response.user_id);
   $('.productname').html(response.name);
   $('#edit_quantity').val(response.quantity);
 });
</script>
</body>
</html>
```



SELLER'S CART:



9) COLLECTION DETAILS:

Collection details with date is maintained by admin with the directions of collector agent where collector agent specifies the date

Users.php:

```
<?php include 'includes/session.php'; ?>
<?php include 'includes/header.php'; ?>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

<?php include 'includes/navbar.php'; ?>
<?php include 'includes/menubar.php'; ?>
<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
```


```
<!-- Content Header (Page header) -->
  <section class="content-header">
   <h1>
    Users
   </h1>

    class="breadcrumb">

    <a href="#"><i class="fa fa-dashboard"></i> Home</a>
    cli class="active">Users
   </section>
  <!-- Main content -->
  <section class="content">
   <?php
    if(isset($_SESSION['error'])){
     echo "
      <div class='alert alert-danger alert-dismissible'>
       <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button>
       <h4><i class='icon fa fa-warning'></i> Error!</h4>
       ".$_SESSION['error']."
      </div>
     unset($_SESSION['error']);
    if(isset($_SESSION['success'])){
     echo "
      <div class='alert alert-success alert-dismissible'>
       <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button>
       <h4><i class='icon fa fa-check'></i> Success!</h4>
       ".$_SESSION['success']."
      </div>
     ":
     unset($_SESSION['success']);
    }
   ?>
   <div class="row">
    <div class="col-xs-12">
     <div class="box">
      <div class="box-header with-border">
       <a href="#addnew" data-toggle="modal" class="btn btn-primary btn-sm btn-flat"><i class="fa fa-
plus"></i> New</a>
      </div>
      <div class="box-body">
       <thead>
          Photo
          Email
          Name
          Status
         Date Added
         Tools
        </thead>
        <?php
          $conn = $pdo->open();
          try{
            $stmt = $conn->prepare("SELECT * FROM users WHERE type=:type");
            $stmt->execute(['type'=>0]);
            foreach($stmt as $row){
```

```
$image = (!empty($row['photo'])) ? '../images/'.$row['photo'] : '../images/profile.jpg';
              $status = ($row['status']) ? '<span class="label label-success">active</span>' : '<span
class="label label-danger">not verified</span>';
              $active = (!$row['status']) ? '<span class="pull-right"><a href="#activate" class="status" data-
toggle="modal" data-id="'.$row['id']."'><i class="fa fa-check-square-o"></i></a></span>': ";
              echo "
               <img src="".$image."' height='30px' width='30px'>
                  <span class='pull-right'><a href='#edit_photo' class='photo' data-toggle='modal' data-</pre>
id="".$row['id'].""><i class='fa fa-edit'></i></a></span>
                 ".$row['email']."
                 ".$row['firstname'].' '.$row['lastname']."
                  ".$status."
                  ".$active."
                 ".date('M d, Y', strtotime($row['created_on']))."
                 <a href='cart.php?user=".$row['id']."' class='btn btn-info btn-sm btn-flat'><i class='fa fa-
search'></i> Cart</a>
                  <button class='btn btn-success btn-sm edit btn-flat' data-id='".$row['id']."'><i class='fa fa-
edit'></i> Edit</button>
                  <button class='btn btn-danger btn-sm delete btn-flat' data-id="".$row['id']."'><i class='fa fa-
trash'></i> Delete</button>
                 }
            catch(PDOException $e){
             echo $e->getMessage();
            $pdo->close();
           ?>
         </div>
      </div>
     </div>
   </div>
  </section>
 </div>
           <?php include 'includes/footer.php'; ?>
  <?php include 'includes/users_modal.php'; ?>
</div>
<!-- ./wrapper -->
<?php include 'includes/scripts.php'; ?>
<script>
$(function(){
 $(document).on('click', '.edit', function(e){
  e.preventDefault();
  $('#edit').modal('show');
  var id = $(this).data('id');
```

```
getRow(id);
 });
 $(document).on('click', '.delete', function(e){
  e.preventDefault();
  $('#delete').modal('show');
  var id = $(this).data('id');
  getRow(id);
 });
 $(document).on('click', '.photo', function(e){
  e.preventDefault();
  var id = $(this).data('id');
  getRow(id);
 });
 $(document).on('click', '.status', function(e){
  e.preventDefault();
  var id = $(this).data('id');
  getRow(id);
 });
});
function getRow(id){
 $.ajax({
  type: 'POST',
  url: 'users_row.php',
  data: {id:id},
  dataType: 'json',
  success: function(response){
   $('.userid').val(response.id);
   $('#edit_email').val(response.email);
   $('#edit_password').val(response.password);
    $('#edit_firstname').val(response.firstname);
    $('#edit_lastname').val(response.lastname);
   $('#edit_address').val(response.address);
   $('#edit_contact').val(response.contact_info);
   $('.fullname').html(response.firstname+' '+response.lastname);
 });
</script>
</body>
</html>
```



10) VIEW LOGS:

Previous sales details maintained by admin

Sales.php:

```
<?php include 'includes/session.php'; ?>
<?php include 'includes/header.php'; ?>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">
 <?php include 'includes/navbar.php'; ?>
 <?php include 'includes/menubar.php'; ?>
 <!-- Content Wrapper. Contains page content -->
 <div class="content-wrapper">
  <!-- Content Header (Page header) -->
  <section class="content-header">
   <h1>
    Sales History

    class="breadcrumb">

    <a href="#"><i class="fa fa-dashboard"></i> Home</a>
    Sales
   </01>
  </section>
  <!-- Main content -->
  <section class="content">
   <div class="row">
    <div class="col-xs-12">
      <div class="box">
      <div class="box-header with-border">
        <div class="pull-right">
         <form method="POST" class="form-inline" action="sales_print.php">
          <div class="input-group">
           <div class="input-group-addon">
            <i class="fa fa-calendar"></i>
           <input type="text" class="form-control pull-right col-sm-8" id="reservation" name="date_range">
          </div>
```


```
<button type="submit" class="btn btn-success btn-sm btn-flat" name="print"><span
class="glyphicon glyphicon-print"></span> Print</button>
        </form>
       </div>
      </div>
      <div class="box-body">
       <thead>
         Date
         Buyer Name/Seller name
         Transaction#
         Amount
         Full Details
        </thead>
        <?php
          $conn = $pdo->open();
           $stmt = $conn->prepare("SELECT *, sales.id AS salesid FROM sales LEFT JOIN users ON
users.id=sales.user_id ORDER BY sales_date DESC");
           $stmt->execute();
           foreach($stmt as $row){
            $stmt = $conn->prepare("SELECT * FROM details LEFT JOIN products ON
products.id=details.product_id WHERE details.sales_id=:id");
            $stmt->execute(['id'=>$row['salesid']]);
            \text{stotal} = 0;
            foreach($stmt as $details){
             $subtotal = $details['price']*$details['quantity'];
             $total += $subtotal;
           echo "
             ".date('M d, Y', strtotime($row['sales_date']))."
              ".$row['firstname'].' '.$row['lastname']."
              ".$row['pay_id']."
              $ ".number_format($total, 2)."
              <bd>button type='button' class='btn btn-info btn-sm btn-flat transact' data-
id="".$row['salesid'].""><i class='fa fa-search'></i> View</button>
             }
          catch(PDOException $e){
          echo $e->getMessage();
          $pdo->close();
         ?>
        </div>
     </div>
    </div>
   </div>
  </section>
 </div>
```

```
<?php include 'includes/footer.php'; ?>
  <?php include '../includes/profile_modal.php'; ?>
</div>
<!-- ./wrapper -->
<?php include 'includes/scripts.php'; ?>
<!-- Date Picker -->
<script>
$(function(){
 //Date picker
 $('#datepicker_add').datepicker({
  autoclose: true,
  format: 'yyyy-mm-dd'
 $('#datepicker_edit').datepicker({
  autoclose: true,
  format: 'yyyy-mm-dd'
 })
 //Timepicker
 $('.timepicker').timepicker({
  showInputs: false
 })
//Date range picker
 $('#reservation').daterangepicker()
 //Date range picker with time picker
 $('#reservationtime').daterangepicker({ timePicker: true, timePickerIncrement: 30, format: 'MM/DD/YYYY
h:mm A' })
 //Date range as a button
 $('#daterange-btn').daterangepicker(
   ranges : {
                : [moment(), moment()],
     'Yesterday' : [moment().subtract(1, 'days'), moment().subtract(1, 'days')],
     'Last 7 Days': [moment().subtract(6, 'days'), moment()],
     'Last 30 Days': [moment().subtract(29, 'days'), moment()],
     'This Month': [moment().startOf('month'), moment().endOf('month')],
     'Last Month': [moment().subtract(1, 'month').startOf('month'), moment().subtract(1,
'month').endOf('month')]
   startDate: moment().subtract(29, 'days'),
   endDate : moment()
  function (start, end) {
   $('#daterange-btn span').html(start.format('MMMM D, YYYY') + ' - ' + end.format('MMMM D, YYYY'))
)
});
</script>
<script>
$(function(){
 $(document).on('click', '.transact', function(e){
  e.preventDefault();
  $('#transaction').modal('show');
  var id = $(this).data('id');
  $.ajax({
   type: 'POST',
```


```
url: 'transact.php',
    data: {id:id},
    dataType: 'json',
    success:function(response){
     $('#date').html(response.date);
     $('#transid').html(response.transaction);
     $('#detail').prepend(response.list);
     $('#total').html(response.total);
  });
 });
 $("#transaction").on("hidden.bs.modal", function () {
    $('.prepend_items').remove();
 });
});
</script>
</body>
</html>
```

Date 11	Buyer Name/Seller name	Transaction# $\downarrow \uparrow$	Amount \$\psi\eta\$	Full Details 🗼 🚶
May 10, 2018	Harry Den	PAY-1RT494832H294925RLLZ7TZA	\$ 8,874.91	Q View
May 10, 2018	Harry Den	PAY-21700797GV667562HLLZ7ZVY	\$ 6,095.92	Q View
Showing 1 to 2 of 2 entries				Previous 1 Next

Admin can view for monthly sales report for the year 2018 for certain time periods




11)PAYMENT:




12)PRODUCT SUMMARY DETAILS:

The final summary of buyer's details are shown to the customer by admin




```
Transact.php:
<?php
          include 'includes/session.php';
          id = POST[id];
          $conn = $pdo->open();
          $output = array('list'=>");
          $stmt = $conn->prepare("SELECT * FROM details LEFT JOIN products ON
products.id=details.product_id LEFT JOIN sales ON sales.id=details.sales_id WHERE details.sales_id=:id");
          $stmt->execute(['id'=>$id]);
          \text{$total} = 0;
          foreach($stmt as $row){
                    $output['transaction'] = $row['pay_id'];
                    $output['date'] = date('M d, Y', strtotime($row['sales_date']));
                    $subtotal = $row['price']*$row['quantity'];
                    $total += $subtotal;
                    $output['list'] .= "
                              ".$row['name']."
                                         $ ".number_format($row['price'], 2)."
                                         ".$row['quantity']."
                                         $ ".number_format($subtotal, 2)."
                              }
          $output['total'] = '<b>&#36; '.number_format($total, 2).'<b>';
          $pdo->close();
          echo json_encode($output);
```

?>




DATABASE:


CART TABLE:




CATEGORY TABLE:




DETAILS TABLE:




PRODUCTS TABLE:



SALES TABLE:



USERS TABLE:



RESULT:

Thus the implementation of remaining modules are executed successfully