PHASE-2

Project Title: Public Health Awareness campaign analysis

INNOVATION:

Consider incorporating machine learning algorithms to predict the success of future campaigns based on historical data.

Incorporating machine learning algorithms to predict the success of future campaigns based on historical data is a powerful approach to improving marketing and business decision-making. Here are the steps you can follow to implement such a system:

Data Collection: Gather historical data on past campaigns, including details such as campaign type, target audience, messaging, timing, and outcomes (success or failure). Ensure that the data is clean, well-structured, and covers a reasonable time frame.

Data Preprocessing: Clean the data by handling missing values, outliers, and inconsistencies. Encode categorical variables into numerical format using techniques like one-hot encoding or label encoding. Normalize or scale numerical features to ensure they have similar ranges.

Feature Selection: Identify relevant features (variables) that can influence campaign success. You can use techniques like feature importance analysis, correlation analysis, or domain knowledge to select the most important features.

Data Split: Split the historical data into training and testing sets. Typically, you might use a 70-30 or 80-20 split, with the larger portion for training.

Model Selection: Choose appropriate machine learning algorithms for your predictive task. Common choices include logistic regression, decision trees, random forests, gradient boosting, and neural networks. The choice of algorithm depends on the nature of your data and the complexity of the problem.

Model Training: • Train the selected machine learning models on the training data. This involves feeding the historical data into the model to learn patterns and relationships.

Hyperparameter Tuning: • Fine-tune the hyperparameters of your models using techniques like grid search or random search to optimize their performance.

Model Evaluation: • Evaluate the models on the testing dataset using metrics suitable for classification problems. Common metrics include accuracy, precision, recall, F1-score, and ROC AUC.

Model Interpretability: Ensure that your models are interpretable, especially if the results will inform important business decisions. Techniques like feature importance analysis and SHAP (SHapley Additive exPlanations) can help explain model predictions.

Deployment: Deploy the trained machine learning model(s) into your production environment, so they can be used to make predictions on new campaign data.

Continuous Monitoring and Updating: Continuously monitor the model's performance in production and update it as needed to adapt to changing campaign dynamics and data distributions.

Reporting and Visualization: • Present the model's predictions and insights to stakeholders in a clear and actionable manner through dashboards and reports.

Iteration: • Periodically retrain and update the model with new campaign data to ensure it remains accurate and relevant over time.

Remember that the success of your predictive modeling efforts will depend on the quality and quantity of historical data, the choice of features, and the selection of appropriate machine learning algorithms. Regularly refining and improving your models based on feedback and new data will lead to more accurate predictions and better campaign outcomes.


Machine learning (ML) is a statistical technique for training algorithms to learn from and make predictions using data.

It has the potential to improve public health awareness by deriving novel insights from large data sets to predict which interventions are more likely to succeed for an individual patient 1. However, the choice of ML algorithm depends on the specific problem and the type of data available.

For instance, a Recurrent Neural Network (RNN) model,


particularly the Modified Long Short-Term Memory (MLSTM) model, can be used to forecast the count of newly affected individuals, losses, and cures in the following few days 2. Another study suggests deep learning reinforcement to optimize COVID-19's predictive outcome based on symptoms 3.

It is important to note that the methodological quality and the risk of bias arising from shortcomings in design, conduct, and analysis in studies using ML techniques must be evaluated 1. A recent systematic review revealed the high risk of bias present in randomized controlled trials (RCTs) and observational studies based on machine learning and artificial intelligence



Hyperparameter Tuning:

Hyperparameter tuning is a crucial step in machine learning to fine-tune models and improve their performance. It involves adjusting the hyperparameters of a model to optimize its performance on a given task. Hyperparameters are parameters that cannot be learned from the data and are usually fixed before the actual training process begins.



However, the choice of ML algorithm depends on the specific problem and the type of data available. We are using (RNN) -Recurrent Neural Network model.

By adding the Hyperparameter Turing below image based on BatchSize,Width,SeqLen,Depth.

