

MERN Project - Complete API Analysis & Documentation

Campus2Corporate

DOCUMENT	DETAIL
Technology stack	React + TypeScript + Vite; Node.js + Express; MongoDB + Mongoose; Clerk and Gemini integrations
Analysis date	26 September 2026
Documentation version	1.0 - static source audit
Scope	Active backend/src, separate legacy server, frontend service calls, route middleware, controller/model flows

Evidence basis: repository source only. No MongoDB, Clerk, Gemini, or running server was exercised. Route existence and frontend references are confirmed from code; runtime success is not asserted.

1. Executive summary

Campus2Corporate contains a Vite/React frontend, a current Express API in backend/src, and an older Express server in server/. The frontend uses separate Axios clients for admin and student traffic. The college and recruiter interfaces contain extensive local/mock state but no detected backend HTTP calls. The main API uses Mongoose models and JWT bearer middleware; AI routes delegate to the Google GenAI SDK.

The main integration gap is 20 student service requests without a matching route in backend/src. Twelve are referenced by rendered page code. The frontend AuthContext signs users in through Clerk or local/demo state and does not set the c2c_student_token expected by the student Axios interceptor; student and AI endpoints therefore lack a token in that normal flow unless one is supplied separately.

2. Project architecture

Frontend page -> adminApi.ts or studentApi.ts -> Axios HTTP -> backend/src/app.js route mount -> route middleware -> controller -> Mongoose model or Google GenAI service -> JSON response. The admin login and protected-admin guard make direct Axios calls. The older server/server.js is a separate process with overlapping URLs and a different authentication implementation.

Development base URL: Vite proxies /api to http://localhost:5000; adminApi uses /api/admin. studentApi uses VITE_API_URL or http://localhost:5000/api. The legacy server also defaults to port 5000. Only one of these server processes can bind that default port at a time. No production origin is determined from code.

3. API statistics and counting rules

MEASURE	RESULT
Current backend mounted paths	295
Current backend route declarations	185
Distinct handler + method operations	149
Paths with a detected frontend page caller	41
Paths without a detected frontend page caller	254
Canonical paths without a page caller	108
Alternate path variants (non-exclusive tag)	146
Authenticated / public current paths	276 / 19
Super Admin only current paths	4
Legacy mounted paths	8
Unmatched student frontend service requests	20
Unmatched requests referenced by pages	12
Confirmed incomplete/broken current route handlers	0 confirmed by this static audit
External service integrations	2 SDK integrations: Clerk auth (frontend); Google Gemini (backend). One external model API call family.

"Active" means a current frontend source call was found, not that the request succeeds at runtime. "No caller" includes documented/admin alternatives, future endpoints, and alternate mounts; it does not mean unnecessary. Alternate path count overlaps the active/no-caller partition.

4. Complete API inventory

One row per exact mounted method and path. Current backend paths are followed by the separate legacy server paths. A route may have several aliases; each concrete URL appears below.

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
1	backend	POST	/api/admin/login	Active	direct axios.AdminLogin	loginAdmin	Admin
2	backend	POST	/api/v1/admin/login	Alternate path	None detected	loginAdmin	Admin
3	backend	POST	/api/admin/auth/login	Alternate path	None detected	loginAdmin	Admin
4	backend	POST	/api/v1/admin/auth/login	Alternate path	None detected	loginAdmin	Admin
5	backend	GET	/api/admin/profile	Active	adminApi.getProfile	getAdminProfile	None direct
6	backend	GET	/api/v1/admin/profile	Alternate path	None detected	getAdminProfile	None direct
7	backend	PUT	/api/admin/profile	No page caller	None detected	updateAdminProfile	Admin
8	backend	PUT	/api/v1/admin/profile	Alternate path	None detected	updateAdminProfile	Admin
9	backend	PATCH	/api/admin/profile	No page caller	None detected	updateAdminProfile	Admin
10	backend	PATCH	/api/v1/admin/profile	Alternate path	None detected	updateAdminProfile	Admin
11	backend	POST	/api/admin/register	No page caller	None detected	registerAdmin	Admin
12	backend	POST	/api/v1/admin/register	Alternate path	None detected	registerAdmin	Admin
13	backend	GET	/api/admin/dashboard	Active	adminApi.getDashboardAnalytics	getDashboardAnalytics	Application, Broadcast, College +6
14	backend	GET	/api/v1/admin/dashboard	Alternate path	None detected	getDashboardAnalytics	Application, Broadcast, College +6
15	backend	GET	/api/admin/students	Active	adminApi.getStudents	getAllStudents	Student
16	backend	GET	/api/v1/admin/students	Alternate path	None detected	getAllStudents	Student
17	backend	GET	/api/admin/students/:id	No page caller	None detected	getStudentById	Student
18	backend	GET	/api/v1/admin/students/:id	Alternate path	None detected	getStudentById	Student
19	backend	PATCH	/api/admin/students/:id/status	Active	adminApi.updateStudentStatus	updateStudentStatus	Student
20	backend	PATCH	/api/v1/admin/students/:id/status	Alternate path	None detected	updateStudentStatus	Student
21	backend	PUT	/api/admin/students/:id	No page caller	None detected	updateStudent	Student
22	backend	PUT	/api/v1/admin/students/:id	Alternate path	None detected	updateStudent	Student
23	backend	DELETE	/api/admin/students/:id	Active	adminApi.deleteStudent	deleteStudent	Application, Student
24	backend	DELETE	/api/v1/admin/students/:id	Alternate path	None detected	deleteStudent	Application, Student
25	backend	GET	/api/admin/colleges	Active	adminApi.getColleges	getAllColleges	College

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
26	backend	GET	/api/v1/admin/colleges	Alternate path	None detected	getAllColleges	College
27	backend	POST	/api/admin/colleges	No page caller	None detected	createCollege	College
28	backend	POST	/api/v1/admin/colleges	Alternate path	None detected	createCollege	College
29	backend	GET	/api/admin/colleges/:id	No page caller	None detected	getCollegeById	College
30	backend	GET	/api/v1/admin/colleges/:id	Alternate path	None detected	getCollegeById	College
31	backend	PATCH	/api/admin/colleges/:id/status	Active	adminApi.updateCollegeStatus	updateCollegeStatus	College
32	backend	PATCH	/api/v1/admin/colleges/:id/status	Alternate path	None detected	updateCollegeStatus	College
33	backend	PUT	/api/admin/colleges/:id	No page caller	None detected	updateCollege	College
34	backend	PUT	/api/v1/admin/colleges/:id	Alternate path	None detected	updateCollege	College
35	backend	DELETE	/api/admin/colleges/:id	Active	adminApi.deleteCollege	deleteCollege	College
36	backend	DELETE	/api/v1/admin/colleges/:id	Alternate path	None detected	deleteCollege	College
37	backend	GET	/api/admin/recruiters	Active	adminApi.getRecruiters	getAllRecruiters	Recruiter
38	backend	GET	/api/v1/admin/recruiters	Alternate path	None detected	getAllRecruiters	Recruiter
39	backend	POST	/api/admin/recruiters	No page caller	None detected	createRecruiter	Recruiter
40	backend	POST	/api/v1/admin/recruiters	Alternate path	None detected	createRecruiter	Recruiter
41	backend	GET	/api/admin/recruiters/:id	No page caller	None detected	getRecruiterById	Recruiter
42	backend	GET	/api/v1/admin/recruiters/:id	Alternate path	None detected	getRecruiterById	Recruiter
43	backend	PATCH	/api/admin/recruiters/:id/status	Active	adminApi.updateRecruiterStatus	updateRecruiterStatus	Recruiter
44	backend	PATCH	/api/v1/admin/recruiters/:id/status	Alternate path	None detected	updateRecruiterStatus	Recruiter
45	backend	PUT	/api/admin/recruiters/:id	No page caller	None detected	updateRecruiter	Recruiter
46	backend	PUT	/api/v1/admin/recruiters/:id	Alternate path	None detected	updateRecruiter	Recruiter
47	backend	DELETE	/api/admin/recruiters/:id	Active	adminApi.deleteRecruiter	deleteRecruiter	Recruiter
48	backend	DELETE	/api/v1/admin/recruiters/:id	Alternate path	None detected	deleteRecruiter	Recruiter
49	backend	GET	/api/admin/companies	No page caller	None detected	getAllCompanies	Company
50	backend	GET	/api/v1/admin/companies	Alternate path	None detected	getAllCompanies	Company
51	backend	GET	/api/admin/projects	No page caller	None detected	getAllProjects	Project
52	backend	GET	/api/v1/admin/projects	Alternate path	None detected	getAllProjects	Project
53	backend	POST	/api/admin/projects	No page caller	None detected	createProject	Project
54	backend	POST	/api/v1/admin/projects	Alternate path	None detected	createProject	Project
55	backend	PUT	/api/admin/projects/:id/approve	Active	adminApi.approveProject	approveProject	Project
56	backend	PUT	/api/v1/admin/projects/:id/approve	Alternate path	None detected	approveProject	Project
57	backend	PATCH	/api/admin/projects/:id/approve	No page caller	None detected	approveProject	Project

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
58	backend	PATCH	/api/v1/admin/projects/:id/approve	Alternate path	None detected	approveProject	Project
59	backend	PUT	/api/admin/projects/:id/approval	Alternate path	None detected	approveProject	Project
60	backend	PUT	/api/v1/admin/projects/:id/approval	Alternate path	None detected	approveProject	Project
61	backend	PATCH	/api/admin/projects/:id/approval	Alternate path	None detected	approveProject	Project
62	backend	PATCH	/api/v1/admin/projects/:id/approval	Alternate path	None detected	approveProject	Project
63	backend	PUT	/api/admin/projects/:id/reject	Active	adminApi.rejectProject	rejectProject	Project
64	backend	PUT	/api/v1/admin/projects/:id/reject	Alternate path	None detected	rejectProject	Project
65	backend	PATCH	/api/admin/projects/:id/reject	No page caller	None detected	rejectProject	Project
66	backend	PATCH	/api/v1/admin/projects/:id/reject	Alternate path	None detected	rejectProject	Project
67	backend	GET	/api/admin/projects/:id	No page caller	None detected	getProjectById	Project
68	backend	GET	/api/v1/admin/projects/:id	Alternate path	None detected	getProjectById	Project
69	backend	PUT	/api/admin/projects/:id	No page caller	None detected	updateProject	Project
70	backend	PUT	/api/v1/admin/projects/:id	Alternate path	None detected	updateProject	Project
71	backend	DELETE	/api/admin/projects/:id	No page caller	None detected	deleteProject	Application, Project
72	backend	DELETE	/api/v1/admin/projects/:id	Alternate path	None detected	deleteProject	Application, Project
73	backend	GET	/api/admin/verifications	Active	adminApi.getVerificationQueue	getVerificationQueue	College, Project, Recruiter
74	backend	GET	/api/v1/admin/verifications	Alternate path	None detected	getVerificationQueue	College, Project, Recruiter
75	backend	GET	/api/admin/verification-queue	Alternate path	None detected	getVerificationQueue	College, Project, Recruiter
76	backend	GET	/api/v1/admin/verification-queue	Alternate path	None detected	getVerificationQueue	College, Project, Recruiter
77	backend	PUT	/api/admin/verifications/colleges/:id	Active	adminApi.verifyCollege	verifyCollege	College
78	backend	PUT	/api/v1/admin/verifications/colleges/:id	Alternate path	None detected	verifyCollege	College
79	backend	PATCH	/api/admin/verifications/colleges/:id	Alternate path	None detected	verifyCollege	College
80	backend	PATCH	/api/v1/admin/verifications/colleges/:id	Alternate path	None detected	verifyCollege	College
81	backend	PUT	/api/admin/colleges/:id/verify	Alternate path	None detected	verifyCollege	College
82	backend	PUT	/api/v1/admin/colleges/:id/verify	Alternate path	None detected	verifyCollege	College
83	backend	PATCH	/api/admin/colleges/:id/verify	No page caller	None detected	verifyCollege	College

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
84	backend	PATCH	/api/v1/admin/colleges/:id/verify	Alternate path	None detected	verifyCollege	College
85	backend	PUT	/api/admin/verifications/recruiters/:id	Active	adminApi.verifyRecruiter	verifyRecruiter	Recruiter
86	backend	PUT	/api/v1/admin/verifications/recruiters/:id	Alternate path	None detected	verifyRecruiter	Recruiter
87	backend	PATCH	/api/admin/verifications/recruiters/:id	Alternate path	None detected	verifyRecruiter	Recruiter
88	backend	PATCH	/api/v1/admin/verifications/recruiters/:id	Alternate path	None detected	verifyRecruiter	Recruiter
89	backend	PUT	/api/admin/recruiters/:id/verify	Alternate path	None detected	verifyRecruiter	Recruiter
90	backend	PUT	/api/v1/admin/recruiters/:id/verify	Alternate path	None detected	verifyRecruiter	Recruiter
91	backend	PATCH	/api/admin/recruiters/:id/verify	No page caller	None detected	verifyRecruiter	Recruiter
92	backend	PATCH	/api/v1/admin/recruiters/:id/verify	Alternate path	None detected	verifyRecruiter	Recruiter
93	backend	GET	/api/admin/placements/overview	Active	adminApi.getPlacementOversight	getPlacementOversight	Application, College, PlacementDrive +1
94	backend	GET	/api/v1/admin/placements/overview	Alternate path	None detected	getPlacementOversight	Application, College, PlacementDrive +1
95	backend	GET	/api/admin/placement-oversight	Alternate path	None detected	getPlacementOversight	Application, College, PlacementDrive +1
96	backend	GET	/api/v1/admin/placement-oversight	Alternate path	None detected	getPlacementOversight	Application, College, PlacementDrive +1
97	backend	GET	/api/admin/broadcasts	Active	adminApi.getBroadcasts	getBroadcasts	Broadcast
98	backend	GET	/api/v1/admin/broadcasts	Alternate path	None detected	getBroadcasts	Broadcast
99	backend	POST	/api/admin/broadcasts	Active	adminApi.createBroadcast	createBroadcast	Broadcast
100	backend	POST	/api/v1/admin/broadcasts	Alternate path	None detected	createBroadcast	Broadcast
101	backend	DELETE	/api/admin/broadcasts/:id	Active	adminApi.deleteBroadcast	deleteBroadcast	Broadcast
102	backend	DELETE	/api/v1/admin/broadcasts/:id	Alternate path	None detected	deleteBroadcast	Broadcast
103	backend	GET	/api/admin/content/roadmaps	Active	adminApi.getContentRoadmaps	getContentRoadmaps	ContentRoadmap
104	backend	GET	/api/v1/admin/content/roadmaps	Alternate path	None detected	getContentRoadmaps	ContentRoadmap
105	backend	GET	/api/admin/content-roadmaps	Alternate path	None detected	getContentRoadmaps	ContentRoadmap

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
106	backend	GET	/api/v1/admin/content-roadmaps	Alternate path	None detected	getContentRoadmaps	ContentRoad map
107	backend	POST	/api/admin/content/roadmaps	Active	adminApi.createContentRoadmap	createContentRoadmap	ContentRoad map
108	backend	POST	/api/v1/admin/content/roadmaps	Alternate path	None detected	createContentRoadmap	ContentRoad map
109	backend	POST	/api/admin/content-roadmaps	Alternate path	None detected	createContentRoadmap	ContentRoad map
110	backend	POST	/api/v1/admin/content-roadmaps	Alternate path	None detected	createContentRoadmap	ContentRoad map
111	backend	PUT	/api/admin/content/roadmaps/:id	Alternate path	None detected	updateContentRoadmap	ContentRoad map
112	backend	PUT	/api/v1/admin/content/roadmaps/:id	Alternate path	None detected	updateContentRoadmap	ContentRoad map
113	backend	PUT	/api/admin/content-roadmaps/:id	No page caller	None detected	updateContentRoadmap	ContentRoad map
114	backend	PUT	/api/v1/admin/content-roadmaps/:id	Alternate path	None detected	updateContentRoadmap	ContentRoad map
115	backend	DELETE	/api/admin/content/roadmaps/:id	Active	adminApi.deleteContentRoadmap	deleteContentRoadmap	ContentRoad map
116	backend	DELETE	/api/v1/admin/content/roadmaps/:id	Alternate path	None detected	deleteContentRoadmap	ContentRoad map
117	backend	DELETE	/api/admin/content-roadmaps/:id	Alternate path	None detected	deleteContentRoadmap	ContentRoad map
118	backend	DELETE	/api/v1/admin/content-roadmaps/:id	Alternate path	None detected	deleteContentRoadmap	ContentRoad map
119	backend	GET	/api/admin/support/tickets	Active	adminApi.getSupportTickets	getSupportTickets	SupportTicket
120	backend	GET	/api/v1/admin/support/tickets	Alternate path	None detected	getSupportTickets	SupportTicket
121	backend	GET	/api/admin/support-tickets	Alternate path	None detected	getSupportTickets	SupportTicket
122	backend	GET	/api/v1/admin/support-tickets	Alternate path	None detected	getSupportTickets	SupportTicket
123	backend	POST	/api/admin/support/tickets	Active	adminApi.createSupportTicket	createSupportTicket	SupportTicket
124	backend	POST	/api/v1/admin/support/tickets	Alternate path	None detected	createSupportTicket	SupportTicket
125	backend	POST	/api/admin/support-tickets	Alternate path	None detected	createSupportTicket	SupportTicket
126	backend	POST	/api/v1/admin/support-tickets	Alternate path	None detected	createSupportTicket	SupportTicket
127	backend	POST	/api/admin/support/tickets/:id/reply	Active	adminApi.replySupportTicket	replySupportTicket	SupportTicket
128	backend	POST	/api/v1/admin/support/tickets/:id/reply	Alternate path	None detected	replySupportTicket	SupportTicket
129	backend	POST	/api/admin/support-tickets/:id/reply	Alternate path	None detected	replySupportTicket	SupportTicket

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
130	backend	POST	/api/v1/admin/support-tickets/:id/reply	Alternate path	None detected	replySupportTicket	SupportTicket
131	backend	PUT	/api/admin/support/tickets/:id/status	Active	adminApi.updateSupportTicketStatus	updateSupportTicketStatus	SupportTicket
132	backend	PUT	/api/v1/admin/support/tickets/:id/status	Alternate path	None detected	updateSupportTicketStatus	SupportTicket
133	backend	PUT	/api/admin/support-tickets/:id/status	Alternate path	None detected	updateSupportTicketStatus	SupportTicket
134	backend	PUT	/api/v1/admin/support-tickets/:id/status	Alternate path	None detected	updateSupportTicketStatus	SupportTicket
135	backend	GET	/api/admin/support/tickets/:id	Alternate path	None detected	getSupportTicketById	SupportTicket
136	backend	GET	/api/v1/admin/support/tickets/:id	Alternate path	None detected	getSupportTicketById	SupportTicket
137	backend	GET	/api/admin/support-tickets/:id	No page caller	None detected	getSupportTicketById	SupportTicket
138	backend	GET	/api/v1/admin/support-tickets/:id	Alternate path	None detected	getSupportTicketById	SupportTicket
139	backend	GET	/api/admin/analytics	Active	adminApi.getPlatformAnalytics	getPlatformAnalytics	Application, College, Recruiter +1
140	backend	GET	/api/v1/admin/analytics	Alternate path	None detected	getPlatformAnalytics	Application, College, Recruiter +1
141	backend	GET	/api/admin/settings	Active	adminApi.getSystemSettings	getSystemSettings	SystemSetting
142	backend	GET	/api/v1/admin/settings	Alternate path	None detected	getSystemSettings	SystemSetting
143	backend	PUT	/api/admin/settings	Active	adminApi.updateSystemSettings	updateSystemSettings	SystemSetting
144	backend	PUT	/api/v1/admin/settings	Alternate path	None detected	updateSystemSettings	SystemSetting
145	backend	GET	/api/admin/activity	No page caller	None detected	getAdminActivities	AdminActivity
146	backend	GET	/api/v1/admin/activity	Alternate path	None detected	getAdminActivities	AdminActivity
147	backend	POST	/api/college/register	No page caller	None detected	registerCollege	College
148	backend	POST	/api/college/auth/register	Alternate path	None detected	registerCollege	College
149	backend	POST	/api/college/login	No page caller	None detected	loginCollege	College
150	backend	POST	/api/college/auth/login	Alternate path	None detected	loginCollege	College
151	backend	GET	/api/college/profile	No page caller	None detected	getCollegeProfile	None direct
152	backend	PUT	/api/college/profile	No page caller	None detected	updateCollegeProfile	None direct
153	backend	PATCH	/api/college/profile	No page caller	None detected	updateCollegeProfile	None direct
154	backend	GET	/api/college/dashboard	No page caller	None detected	getCollegeDashboardStats	Application, Project, Student
155	backend	POST	/api/college/students/bulk-import	No page caller	None detected	bulkImportStudents	College, Student
156	backend	GET	/api/college/students/export	No page caller	None detected	exportStudentsCSV	Student

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
157	backend	PATCH	/api/college/students/bulk	No page caller	None detected	bulkUpdateStudents	Student
158	backend	POST	/api/college/students	No page caller	None detected	createStudent	College, Student
159	backend	GET	/api/college/students	No page caller	None detected	getAllStudents	Student
160	backend	GET	/api/college/students/eligible	No page caller	None detected	getEligibleStudents	Student
161	backend	GET	/api/college/students/:id	No page caller	None detected	getStudentById	Student
162	backend	PUT	/api/college/students/:id	No page caller	None detected	updateStudent	Student
163	backend	PATCH	/api/college/students/:id	No page caller	None detected	updateStudent	Student
164	backend	DELETE	/api/college/students/:id	No page caller	None detected	deleteStudent	Student
165	backend	GET	/api/college/applications/summary	No page caller	None detected	getApplicationSummary	Application, Student
166	backend	GET	/api/college/applications/:id/history	No page caller	None detected	getApplicationStatusHistory	Application, ApplicationStatusHistory
167	backend	POST	/api/college/applications	No page caller	None detected	createApplication	Application, ApplicationStatusHistory
168	backend	GET	/api/college/applications	No page caller	None detected	getAllApplications	Application, Student
169	backend	GET	/api/college/applications/:id	No page caller	None detected	getApplicationById	Application
170	backend	PUT	/api/college/applications/:id	No page caller	None detected	updateApplication	Application, ApplicationStatusHistory
171	backend	PATCH	/api/college/applications/:id	No page caller	None detected	updateApplication	Application, ApplicationStatusHistory
172	backend	DELETE	/api/college/applications/:id	No page caller	None detected	deleteApplication	Application, ApplicationStatusHistory
173	backend	POST	/api/college/projects	No page caller	None detected	createCollegeProject	Project
174	backend	GET	/api/college/projects	No page caller	None detected	getCollegeProjects	Project
175	backend	GET	/api/college/projects/:id	No page caller	None detected	getCollegeProjectById	Project
176	backend	PUT	/api/college/projects/:id	No page caller	None detected	updateCollegeProject	Project
177	backend	DELETE	/api/college/projects/:id	No page caller	None detected	deleteCollegeProject	Project
178	backend	POST	/api/college/drives	No page caller	None detected	createPlacementDrive	PlacementDrive
179	backend	GET	/api/college/drives	No page caller	None detected	getPlacementDrives	PlacementDrive

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
180	backend	GET	/api/college/drives/:id	No page caller	None detected	getPlacementDriveById	PlacementDrive
181	backend	PUT	/api/college/drives/:id	No page caller	None detected	updatePlacementDrive	PlacementDrive
182	backend	DELETE	/api/college/drives/:id	No page caller	None detected	deletePlacementDrive	PlacementDrive
183	backend	GET	/api/college/drives/:driveId/participants	No page caller	None detected	getDriveParticipants	Application, PlacementDrive
184	backend	PATCH	/api/college/drives/:driveId/participants/:participantId	No page caller	None detected	updateParticipantStatus	Application, PlacementDrive
185	backend	GET	/api/college/drives/:driveId/eligible-students	No page caller	None detected	evaluateDriveEligibleStudents	PlacementDrive, Student
186	backend	POST	/api/college/broadcasts	No page caller	None detected	createBroadcast	Broadcast
187	backend	GET	/api/college/broadcasts	No page caller	None detected	getBroadcasts	Broadcast
188	backend	GET	/api/college/broadcasts/:id	No page caller	None detected	getBroadcastById	Broadcast
189	backend	PUT	/api/college/broadcasts/:id	No page caller	None detected	updateBroadcast	Broadcast
190	backend	DELETE	/api/college/broadcasts/:id	No page caller	None detected	deleteBroadcast	Broadcast
191	backend	GET	/api/college/companies	No page caller	None detected	getCoordinatingCompanies	Company, PlacementDrive
192	backend	GET	/api/college/companies/:id	No page caller	None detected	getCompanyDetailsForCollege	Company, PlacementDrive
193	backend	GET	/api/college/recruiters	No page caller	None detected	getCoordinatingRecruiters	Recruiter
194	backend	GET	/api/college/coordination/visits	No page caller	None detected	getCampusVisits	PlacementDrive
195	backend	GET	/api/college/coordination/company-summary	No page caller	None detected	getCompanyPlacementSummary	Application, Company, PlacementDrive
196	backend	GET	/api/college/coordination/recruiter-summary	No page caller	None detected	getRecruiterPlacementSummary	PlacementDrive, Recruiter
197	backend	POST	/api/college/eligibility-presets	No page caller	None detected	createEligibilityPreset	EligibilityPreset
198	backend	GET	/api/college/eligibility-presets	No page caller	None detected	getEligibilityPresets	EligibilityPreset
199	backend	GET	/api/college/eligibility-presets/:id	No page caller	None detected	getEligibilityPresetById	EligibilityPreset

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
200	backend	PUT	/api/college/eligibility-presets/:id	No page caller	None detected	updateEligibilityPreset	EligibilityPreset
201	backend	DELETE	/api/college/eligibility-presets/:id	No page caller	None detected	deleteEligibilityPreset	EligibilityPreset
202	backend	GET	/api/college/notifications	No page caller	None detected	getCollegeNotifications	CollegeNotification
203	backend	PATCH	/api/college/notifications/read-all	No page caller	None detected	markAllNotificationsAsRead	CollegeNotification
204	backend	PATCH	/api/college/notifications/:id/read	No page caller	None detected	markNotificationAsRead	CollegeNotification
205	backend	DELETE	/api/college/notifications/:id	No page caller	None detected	deleteCollegeNotification	CollegeNotification
206	backend	GET	/api/college/activity-logs	No page caller	None detected	getCollegeActivityLogs	CollegeActivityLog
207	backend	POST	/api/student/register	Alternate path	None detected	registerStudent	Student
208	backend	POST	/api/students/register	Alternate path	None detected	registerStudent	Student
209	backend	POST	/api/student/login	Alternate path	None detected	loginStudent	Student
210	backend	POST	/api/students/login	Alternate path	None detected	loginStudent	Student
211	backend	POST	/api/student/logout	Alternate path	None detected	logoutStudent	Student
212	backend	POST	/api/students/logout	Alternate path	None detected	logoutStudent	Student
213	backend	POST	/api/student/auth/register	Alternate path	None detected	registerStudent	Student
214	backend	POST	/api/students/auth/register	Alternate path	None detected	registerStudent	Student
215	backend	POST	/api/student/auth/login	Alternate path	None detected	loginStudent	Student
216	backend	POST	/api/students/auth/login	Alternate path	None detected	loginStudent	Student
217	backend	POST	/api/student/auth/logout	Alternate path	None detected	logoutStudent	Student
218	backend	POST	/api/students/auth/logout	Alternate path	None detected	logoutStudent	Student
219	backend	GET	/api/student/auth/me	Alternate path	None detected	getStudentProfile	Student
220	backend	GET	/api/students/auth/me	Alternate path	None detected	getStudentProfile	Student
221	backend	GET	/api/student/me	Alternate path	None detected	getStudentProfile	Student
222	backend	GET	/api/students/me	Alternate path	None detected	getStudentProfile	Student
223	backend	GET	/api/student/profile	Active	studentApi.getProfile	getStudentProfile	Student
224	backend	GET	/api/students/profile	Alternate path	None detected	getStudentProfile	Student
225	backend	PUT	/api/student/profile	Active	studentApi.updateProfile	updateStudentProfile	Student
226	backend	PUT	/api/students/profile	Alternate path	None detected	updateStudentProfile	Student

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
227	backend	PATCH	/api/student/profile	No page caller	None detected	updateStudentProfile	Student
228	backend	PATCH	/api/students/profile	Alternate path	None detected	updateStudentProfile	Student
229	backend	PUT	/api/student/profile/details	Alternate path	None detected	updateStudentProfile	Student
230	backend	PUT	/api/students/profile/details	Alternate path	None detected	updateStudentProfile	Student
231	backend	PATCH	/api/student/profile/details	Alternate path	None detected	updateStudentProfile	Student
232	backend	PATCH	/api/students/profile/details	Alternate path	None detected	updateStudentProfile	Student
233	backend	PUT	/api/student/profile/education	Alternate path	None detected	updateStudentProfile	Student
234	backend	PUT	/api/students/profile/education	Alternate path	None detected	updateStudentProfile	Student
235	backend	PATCH	/api/student/profile/education	Alternate path	None detected	updateStudentProfile	Student
236	backend	PATCH	/api/students/profile/education	Alternate path	None detected	updateStudentProfile	Student
237	backend	GET	/api/student/skills	No page caller	None detected	getStudentSkills	Student
238	backend	GET	/api/students/skills	Alternate path	None detected	getStudentSkills	Student
239	backend	POST	/api/student/skills	No page caller	None detected	addStudentSkill	Student
240	backend	POST	/api/students/skills	Alternate path	None detected	addStudentSkill	Student
241	backend	PUT	/api/student/skills/:skillId	No page caller	None detected	updateStudentSkill	Student
242	backend	PUT	/api/students/skills/:skillId	Alternate path	None detected	updateStudentSkill	Student
243	backend	PATCH	/api/student/skills/:skillId	No page caller	None detected	updateStudentSkill	Student
244	backend	PATCH	/api/students/skills/:skillId	Alternate path	None detected	updateStudentSkill	Student
245	backend	DELETE	/api/student/skills/:skillId	No page caller	None detected	deleteStudentSkill	Student
246	backend	DELETE	/api/students/skills/:skillId	Alternate path	None detected	deleteStudentSkill	Student
247	backend	GET	/api/student/learning/modules	No page caller	None detected	getLearningModules	Student
248	backend	GET	/api/students/learning/modules	Alternate path	None detected	getLearningModules	Student
249	backend	GET	/api/student/learning/progress/history	No page caller	None detected	getLearningProgressHistory	Student
250	backend	GET	/api/students/learning/progress/history	Alternate path	None detected	getLearningProgressHistory	Student
251	backend	GET	/api/student/learning/modules/:moduleId/history	Alternate path	None detected	getLearningProgressHistory	Student
252	backend	GET	/api/students/learning/modules/:moduleId/history	Alternate path	None detected	getLearningProgressHistory	Student
253	backend	PUT	/api/student/learning/modules/:moduleId/progress	No page caller	None detected	updateLearningProgress	Student
254	backend	PUT	/api/students/learning/modules/:moduleId/progress	Alternate path	None detected	updateLearningProgress	Student
255	backend	PATCH	/api/student/learning/modules/:moduleId/progress	No page caller	None detected	updateLearningProgress	Student
256	backend	PATCH	/api/students/learning/modules/:moduleId/progress	Alternate path	None detected	updateLearningProgress	Student
257	backend	POST	/api/student/learning/progress	No page caller	None detected	updateLearningProgress	Student
258	backend	POST	/api/students/learning/progress	Alternate path	None detected	updateLearningProgress	Student

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
259	backend	POST	/api/student/learning/modules/:moduleId/complete	No page caller	None detected	markModuleComplete	Student
260	backend	POST	/api/students/learning/modules/:moduleId/complete	Alternate path	None detected	markModuleComplete	Student
261	backend	GET	/api/student/assignments	No page caller	None detected	getAssignments	Student
262	backend	GET	/api/students/assignments	Alternate path	None detected	getAssignments	Student
263	backend	POST	/api/student/assignments/submit	No page caller	None detected	submitAssignment	Student
264	backend	POST	/api/students/assignments/submit	Alternate path	None detected	submitAssignment	Student
265	backend	POST	/api/student/assignments/:assignmentId/submit	Alternate path	None detected	submitAssignment	Student
266	backend	POST	/api/students/assignments/:assignmentId/submit	Alternate path	None detected	submitAssignment	Student
267	backend	GET	/api/student/quizzes	No page caller	None detected	getQuizzes	Student
268	backend	GET	/api/students/quizzes	Alternate path	None detected	getQuizzes	Student
269	backend	POST	/api/student/quizzes/submit	No page caller	None detected	submitQuiz	Student
270	backend	POST	/api/students/quizzes/submit	Alternate path	None detected	submitQuiz	Student
271	backend	POST	/api/student/quizzes/:quizId/submit	Alternate path	None detected	submitQuiz	Student
272	backend	POST	/api/students/quizzes/:quizId/submit	Alternate path	None detected	submitQuiz	Student
273	backend	GET	/api/student/skill-score	Alternate path	None detected	getSkillScore	Student
274	backend	GET	/api/students/skill-score	Alternate path	None detected	getSkillScore	Student
275	backend	GET	/api/student/score	No page caller	None detected	getSkillScore	Student
276	backend	GET	/api/students/score	Alternate path	None detected	getSkillScore	Student
277	backend	POST	/api/student/skill-score/calculate	No page caller	None detected	calculateAndStoreSkillScore	Student
278	backend	POST	/api/students/skill-score/calculate	Alternate path	None detected	calculateAndStoreSkillScore	Student
279	backend	POST	/api/auth/register	No page caller	None detected	registerStudent	Student
280	backend	POST	/api/auth/login	No page caller	None detected	loginStudent	Student
281	backend	POST	/api/auth/logout	No page caller	None detected	logoutStudent	Student
282	backend	GET	/api/auth/me	Alternate path	None detected	getStudentProfile	Student
283	backend	POST	/api/ai/study-plan	Active	studentApi.generateStudyPlan	studyPlan	Student, Gemini
284	backend	POST	/api/ai/placement-analysis	Active	studentApi.placementAnalysis	placementAnalysis	Student, Gemini
285	backend	POST	/api/ai/ats-score	Active	studentApi.atsScore	atsScore	Student, Gemini
286	backend	POST	/api/ai/skill-gap	Active	studentApi.skillGap	skillGap	Student, Gemini
287	backend	POST	/api/ai/career-coach	Active	studentApi.careerCoach	careerCoach	Student, Gemini

#	SERVER	METHOD	ENDPOINT	STATUS	FRONTEND CALLER	HANDLER	MODEL / SERVICE
288	backend	POST	/api/ai/resume/summary	Active	studentApi.generateResumeSummary	resumeSummary	Student, Gemini
289	backend	POST	/api/ai/resume/experience	Active	studentApi.enhanceResumeExperience	resumeExperience	Student, Gemini
290	backend	POST	/api/ai/resume/note	Active	studentApi.classifyResumeNote	resumeNote	Student, Gemini
291	backend	POST	/api/ai/hiring/interview	No page caller	None detected	hiringInterview	Student, Gemini
292	backend	POST	/api/ai/hiring/questions	No page caller	None detected	hiringQuestions	Student, Gemini
293	backend	POST	/api/ai/hiring/evaluate	No page caller	None detected	hiringEvaluate	Student, Gemini
294	backend	POST	/api/ai/hiring/feedback	No page caller	None detected	hiringFeedback	Student, Gemini
295	legacy server	POST	/api/auth/register	Legacy server	None detected	registerUser	User
296	legacy server	POST	/api/auth/login	Legacy server	None detected	loginUser	User
297	legacy server	GET	/api/auth/me	Legacy server	None detected	getMe	None direct
298	legacy server	POST	/api/admin/login	Legacy server	None detected	adminLogin	Admin
299	legacy server	POST	/api/v1/admin/login	Legacy server	None detected	adminLogin	Admin
300	legacy server	GET	/api/admin/me	Legacy server	None detected	getAdminProfile	None direct
301	legacy server	GET	/api/v1/admin/me	Legacy server	None detected	getAdminProfile	None direct
302	backend	GET	/	No page caller	None detected	inline health handler	None direct
303	legacy server	GET	/	Legacy server	None detected	inline health handler	None direct

5. Detailed API documentation

Each record below is a concrete mounted path. Body and query names are direct references detected in its controller; dynamic object fields may require reading the cited handler. The actual response data can vary with MongoDB state and, for AI, Gemini output. Every entry uses source-based status, not an execution claim.

1. POST /api/admin/login [backend]

Status / purpose	Active / in use (source call found). Handler: loginAdmin. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:62 -> backend/src/controllers/adminController.js:83
Frontend / full URL	direct axios.AdminLogin (src/pages/admin/AdminLogin.tsx:30). Local URL: http://localhost:5000/api/admin/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	direct axios.AdminLogin -> POST /api/admin/login -> loginAdmin -> Admin (admin.js)

2. POST /api/v1/admin/login [backend]

Status / purpose	Alternate path; no frontend call found. Handler: loginAdmin. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:62 -> backend/src/controllers/adminController.js:83
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/login -> loginAdmin -> Admin (admin.js); alternate route/mount

3. POST /api/admin/auth/login [backend]

Status / purpose	Alternate path; no frontend call found. Handler: loginAdmin. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:63 -> backend/src/controllers/adminController.js:83
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/auth/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> POST /api/admin/auth/login -> loginAdmin -> Admin (admin.js); alternate route/mount

4. POST /api/v1/admin/auth/login [backend]

Status / purpose	Alternate path; no frontend call found. Handler: loginAdmin. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:63 -> backend/src/controllers/adminController.js:83
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/auth/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/auth/login -> loginAdmin -> Admin (admin.js); alternate route/mount

5. GET /api/admin/profile [backend]

Status / purpose	Active / in use (source call found). Handler: getAdminProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:68 -> backend/src/controllers/adminController.js:152
Frontend / full URL	adminApi.getProfile (src/components/dashboard/admin/views/SettingsView.tsx:39), direct axios.ProtectedAdminRoute (src/components/auth/ProtectedAdminRoute.tsx:21). Local URL: http://localhost:5000/api/admin/profile
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	adminApi.getProfile -> GET /api/admin/profile -> getAdminProfile -> No direct model call found

6. GET /api/v1/admin/profile [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getAdminProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:68 -> backend/src/controllers/adminController.js:152
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/profile
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> GET /api/v1/admin/profile -> getAdminProfile -> No direct model call found; alternate route/mount

7. PUT /api/admin/profile [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateAdminProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:69 -> backend/src/controllers/adminController.js:166
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/profile
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: name, phone, profileImage. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> PUT /api/admin/profile -> updateAdminProfile -> Admin (admin.js)

8. PUT /api/v1/admin/profile [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateAdminProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:69 -> backend/src/controllers/adminController.js:166
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/profile
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: name, phone, profileImage. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/profile -> updateAdminProfile -> Admin (admin.js); alternate route/mount

9. PATCH /api/admin/profile [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateAdminProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:70 -> backend/src/controllers/adminController.js:166
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/profile
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: name, phone, profileImage. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> PATCH /api/admin/profile -> updateAdminProfile -> Admin (admin.js)

10. PATCH /api/v1/admin/profile [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateAdminProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:70 -> backend/src/controllers/adminController.js:166
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/profile
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: name, phone, profileImage. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/profile -> updateAdminProfile -> Admin (admin.js); alternate route/mount

11. POST /api/admin/register [backend]

Status / purpose	Implemented; no frontend call found. Handler: registerAdmin. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:71 -> backend/src/controllers/adminController.js:28
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/register
Auth / authorization	Bearer JWT; Super Admin; middleware: adminAuth, requireSuperAdmin
Request	Path: none; query: none; body: email, name, password, phone, role. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> POST /api/admin/register -> registerAdmin -> Admin (admin.js)

12. POST /api/v1/admin/register [backend]

Status / purpose	Alternate path; no frontend call found. Handler: registerAdmin. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:71 -> backend/src/controllers/adminController.js:28
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/register
Auth / authorization	Bearer JWT; Super Admin; middleware: adminAuth, requireSuperAdmin
Request	Path: none; query: none; body: email, name, password, phone, role. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (admin.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/register -> registerAdmin -> Admin (admin.js); alternate route/mount

13. GET /api/admin/dashboard [backend]

Status / purpose	Active / in use (source call found). Handler: getDashboardAnalytics. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:76 -> backend/src/controllers/adminController.js:203
Frontend / full URL	adminApi.getDashboardAnalytics (src/components/dashboard/admin/views/AdminOverview.tsx:61). Local URL: http://localhost:5000/api/admin/dashboard
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Broadcast (broadcast.js), College (college.js), Company (company.js), PlacementDrive (placementDrive.js), Project (project.js), Recruiter (recruiter.js), Student (student.js), SupportTicket (supportTicket.js)
Call flow / note	adminApi.getDashboardAnalytics -> GET /api/admin/dashboard -> getDashboardAnalytics -> Application (application.js), Broadcast (broadcast.js), College (college.js), Company (company.js), PlacementDrive (placementDrive.js), Project (project.js), Recruiter (recruiter.js), Student (student.js), SupportTicket (supportTicket.js)

14. GET /api/v1/admin/dashboard [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getDashboardAnalytics. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:76 -> backend/src/controllers/adminController.js:203
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/dashboard
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Broadcast (broadcast.js), College (college.js), Company (company.js), PlacementDrive (placementDrive.js), Project (project.js), Recruiter (recruiter.js), Student (student.js), SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/dashboard -> getDashboardAnalytics -> Application (application.js), Broadcast (broadcast.js), College (college.js), Company (company.js), PlacementDrive (placementDrive.js), Project (project.js), Recruiter (recruiter.js), Student (student.js), SupportTicket (supportTicket.js); alternate route/mount

15. GET /api/admin/students [backend]

Status / purpose	Active / in use (source call found). Handler: getAllStudents. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:81 -> backend/src/controllers/adminController.js:274
Frontend / full URL	adminApi.getStudents (src/components/dashboard/admin/views/UserManagement.tsx:44). Local URL: http://localhost:5000/api/admin/students
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: branch, college, limit = 20, page = 1, q, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	adminApi.getStudents -> GET /api/admin/students -> getAllStudents -> Student (student.js)

16. GET /api/v1/admin/students [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getAllStudents. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:81 -> backend/src/controllers/adminController.js:274
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/students
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: branch, college, limit = 20, page = 1, q, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/students -> getAllStudents -> Student (student.js); alternate route/mount

17. GET /api/admin/students/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getStudentById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:82 -> backend/src/controllers/adminController.js:328
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/students/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> GET /api/admin/students/:id -> getStudentById -> Student (student.js)

18. GET /api/v1/admin/students/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getStudentById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:82 -> backend/src/controllers/adminController.js:328
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/students/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/students/:id -> getStudentById -> Student (student.js); alternate route/mount

19. PATCH /api/admin/students/:id/status [backend]

Status / purpose	Active / in use (source call found). Handler: updateStudentStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:83 -> backend/src/controllers/adminController.js:387
Frontend / full URL	adminApi.updateStudentStatus (src/components/dashboard/admin/views/UserManagement.tsx:104). Local URL: http://localhost:5000/api/admin/students/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	adminApi.updateStudentStatus -> PATCH /api/admin/students/:id/status -> updateStudentStatus -> Student (student.js)

20. PATCH /api/v1/admin/students/:id/status [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:83 -> backend/src/controllers/adminController.js:387
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/students/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/students/:id/status -> updateStudentStatus -> Student (student.js); alternate route/mount

21. PUT /api/admin/students/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:84 -> backend/src/controllers/adminController.js:348
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/students/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> PUT /api/admin/students/:id -> updateStudent -> Student (student.js)

22. PUT /api/v1/admin/students/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:84 -> backend/src/controllers/adminController.js:348
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/students/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/students/:id -> updateStudent -> Student (student.js); alternate route/mount

23. DELETE /api/admin/students/:id [backend]

Status / purpose	Active / in use (source call found). Handler: deleteStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:85 -> backend/src/controllers/adminController.js:423
Frontend / full URL	adminApi.deleteStudent (src/components/dashboard/admin/views/UserManagement.tsx:125). Local URL: http://localhost:5000/api/admin/students/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Student (student.js)
Call flow / note	adminApi.deleteStudent -> DELETE /api/admin/students/:id -> deleteStudent -> Application (application.js), Student (student.js)

24. DELETE /api/v1/admin/students/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:85 -> backend/src/controllers/adminController.js:423
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/students/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Student (student.js)
Call flow / note	No frontend caller found -> DELETE /api/v1/admin/students/:id -> deleteStudent -> Application (application.js), Student (student.js); alternate route/mount

25. GET /api/admin/colleges [backend]

Status / purpose	Active / in use (source call found). Handler: getAllColleges. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:90 -> backend/src/controllers/adminController.js:502
Frontend / full URL	adminApi.getColleges (src/components/dashboard/admin/views/UserManagement.tsx:56). Local URL: http://localhost:5000/api/admin/colleges
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: limit = 20, page = 1, q, status, verificationStatus; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	adminApi.getColleges -> GET /api/admin/colleges -> getAllColleges -> College (college.js)

26. GET /api/v1/admin/colleges [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getAllColleges. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:90 -> backend/src/controllers/adminController.js:502
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/colleges
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: limit = 20, page = 1, q, status, verificationStatus; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/colleges -> getAllColleges -> College (college.js); alternate route/mount

27. POST /api/admin/colleges [backend]

Status / purpose	Implemented; no frontend call found. Handler: createCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:91 -> backend/src/controllers/adminController.js:457
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/colleges
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: address, city, code, email, name, password, phone, state, university, website. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> POST /api/admin/colleges -> createCollege -> College (college.js)

28. POST /api/v1/admin/colleges [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:91 -> backend/src/controllers/adminController.js:457
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/colleges
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: address, city, code, email, name, password, phone, state, university, website. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/colleges -> createCollege -> College (college.js); alternate route/mount

29. GET /api/admin/colleges/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCollegeById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:92 -> backend/src/controllers/adminController.js:552
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> GET /api/admin/colleges/:id -> getCollegeById -> College (college.js)

30. GET /api/v1/admin/colleges/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getCollegeById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:92 -> backend/src/controllers/adminController.js:552
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/colleges/:id -> getCollegeById -> College (college.js); alternate route/mount

31. PATCH /api/admin/colleges/:id/status [backend]

Status / purpose	Active / in use (source call found). Handler: updateCollegeStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:93 -> backend/src/controllers/adminController.js:611
Frontend / full URL	adminApi.updateCollegeStatus (src/components/dashboard/admin/views/UserManagement.tsx:106). Local URL: http://localhost:5000/api/admin/colleges/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	adminApi.updateCollegeStatus -> PATCH /api/admin/colleges/:id/status -> updateCollegeStatus -> College (college.js)

32. PATCH /api/v1/admin/colleges/:id/status [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateCollegeStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:93 -> backend/src/controllers/adminController.js:611
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/colleges/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/colleges/:id/status -> updateCollegeStatus -> College (college.js); alternate route/mount

33. PUT /api/admin/colleges/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:94 -> backend/src/controllers/adminController.js:573
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PUT /api/admin/colleges/:id -> updateCollege -> College (college.js)

34. PUT /api/v1/admin/colleges/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:94 -> backend/src/controllers/adminController.js:573
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/colleges/:id -> updateCollege -> College (college.js); alternate route/mount

35. DELETE /api/admin/colleges/:id [backend]

Status / purpose	Active / in use (source call found). Handler: deleteCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:95 -> backend/src/controllers/adminController.js:647
Frontend / full URL	adminApi.deleteCollege (src/components/dashboard/admin/views/UserManagement.tsx:127). Local URL: http://localhost:5000/api/admin/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	adminApi.deleteCollege -> DELETE /api/admin/colleges/:id -> deleteCollege -> College (college.js)

36. DELETE /api/v1/admin/colleges/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:95 -> backend/src/controllers/adminController.js:647
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> DELETE /api/v1/admin/colleges/:id -> deleteCollege -> College (college.js); alternate route/mount

37. GET /api/admin/recruiters [backend]

Status / purpose	Active / in use (source call found). Handler: getAllRecruiters. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:100 -> backend/src/controllers/adminController.js:726
Frontend / full URL	adminApi.getRecruiters (src/components/dashboard/admin/views/UserManagement.tsx:68). Local URL: http://localhost:5000/api/admin/recruiters
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: limit = 20, page = 1, q, status, verificationStatus; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	adminApi.getRecruiters -> GET /api/admin/recruiters -> getAllRecruiters -> Recruiter (recruiter.js)

38. GET /api/v1/admin/recruiters [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getAllRecruiters. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:100 -> backend/src/controllers/adminController.js:726
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/recruiters
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: limit = 20, page = 1, q, status, verificationStatus; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/recruiters -> getAllRecruiters -> Recruiter (recruiter.js); alternate route/mount

39. POST /api/admin/recruiters [backend]

Status / purpose	Implemented; no frontend call found. Handler: createRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:101 -> backend/src/controllers/adminController.js:678
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/recruiters
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: company, designation, email, name, phone. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> POST /api/admin/recruiters -> createRecruiter -> Recruiter (recruiter.js)

40. POST /api/v1/admin/recruiters [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:101 -> backend/src/controllers/adminController.js:678
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/recruiters
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: company, designation, email, name, phone. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/recruiters -> createRecruiter -> Recruiter (recruiter.js); alternate route/mount

41. GET /api/admin/recruiters/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getRecruiterById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:102 -> backend/src/controllers/adminController.js:776
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> GET /api/admin/recruiters/:id -> getRecruiterById -> Recruiter (recruiter.js)

42. GET /api/v1/admin/recruiters/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getRecruiterById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:102 -> backend/src/controllers/adminController.js:776
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/recruiters/:id -> getRecruiterById -> Recruiter (recruiter.js); alternate route/mount

43. PATCH /api/admin/recruiters/:id/status [backend]

Status / purpose	Active / in use (source call found). Handler: updateRecruiterStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:103 -> backend/src/controllers/adminController.js:830
Frontend / full URL	adminApi.updateRecruiterStatus (src/components/dashboard/admin/views/UserManagement.tsx:108). Local URL: http://localhost:5000/api/admin/recruiters/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	adminApi.updateRecruiterStatus -> PATCH /api/admin/recruiters/:id/status -> updateRecruiterStatus -> Recruiter (recruiter.js)

44. PATCH /api/v1/admin/recruiters/:id/status [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateRecruiterStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:103 -> backend/src/controllers/adminController.js:830
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/recruiters/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/recruiters/:id/status -> updateRecruiterStatus -> Recruiter (recruiter.js); alternate route/mount

45. PUT /api/admin/recruiters/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:104 -> backend/src/controllers/adminController.js:796
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PUT /api/admin/recruiters/:id -> updateRecruiter -> Recruiter (recruiter.js)

46. PUT /api/v1/admin/recruiters/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:104 -> backend/src/controllers/adminController.js:796
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/recruiters/:id -> updateRecruiter -> Recruiter (recruiter.js); alternate route/mount

47. DELETE /api/admin/recruiters/:id [backend]

Status / purpose	Active / in use (source call found). Handler: deleteRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:105 -> backend/src/controllers/adminController.js:866
Frontend / full URL	adminApi.deleteRecruiter (src/components/dashboard/admin/views/UserManagement.tsx:129). Local URL: http://localhost:5000/api/admin/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	adminApi.deleteRecruiter -> DELETE /api/admin/recruiters/:id -> deleteRecruiter -> Recruiter (recruiter.js)

48. DELETE /api/v1/admin/recruiters/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:105 -> backend/src/controllers/adminController.js:866
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> DELETE /api/v1/admin/recruiters/:id -> deleteRecruiter -> Recruiter (recruiter.js); alternate route/mount

49. GET /api/admin/companies [backend]

Status / purpose	Implemented; no frontend call found. Handler: getAllCompanies. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:106 -> backend/src/controllers/adminController.js:893
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/companies
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Company (company.js)
Call flow / note	No frontend caller found -> GET /api/admin/companies -> getAllCompanies -> Company (company.js)

50. GET /api/v1/admin/companies [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getAllCompanies. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:106 -> backend/src/controllers/adminController.js:893
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/companies
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Company (company.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/companies -> getAllCompanies -> Company (company.js); alternate route/mount

51. GET /api/admin/projects [backend]

Status / purpose	Implemented; no frontend call found. Handler: getAllProjects. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:111 -> backend/src/controllers/adminController.js:928
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: approvalStatus, limit = 20, page = 1, q, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> GET /api/admin/projects -> getAllProjects -> Project (project.js)

52. GET /api/v1/admin/projects [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getAllProjects. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:111 -> backend/src/controllers/adminController.js:928
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: approvalStatus, limit = 20, page = 1, q, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/projects -> getAllProjects -> Project (project.js); alternate route/mount

53. POST /api/admin/projects [backend]

Status / purpose	Implemented; no frontend call found. Handler: createProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:112 -> backend/src/controllers/adminController.js:906
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> POST /api/admin/projects -> createProject -> Project (project.js)

54. POST /api/v1/admin/projects [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:112 -> backend/src/controllers/adminController.js:906
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/projects -> createProject -> Project (project.js); alternate route/mount

55. PUT /api/admin/projects/:id/approve [backend]

Status / purpose	Active / in use (source call found). Handler: approveProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:113 -> backend/src/controllers/adminController.js:1037
Frontend / full URL	adminApi.approveProject (src/components/dashboard/admin/views/VerificationQueue.tsx:104). Local URL: http://localhost:5000/api/admin/projects/:id/approve
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	adminApi.approveProject -> PUT /api/admin/projects/:id/approve -> approveProject -> Project (project.js)

56. PUT /api/v1/admin/projects/:id/approve [backend]

Status / purpose	Alternate path; no frontend call found. Handler: approveProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:113 -> backend/src/controllers/adminController.js:1037
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id/approve
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/projects/:id/approve -> approveProject -> Project (project.js); alternate route/mount

57. PATCH /api/admin/projects/:id/approve [backend]

Status / purpose	Implemented; no frontend call found. Handler: approveProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:114 -> backend/src/controllers/adminController.js:1037
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects/:id/approve
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PATCH /api/admin/projects/:id/approve -> approveProject -> Project (project.js)

58. PATCH /api/v1/admin/projects/:id/approve [backend]

Status / purpose	Alternate path; no frontend call found. Handler: approveProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:114 -> backend/src/controllers/adminController.js:1037
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id/approve
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/projects/:id/approve -> approveProject -> Project (project.js); alternate route/mount

59. PUT /api/admin/projects/:id/approval [backend]

Status / purpose	Alternate path; no frontend call found. Handler: approveProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:115 -> backend/src/controllers/adminController.js:1037
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects/:id/approval
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PUT /api/admin/projects/:id/approval -> approveProject -> Project (project.js); alternate route/mount

60. PUT /api/v1/admin/projects/:id/approval [backend]

Status / purpose	Alternate path; no frontend call found. Handler: approveProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:115 -> backend/src/controllers/adminController.js:1037
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id/approval
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/projects/:id/approval -> approveProject -> Project (project.js); alternate route/mount

61. PATCH /api/admin/projects/:id/approval [backend]

Status / purpose	Alternate path; no frontend call found. Handler: approveProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:116 -> backend/src/controllers/adminController.js:1037
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects/:id/approval
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PATCH /api/admin/projects/:id/approval -> approveProject -> Project (project.js); alternate route/mount

62. PATCH /api/v1/admin/projects/:id/approval [backend]

Status / purpose	Alternate path; no frontend call found. Handler: approveProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:116 -> backend/src/controllers/adminController.js:1037
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id/approval
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/projects/:id/approval -> approveProject -> Project (project.js); alternate route/mount

63. PUT /api/admin/projects/:id/reject [backend]

Status / purpose	Active / in use (source call found). Handler: rejectProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:117 -> backend/src/controllers/adminController.js:1074
Frontend / full URL	adminApi.rejectProject (src/components/dashboard/admin/views/VerificationQueue.tsx:114). Local URL: http://localhost:5000/api/admin/projects/:id/reject
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	adminApi.rejectProject -> PUT /api/admin/projects/:id/reject -> rejectProject -> Project (project.js)

64. PUT /api/v1/admin/projects/:id/reject [backend]

Status / purpose	Alternate path; no frontend call found. Handler: rejectProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:117 -> backend/src/controllers/adminController.js:1074
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id/reject
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/projects/:id/reject -> rejectProject -> Project (project.js); alternate route/mount

65. PATCH /api/admin/projects/:id/reject [backend]

Status / purpose	Implemented; no frontend call found. Handler: rejectProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:118 -> backend/src/controllers/adminController.js:1074
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects/:id/reject
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PATCH /api/admin/projects/:id/reject -> rejectProject -> Project (project.js)

66. PATCH /api/v1/admin/projects/:id/reject [backend]

Status / purpose	Alternate path; no frontend call found. Handler: rejectProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:118 -> backend/src/controllers/adminController.js:1074
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id/reject
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/projects/:id/reject -> rejectProject -> Project (project.js); alternate route/mount

67. GET /api/admin/projects/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getProjectById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:119 -> backend/src/controllers/adminController.js:980
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> GET /api/admin/projects/:id -> getProjectById -> Project (project.js)

68. GET /api/v1/admin/projects/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getProjectById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:119 -> backend/src/controllers/adminController.js:980
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/projects/:id -> getProjectById -> Project (project.js); alternate route/mount

69. PUT /api/admin/projects/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:120 -> backend/src/controllers/adminController.js:1002
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PUT /api/admin/projects/:id -> updateProject -> Project (project.js)

70. PUT /api/v1/admin/projects/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:120 -> backend/src/controllers/adminController.js:1002
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/projects/:id -> updateProject -> Project (project.js); alternate route/mount

71. DELETE /api/admin/projects/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: deleteProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:121 -> backend/src/controllers/adminController.js:1110
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/projects/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Project (project.js)
Call flow / note	No frontend caller found -> DELETE /api/admin/projects/:id -> deleteProject -> Application (application.js), Project (project.js)

72. DELETE /api/v1/admin/projects/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteProject. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:121 -> backend/src/controllers/adminController.js:1110
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/projects/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Project (project.js)
Call flow / note	No frontend caller found -> DELETE /api/v1/admin/projects/:id -> deleteProject -> Application (application.js), Project (project.js); alternate route/mount

73. GET /api/admin/verifications [backend]

Status / purpose	Active / in use (source call found). Handler: getVerificationQueue. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:126 -> backend/src/controllers/adminController.js:1144
Frontend / full URL	adminApi.getVerificationQueue (src/components/dashboard/admin/views/VerificationQueue.tsx:37). Local URL: http://localhost:5000/api/admin/verifications
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js), Project (project.js), Recruiter (recruiter.js)
Call flow / note	adminApi.getVerificationQueue -> GET /api/admin/verifications -> getVerificationQueue -> College (college.js), Project (project.js), Recruiter (recruiter.js)

74. GET /api/v1/admin/verifications [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getVerificationQueue. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:126 -> backend/src/controllers/adminController.js:1144
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/verifications
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js), Project (project.js), Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/verifications -> getVerificationQueue -> College (college.js), Project (project.js), Recruiter (recruiter.js); alternate route/mount

75. GET /api/admin/verification-queue [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getVerificationQueue. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:127 -> backend/src/controllers/adminController.js:1144
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/verification-queue
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js), Project (project.js), Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> GET /api/admin/verification-queue -> getVerificationQueue -> College (college.js), Project (project.js), Recruiter (recruiter.js); alternate route/mount

76. GET /api/v1/admin/verification-queue [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getVerificationQueue. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:127 -> backend/src/controllers/adminController.js:1144
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/verification-queue
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js), Project (project.js), Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/verification-queue -> getVerificationQueue -> College (college.js), Project (project.js), Recruiter (recruiter.js); alternate route/mount

77. PUT /api/admin/verifications/colleges/:id [backend]

Status / purpose	Active / in use (source call found). Handler: verifyCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:128 -> backend/src/controllers/adminController.js:1182
Frontend / full URL	adminApi.verifyCollege (src/components/dashboard/admin/views/VerificationQueue.tsx:58, src/components/dashboard/admin/views/VerificationQueue.tsx:71). Local URL: http://localhost:5000/api/admin/verifications/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	adminApi.verifyCollege -> PUT /api/admin/verifications/colleges/:id -> verifyCollege -> College (college.js)

78. PUT /api/v1/admin/verifications/colleges/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:128 -> backend/src/controllers/adminController.js:1182
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/verifications/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/verifications/colleges/:id -> verifyCollege -> College (college.js); alternate route/mount

79. PATCH /api/admin/verifications/colleges/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:129 -> backend/src/controllers/adminController.js:1182
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/verifications/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PATCH /api/admin/verifications/colleges/:id -> verifyCollege -> College (college.js); alternate route/mount

80. PATCH /api/v1/admin/verifications/colleges/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:129 -> backend/src/controllers/adminController.js:1182
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/verifications/colleges/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/verifications/colleges/:id -> verifyCollege -> College (college.js); alternate route/mount

81. PUT /api/admin/colleges/:id/verify [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:130 -> backend/src/controllers/adminController.js:1182
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/colleges/:id/verify
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PUT /api/admin/colleges/:id/verify -> verifyCollege -> College (college.js); alternate route/mount

82. PUT /api/v1/admin/colleges/:id/verify [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:130 -> backend/src/controllers/adminController.js:1182
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/colleges/:id/verify
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/colleges/:id/verify -> verifyCollege -> College (college.js); alternate route/mount

83. PATCH /api/admin/colleges/:id/verify [backend]

Status / purpose	Implemented; no frontend call found. Handler: verifyCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:131 -> backend/src/controllers/adminController.js:1182
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/colleges/:id/verify
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PATCH /api/admin/colleges/:id/verify -> verifyCollege -> College (college.js)

84. PATCH /api/v1/admin/colleges/:id/verify [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:131 -> backend/src/controllers/adminController.js:1182
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/colleges/:id/verify
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/colleges/:id/verify -> verifyCollege -> College (college.js); alternate route/mount

85. PUT /api/admin/verifications/recruiters/:id [backend]

Status / purpose	Active / in use (source call found). Handler: verifyRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:132 -> backend/src/controllers/adminController.js:1227
Frontend / full URL	adminApi.verifyRecruiter (src/components/dashboard/admin/views/VerificationQueue.tsx:81, src/components/dashboard/admin/views/VerificationQueue.tsx:94). Local URL: http://localhost:5000/api/admin/verifications/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	adminApi.verifyRecruiter -> PUT /api/admin/verifications/recruiters/:id -> verifyRecruiter -> Recruiter (recruiter.js)

86. PUT /api/v1/admin/verifications/recruiters/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:132 -> backend/src/controllers/adminController.js:1227
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/verifications/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/verifications/recruiters/:id -> verifyRecruiter -> Recruiter (recruiter.js); alternate route/mount

87. PATCH /api/admin/verifications/recruiters/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:133 -> backend/src/controllers/adminController.js:1227
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/verifications/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PATCH /api/admin/verifications/recruiters/:id -> verifyRecruiter -> Recruiter (recruiter.js); alternate route/mount

88. PATCH /api/v1/admin/verifications/recruiters/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:133 -> backend/src/controllers/adminController.js:1227
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/verifications/recruiters/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/verifications/recruiters/:id -> verifyRecruiter -> Recruiter (recruiter.js); alternate route/mount

89. PUT /api/admin/recruiters/:id/verify [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:134 -> backend/src/controllers/adminController.js:1227
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/recruiters/:id/verify
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PUT /api/admin/recruiters/:id/verify -> verifyRecruiter -> Recruiter (recruiter.js); alternate route/mount

90. PUT /api/v1/admin/recruiters/:id/verify [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:134 -> backend/src/controllers/adminController.js:1227
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/recruiters/:id/verify
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/recruiters/:id/verify -> verifyRecruiter -> Recruiter (recruiter.js); alternate route/mount

91. PATCH /api/admin/recruiters/:id/verify [backend]

Status / purpose	Implemented; no frontend call found. Handler: verifyRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:135 -> backend/src/controllers/adminController.js:1227
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/recruiters/:id/verify
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PATCH /api/admin/recruiters/:id/verify -> verifyRecruiter -> Recruiter (recruiter.js)

92. PATCH /api/v1/admin/recruiters/:id/verify [backend]

Status / purpose	Alternate path; no frontend call found. Handler: verifyRecruiter. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:135 -> backend/src/controllers/adminController.js:1227
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/recruiters/:id/verify
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: note, status, verificationNote, verificationStatus. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> PATCH /api/v1/admin/recruiters/:id/verify -> verifyRecruiter -> Recruiter (recruiter.js); alternate route/mount

93. GET /api/admin/placements/overview [backend]

Status / purpose	Active / in use (source call found). Handler: getPlacementOversight. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:140 -> backend/src/controllers/adminController.js:1276
Frontend / full URL	adminApi.getPlacementOversight (src/components/dashboard/admin/views/PlacementOversight.tsx:30). Local URL: http://localhost:5000/api/admin/placements/overview
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)
Call flow / note	adminApi.getPlacementOversight -> GET /api/admin/placements/overview -> getPlacementOversight -> Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)

94. GET /api/v1/admin/placements/overview [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getPlacementOversight. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:140 -> backend/src/controllers/adminController.js:1276
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/placements/overview
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/placements/overview -> getPlacementOversight -> Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js); alternate route/mount

95. GET /api/admin/placement-oversight [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getPlacementOversight. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:141 -> backend/src/controllers/adminController.js:1276
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/placement-oversight
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)
Call flow / note	No frontend caller found -> GET /api/admin/placement-oversight -> getPlacementOversight -> Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js); alternate route/mount

96. GET /api/v1/admin/placement-oversight [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getPlacementOversight. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:141 -> backend/src/controllers/adminController.js:1276
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/placement-oversight
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/placement-oversight -> getPlacementOversight -> Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js); alternate route/mount

97. GET /api/admin/broadcasts [backend]

Status / purpose	Active / in use (source call found). Handler: getBroadcasts. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:146 -> backend/src/controllers/adminController.js:1383
Frontend / full URL	adminApi.getBroadcasts (src/components/dashboard/admin/views/BroadcastControl.tsx:32). Local URL: http://localhost:5000/api/admin/broadcasts
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: limit = 20, page = 1; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	adminApi.getBroadcasts -> GET /api/admin/broadcasts -> getBroadcasts -> Broadcast (broadcast.js)

98. GET /api/v1/admin/broadcasts [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getBroadcasts. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:146 -> backend/src/controllers/adminController.js:1383
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/broadcasts
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: limit = 20, page = 1; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/broadcasts -> getBroadcasts -> Broadcast (broadcast.js); alternate route/mount

99. POST /api/admin/broadcasts [backend]

Status / purpose	Active / in use (source call found). Handler: createBroadcast. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:147 -> backend/src/controllers/adminController.js:1418
Frontend / full URL	adminApi.createBroadcast (src/components/dashboard/admin/views/AdminOverview.tsx:106, src/components/dashboard/admin/views/BroadcastControl.tsx:53). Local URL: http://localhost:5000/api/admin/broadcasts
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: message, priority, status, targetAudience, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	adminApi.createBroadcast -> POST /api/admin/broadcasts -> createBroadcast -> Broadcast (broadcast.js)

100. POST /api/v1/admin/broadcasts [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createBroadcast. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:147 -> backend/src/controllers/adminController.js:1418
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/broadcasts
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: message, priority, status, targetAudience, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/broadcasts -> createBroadcast -> Broadcast (broadcast.js); alternate route/mount

101. DELETE /api/admin/broadcasts/:id [backend]

Status / purpose	Active / in use (source call found). Handler: deleteBroadcast. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:148 -> backend/src/controllers/adminController.js:1453
Frontend / full URL	adminApi.deleteBroadcast (src/components/dashboard/admin/views/BroadcastControl.tsx:74). Local URL: http://localhost:5000/api/admin/broadcasts/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	adminApi.deleteBroadcast -> DELETE /api/admin/broadcasts/:id -> deleteBroadcast -> Broadcast (broadcast.js)

102. DELETE /api/v1/admin/broadcasts/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteBroadcast. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:148 -> backend/src/controllers/adminController.js:1453
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/broadcasts/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	No frontend caller found -> DELETE /api/v1/admin/broadcasts/:id -> deleteBroadcast -> Broadcast (broadcast.js); alternate route/mount

103. GET /api/admin/content/roadmaps [backend]

Status / purpose	Active / in use (source call found). Handler: getContentRoadmaps. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:153 -> backend/src/controllers/adminController.js:1474
Frontend / full URL	adminApi.getContentRoadmaps (src/components/dashboard/admin/views/ContentHub.tsx:35). Local URL: http://localhost:5000/api/admin/content/roadmaps
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: category, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	adminApi.getContentRoadmaps -> GET /api/admin/content/roadmaps -> getContentRoadmaps -> ContentRoadmap (contentRoadmap.js)

104. GET /api/v1/admin/content/roadmaps [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getContentRoadmaps. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:153 -> backend/src/controllers/adminController.js:1474
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/content/roadmaps
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: category, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/content/roadmaps -> getContentRoadmaps -> ContentRoadmap (contentRoadmap.js); alternate route/mount

105. GET /api/admin/content-roadmaps [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getContentRoadmaps. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:154 -> backend/src/controllers/adminController.js:1474
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/content-roadmaps
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: category, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> GET /api/admin/content-roadmaps -> getContentRoadmaps -> ContentRoadmap (contentRoadmap.js); alternate route/mount

106. GET /api/v1/admin/content-roadmaps [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getContentRoadmaps. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:154 -> backend/src/controllers/adminController.js:1474
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/content-roadmaps
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: category, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/content-roadmaps -> getContentRoadmaps -> ContentRoadmap (contentRoadmap.js); alternate route/mount

107. POST /api/admin/content/roadmaps [backend]

Status / purpose	Active / in use (source call found). Handler: createContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:155 -> backend/src/controllers/adminController.js:1494
Frontend / full URL	adminApi.createContentRoadmap (src/components/dashboard/admin/views/ContentHub.tsx:59). Local URL: http://localhost:5000/api/admin/content/roadmaps
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: category, description, status, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	adminApi.createContentRoadmap -> POST /api/admin/content/roadmaps -> createContentRoadmap -> ContentRoadmap (contentRoadmap.js)

108. POST /api/v1/admin/content/roadmaps [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:155 -> backend/src/controllers/adminController.js:1494
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/content/roadmaps
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: category, description, status, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/content/roadmaps -> createContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

109. POST /api/admin/content-roadmaps [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:156 -> backend/src/controllers/adminController.js:1494
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/content-roadmaps
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: category, description, status, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> POST /api/admin/content-roadmaps -> createContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

110. POST /api/v1/admin/content-roadmaps [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:156 -> backend/src/controllers/adminController.js:1494
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/content-roadmaps
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: category, description, status, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/content-roadmaps -> createContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

111. PUT /api/admin/content/roadmaps/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:157 -> backend/src/controllers/adminController.js:1527
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/content/roadmaps/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> PUT /api/admin/content/roadmaps/:id -> updateContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

112. PUT /api/v1/admin/content/roadmaps/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:157 -> backend/src/controllers/adminController.js:1527
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/content/roadmaps/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/content/roadmaps/:id -> updateContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

113. PUT /api/admin/content-roadmaps/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:158 -> backend/src/controllers/adminController.js:1527
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/content-roadmaps/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> PUT /api/admin/content-roadmaps/:id -> updateContentRoadmap -> ContentRoadmap (contentRoadmap.js)

114. PUT /api/v1/admin/content-roadmaps/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:158 -> backend/src/controllers/adminController.js:1527
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/content-roadmaps/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/content-roadmaps/:id -> updateContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

115. DELETE /api/admin/content/roadmaps/:id [backend]

Status / purpose	Active / in use (source call found). Handler: deleteContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:159 -> backend/src/controllers/adminController.js:1549
Frontend / full URL	adminApi.deleteContentRoadmap (src/components/dashboard/admin/views/ContentHub.tsx:78). Local URL: http://localhost:5000/api/admin/content/roadmaps/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	adminApi.deleteContentRoadmap -> DELETE /api/admin/content/roadmaps/:id -> deleteContentRoadmap -> ContentRoadmap (contentRoadmap.js)

116. DELETE /api/v1/admin/content/roadmaps/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:159 -> backend/src/controllers/adminController.js:1549
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/content/roadmaps/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> DELETE /api/v1/admin/content/roadmaps/:id -> deleteContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

117. DELETE /api/admin/content-roadmaps/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:160 -> backend/src/controllers/adminController.js:1549
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/content-roadmaps/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> DELETE /api/admin/content-roadmaps/:id -> deleteContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

118. DELETE /api/v1/admin/content-roadmaps/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteContentRoadmap. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:160 -> backend/src/controllers/adminController.js:1549
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/content-roadmaps/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	ContentRoadmap (contentRoadmap.js)
Call flow / note	No frontend caller found -> DELETE /api/v1/admin/content-roadmaps/:id -> deleteContentRoadmap -> ContentRoadmap (contentRoadmap.js); alternate route/mount

119. GET /api/admin/support/tickets [backend]

Status / purpose	Active / in use (source call found). Handler: getSupportTickets. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:165 -> backend/src/controllers/adminController.js:1570
Frontend / full URL	adminApi.getSupportTickets (src/components/dashboard/admin/views/SupportCenter.tsx:49). Local URL: http://localhost:5000/api/admin/support/tickets
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: priority, q, status, type; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	adminApi.getSupportTickets -> GET /api/admin/support/tickets -> getSupportTickets -> SupportTicket (supportTicket.js)

120. GET /api/v1/admin/support/tickets [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSupportTickets. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:165 -> backend/src/controllers/adminController.js:1570
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support/tickets
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: priority, q, status, type; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/support/tickets -> getSupportTickets -> SupportTicket (supportTicket.js); alternate route/mount

121. GET /api/admin/support-tickets [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSupportTickets. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:166 -> backend/src/controllers/adminController.js:1570
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/support-tickets
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: priority, q, status, type; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> GET /api/admin/support-tickets -> getSupportTickets -> SupportTicket (supportTicket.js); alternate route/mount

122. GET /api/v1/admin/support-tickets [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSupportTickets. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:166 -> backend/src/controllers/adminController.js:1570
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support-tickets
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: priority, q, status, type; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/support-tickets -> getSupportTickets -> SupportTicket (supportTicket.js); alternate route/mount

123. POST /api/admin/support/tickets [backend]

Status / purpose	Active / in use (source call found). Handler: createSupportTicket. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:167 -> backend/src/controllers/adminController.js:1634
Frontend / full URL	adminApi.createSupportTicket (src/components/dashboard/admin/views/SupportCenter.tsx:118). Local URL: http://localhost:5000/api/admin/support/tickets
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: description, message, priority, requesterEmail, requesterName, requesterRole, subject, title, type. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	adminApi.createSupportTicket -> POST /api/admin/support/tickets -> createSupportTicket -> SupportTicket (supportTicket.js)

124. POST /api/v1/admin/support/tickets [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createSupportTicket. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:167 -> backend/src/controllers/adminController.js:1634
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support/tickets
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: description, message, priority, requesterEmail, requesterName, requesterRole, subject, title, type. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/support/tickets -> createSupportTicket -> SupportTicket (supportTicket.js); alternate route/mount

125. POST /api/admin/support-tickets [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createSupportTicket. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:168 -> backend/src/controllers/adminController.js:1634
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/support-tickets
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: description, message, priority, requesterEmail, requesterName, requesterRole, subject, title, type. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> POST /api/admin/support-tickets -> createSupportTicket -> SupportTicket (supportTicket.js); alternate route/mount

126. POST /api/v1/admin/support-tickets [backend]

Status / purpose	Alternate path; no frontend call found. Handler: createSupportTicket. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:168 -> backend/src/controllers/adminController.js:1634
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support-tickets
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: description, message, priority, requesterEmail, requesterName, requesterRole, subject, title, type. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/support-tickets -> createSupportTicket -> SupportTicket (supportTicket.js); alternate route/mount

127. POST /api/admin/support/tickets/:id/reply [backend]

Status / purpose	Active / in use (source call found). Handler: replySupportTicket. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:169 -> backend/src/controllers/adminController.js:1684
Frontend / full URL	adminApi.replySupportTicket (src/components/dashboard/admin/views/SupportCenter.tsx:89). Local URL: http://localhost:5000/api/admin/support/tickets/:id/reply
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: isInternalNote, message, text. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	adminApi.replySupportTicket -> POST /api/admin/support/tickets/:id/reply -> replySupportTicket -> SupportTicket (supportTicket.js)

128. POST /api/v1/admin/support/tickets/:id/reply [backend]

Status / purpose	Alternate path; no frontend call found. Handler: replySupportTicket. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:169 -> backend/src/controllers/adminController.js:1684
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support/tickets/:id/reply
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: isInternalNote, message, text. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/support/tickets/:id/reply -> replySupportTicket -> SupportTicket (supportTicket.js); alternate route/mount

129. POST /api/admin/support-tickets/:id/reply [backend]

Status / purpose	Alternate path; no frontend call found. Handler: replySupportTicket. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:170 -> backend/src/controllers/adminController.js:1684
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/support-tickets/:id/reply
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: isInternalNote, message, text. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> POST /api/admin/support-tickets/:id/reply -> replySupportTicket -> SupportTicket (supportTicket.js); alternate route/mount

130. POST /api/v1/admin/support-tickets/:id/reply [backend]

Status / purpose	Alternate path; no frontend call found. Handler: replySupportTicket. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:170 -> backend/src/controllers/adminController.js:1684
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support-tickets/:id/reply
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: isInternalNote, message, text. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/support-tickets/:id/reply -> replySupportTicket -> SupportTicket (supportTicket.js); alternate route/mount

131. PUT /api/admin/support/tickets/:id/status [backend]

Status / purpose	Active / in use (source call found). Handler: updateSupportTicketStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:171 -> backend/src/controllers/adminController.js:1731
Frontend / full URL	adminApi.updateSupportTicketStatus (src/components/dashboard/admin/views/SupportCenter.tsx:104). Local URL: http://localhost:5000/api/admin/support/tickets/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	adminApi.updateSupportTicketStatus -> PUT /api/admin/support/tickets/:id/status -> updateSupportTicketStatus -> SupportTicket (supportTicket.js)

132. PUT /api/v1/admin/support/tickets/:id/status [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateSupportTicketStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:171 -> backend/src/controllers/adminController.js:1731
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support/tickets/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/support/tickets/:id/status -> updateSupportTicketStatus -> SupportTicket (supportTicket.js); alternate route/mount

133. PUT /api/admin/support-tickets/:id/status [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateSupportTicketStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:172 -> backend/src/controllers/adminController.js:1731
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/support-tickets/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> PUT /api/admin/support-tickets/:id/status -> updateSupportTicketStatus -> SupportTicket (supportTicket.js); alternate route/mount

134. PUT /api/v1/admin/support-tickets/:id/status [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateSupportTicketStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:172 -> backend/src/controllers/adminController.js:1731
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support-tickets/:id/status
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/support-tickets/:id/status -> updateSupportTicketStatus -> SupportTicket (supportTicket.js); alternate route/mount

135. GET /api/admin/support/tickets/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSupportTicketById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:173 -> backend/src/controllers/adminController.js:1614
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/support/tickets/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> GET /api/admin/support/tickets/:id -> getSupportTicketById -> SupportTicket (supportTicket.js); alternate route/mount

136. GET /api/v1/admin/support/tickets/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSupportTicketById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:173 -> backend/src/controllers/adminController.js:1614
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support/tickets/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/support/tickets/:id -> getSupportTicketById -> SupportTicket (supportTicket.js); alternate route/mount

137. GET /api/admin/support-tickets/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getSupportTicketById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:174 -> backend/src/controllers/adminController.js:1614
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/support-tickets/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> GET /api/admin/support-tickets/:id -> getSupportTicketById -> SupportTicket (supportTicket.js)

138. GET /api/v1/admin/support-tickets/:id [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSupportTicketById. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:174 -> backend/src/controllers/adminController.js:1614
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/support-tickets/:id
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	SupportTicket (supportTicket.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/support-tickets/:id -> getSupportTicketById -> SupportTicket (supportTicket.js); alternate route/mount

139. GET /api/admin/analytics [backend]

Status / purpose	Active / in use (source call found). Handler: getPlatformAnalytics. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:179 -> backend/src/controllers/adminController.js:1771
Frontend / full URL	adminApi.getPlatformAnalytics (src/components/dashboard/admin/views/AnalyticsView.tsx:28). Local URL: http://localhost:5000/api/admin/analytics
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), College (college.js), Recruiter (recruiter.js), Student (student.js)
Call flow / note	adminApi.getPlatformAnalytics -> GET /api/admin/analytics -> getPlatformAnalytics -> Application (application.js), College (college.js), Recruiter (recruiter.js), Student (student.js)

140. GET /api/v1/admin/analytics [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getPlatformAnalytics. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:179 -> backend/src/controllers/adminController.js:1771
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/analytics
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), College (college.js), Recruiter (recruiter.js), Student (student.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/analytics -> getPlatformAnalytics -> Application (application.js), College (college.js), Recruiter (recruiter.js), Student (student.js); alternate route/mount

141. GET /api/admin/settings [backend]

Status / purpose	Active / in use (source call found). Handler: getSystemSettings. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:184 -> backend/src/controllers/adminController.js:1826
Frontend / full URL	adminApi.getSystemSettings (src/components/dashboard/admin/views/SettingsView.tsx:47). Local URL: http://localhost:5000/api/admin/settings
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SystemSetting (systemSetting.js)
Call flow / note	adminApi.getSystemSettings -> GET /api/admin/settings -> getSystemSettings -> SystemSetting (systemSetting.js)

142. GET /api/v1/admin/settings [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSystemSettings. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:184 -> backend/src/controllers/adminController.js:1826
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/settings
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SystemSetting (systemSetting.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/settings -> getSystemSettings -> SystemSetting (systemSetting.js); alternate route/mount

143. PUT /api/admin/settings [backend]

Status / purpose	Active / in use (source call found). Handler: updateSystemSettings. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:185 -> backend/src/controllers/adminController.js:1856
Frontend / full URL	adminApi.updateSystemSettings (src/components/dashboard/admin/views/SettingsView.tsx:87). Local URL: http://localhost:5000/api/admin/settings
Auth / authorization	Bearer JWT; Super Admin; middleware: adminAuth, requireSuperAdmin
Request	Path: none; query: none; body: aiReadinessWeights, apiIntegrations, maintenanceMode. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SystemSetting (systemSetting.js)
Call flow / note	adminApi.updateSystemSettings -> PUT /api/admin/settings -> updateSystemSettings -> SystemSetting (systemSetting.js)

144. PUT /api/v1/admin/settings [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateSystemSettings. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:185 -> backend/src/controllers/adminController.js:1856
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/settings
Auth / authorization	Bearer JWT; Super Admin; middleware: adminAuth, requireSuperAdmin
Request	Path: none; query: none; body: aiReadinessWeights, apiIntegrations, maintenanceMode. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	SystemSetting (systemSetting.js)
Call flow / note	No frontend caller found -> PUT /api/v1/admin/settings -> updateSystemSettings -> SystemSetting (systemSetting.js); alternate route/mount

145. GET /api/admin/activity [backend]

Status / purpose	Implemented; no frontend call found. Handler: getAdminActivities. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:190 -> backend/src/controllers/adminController.js:1908
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/activity
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: action, limit = 20, page = 1, targetModel; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	AdminActivity (adminActivity.js)
Call flow / note	No frontend caller found -> GET /api/admin/activity -> getAdminActivities -> AdminActivity (adminActivity.js)

146. GET /api/v1/admin/activity [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getAdminActivities. Runtime behavior not verified.
Route / controller	backend/src/routes/adminRoutes.js:190 -> backend/src/controllers/adminController.js:1908
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/activity
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: action, limit = 20, page = 1, targetModel; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	AdminActivity (adminActivity.js)
Call flow / note	No frontend caller found -> GET /api/v1/admin/activity -> getAdminActivities -> AdminActivity (adminActivity.js); alternate route/mount

147. POST /api/college/register [backend]

Status / purpose	Implemented; no frontend call found. Handler: registerCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:73 -> backend/src/controllers/collegeController.js:23
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/register
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: address, email, name, password, phone, university, website. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> POST /api/college/register -> registerCollege -> College (college.js)

148. POST /api/college/auth/register [backend]

Status / purpose	Alternate path; no frontend call found. Handler: registerCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:74 -> backend/src/controllers/collegeController.js:23
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/auth/register
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: address, email, name, password, phone, university, website. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> POST /api/college/auth/register -> registerCollege -> College (college.js); alternate route/mount

149. POST /api/college/login [backend]

Status / purpose	Implemented; no frontend call found. Handler: loginCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:75 -> backend/src/controllers/collegeController.js:94
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> POST /api/college/login -> loginCollege -> College (college.js)

150. POST /api/college/auth/login [backend]

Status / purpose	Alternate path; no frontend call found. Handler: loginCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:76 -> backend/src/controllers/collegeController.js:94
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/auth/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js)
Call flow / note	No frontend caller found -> POST /api/college/auth/login -> loginCollege -> College (college.js); alternate route/mount

151. GET /api/college/profile [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCollegeProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:81 -> backend/src/controllers/collegeController.js:146
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/profile
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> GET /api/college/profile -> getCollegeProfile -> No direct model call found

152. PUT /api/college/profile [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateCollegeProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:82 -> backend/src/controllers/collegeController.js:161
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/profile
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: address, city, code, description, name, phone, placementOfficerEmail, placementOfficerName, placementOfficerPhone, state, university, website. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> PUT /api/college/profile -> updateCollegeProfile -> No direct model call found

153. PATCH /api/college/profile [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateCollegeProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:83 -> backend/src/controllers/collegeController.js:161
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/profile
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: address, city, code, description, name, phone, placementOfficerEmail, placementOfficerName, placementOfficerPhone, state, university, website. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> PATCH /api/college/profile -> updateCollegeProfile -> No direct model call found

154. GET /api/college/dashboard [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCollegeDashboardStats. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:84 -> backend/src/controllers/collegeController.js:219
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/dashboard
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Project (project.js), Student (student.js)
Call flow / note	No frontend caller found -> GET /api/college/dashboard -> getCollegeDashboardStats -> Application (application.js), Project (project.js), Student (student.js)

155. POST /api/college/students/bulk-import [backend]

Status / purpose	Implemented; no frontend call found. Handler: bulkImportStudents. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:89 -> backend/src/controllers/collegeController.js:272
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students/bulk-import
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: csvData, students. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js), Student (student.js)
Call flow / note	No frontend caller found -> POST /api/college/students/bulk-import -> bulkImportStudents -> College (college.js), Student (student.js)

156. GET /api/college/students/export [backend]

Status / purpose	Implemented; no frontend call found. Handler: exportStudentsCSV. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:90 -> backend/src/controllers/collegeController.js:445
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students/export
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: branch, minPercentage, search, semester, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> GET /api/college/students/export -> exportStudentsCSV -> Student (student.js)

157. PATCH /api/college/students/bulk [backend]

Status / purpose	Implemented; no frontend call found. Handler: bulkUpdateStudents. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:91 -> backend/src/controllers/collegeController.js:514
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students/bulk
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: studentIds, updates. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> PATCH /api/college/students/bulk -> bulkUpdateStudents -> Student (student.js)

158. POST /api/college/students [backend]

Status / purpose	Implemented; no frontend call found. Handler: createStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:92 -> backend/src/controllers/collegeController.js:693
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	College (college.js), Student (student.js)
Call flow / note	No frontend caller found -> POST /api/college/students -> createStudent -> College (college.js), Student (student.js)

159. GET /api/college/students [backend]

Status / purpose	Implemented; no frontend call found. Handler: getAllStudents. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:93 -> backend/src/controllers/collegeController.js:718
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: branch, limit, page, search, semester, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> GET /api/college/students -> getAllStudents -> Student (student.js)

160. GET /api/college/students/eligible [backend]

Status / purpose	Implemented; no frontend call found. Handler: getEligibleStudents. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:94 -> backend/src/controllers/collegeController.js:1527
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students/eligible
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> GET /api/college/students/eligible -> getEligibleStudents -> Student (student.js)

161. GET /api/college/students/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getStudentById. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:95 -> backend/src/controllers/collegeController.js:777
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> GET /api/college/students/:id -> getStudentById -> Student (student.js)

162. PUT /api/college/students/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:96 -> backend/src/controllers/collegeController.js:800
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> PUT /api/college/students/:id -> updateStudent -> Student (student.js)

163. PATCH /api/college/students/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:97 -> backend/src/controllers/collegeController.js:800
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> PATCH /api/college/students/:id -> updateStudent -> Student (student.js)

164. DELETE /api/college/students/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: deleteStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:98 -> backend/src/controllers/collegeController.js:830
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/students/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> DELETE /api/college/students/:id -> deleteStudent -> Student (student.js)

165. GET /api/college/applications/summary [backend]

Status / purpose	Implemented; no frontend call found. Handler: getApplicationSummary. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:103 -> backend/src/controllers/collegeController.js:856
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/applications/summary
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Student (student.js)
Call flow / note	No frontend caller found -> GET /api/college/applications/summary -> getApplicationSummary -> Application (application.js), Student (student.js)

166. GET /api/college/applications/:id/history [backend]

Status / purpose	Implemented; no frontend call found. Handler: getApplicationStatusHistory. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:104 -> backend/src/controllers/collegeController.js:966
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/applications/:id/history
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)
Call flow / note	No frontend caller found -> GET /api/college/applications/:id/history -> getApplicationStatusHistory -> Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)

167. POST /api/college/applications [backend]

Status / purpose	Implemented; no frontend call found. Handler: createApplication. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:105 -> backend/src/controllers/collegeController.js:1006
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/applications
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: remarks. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)
Call flow / note	No frontend caller found -> POST /api/college/applications -> createApplication -> Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)

168. GET /api/college/applications [backend]

Status / purpose	Implemented; no frontend call found. Handler: getAllApplications. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:106 -> backend/src/controllers/collegeController.js:1038
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/applications
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: companyId, endDate, limit, page, projectId, startDate, status, studentId; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Student (student.js)
Call flow / note	No frontend caller found -> GET /api/college/applications -> getAllApplications -> Application (application.js), Student (student.js)

169. GET /api/college/applications/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getApplicationById. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:107 -> backend/src/controllers/collegeController.js:1199
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/applications/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js)
Call flow / note	No frontend caller found -> GET /api/college/applications/:id -> getApplicationById -> Application (application.js)

170. PUT /api/college/applications/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateApplication. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:108 -> backend/src/controllers/collegeController.js:1232
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/applications/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: remarks, status, student. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)
Call flow / note	No frontend caller found -> PUT /api/college/applications/:id -> updateApplication -> Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)

171. PATCH /api/college/applications/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateApplication. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:109 -> backend/src/controllers/collegeController.js:1232
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/applications/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: remarks, status, student. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)
Call flow / note	No frontend caller found -> PATCH /api/college/applications/:id -> updateApplication -> Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)

172. DELETE /api/college/applications/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: deleteApplication. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:110 -> backend/src/controllers/collegeController.js:1294
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/applications/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)
Call flow / note	No frontend caller found -> DELETE /api/college/applications/:id -> deleteApplication -> Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)

173. POST /api/college/projects [backend]

Status / purpose	Implemented; no frontend call found. Handler: createCollegeProject. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:115 -> backend/src/controllers/collegeController.js:1331
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/projects
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: applicationDeadline, description, duration, location, mode, openings, requiredSkills, skills, status, stipend, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> POST /api/college/projects -> createCollegeProject -> Project (project.js)

174. GET /api/college/projects [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCollegeProjects. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:116 -> backend/src/controllers/collegeController.js:1385
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/projects
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: mode, search, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> GET /api/college/projects -> getCollegeProjects -> Project (project.js)

175. GET /api/college/projects/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCollegeProjectById. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:117 -> backend/src/controllers/collegeController.js:1419
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/projects/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> GET /api/college/projects/:id -> getCollegeProjectById -> Project (project.js)

176. PUT /api/college/projects/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateCollegeProject. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:118 -> backend/src/controllers/collegeController.js:1449
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/projects/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> PUT /api/college/projects/:id -> updateCollegeProject -> Project (project.js)

177. DELETE /api/college/projects/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: deleteCollegeProject. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:119 -> backend/src/controllers/collegeController.js:1488
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/projects/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Project (project.js)
Call flow / note	No frontend caller found -> DELETE /api/college/projects/:id -> deleteCollegeProject -> Project (project.js)

178. POST /api/college/drives [backend]

Status / purpose	Implemented; no frontend call found. Handler: createPlacementDrive. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:124 -> backend/src/controllers/collegeController.js:1548
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/drives
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: capacityLimit, company, companyName, deadline, deadlineDate, description, driveDate, eligibility, eligibilityCriteria, eligibleBranches, jobRole, location, mode, packageLPA, stageStatus, status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> POST /api/college/drives -> createPlacementDrive -> PlacementDrive (placementDrive.js)

179. GET /api/college/drives [backend]

Status / purpose	Implemented; no frontend call found. Handler: getPlacementDrives. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:125 -> backend/src/controllers/collegeController.js:1623
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/drives
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: mode, search, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> GET /api/college/drives -> getPlacementDrives -> PlacementDrive (placementDrive.js)

180. GET /api/college/drives/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getPlacementDriveById. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:126 -> backend/src/controllers/collegeController.js:1663
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/drives/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> GET /api/college/drives/:id -> getPlacementDriveById -> PlacementDrive (placementDrive.js)

181. PUT /api/college/drives/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updatePlacementDrive. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:127 -> backend/src/controllers/collegeController.js:1697
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/drives/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404 (code-observed or middleware; not exhaustive)
Data / external	PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> PUT /api/college/drives/:id -> updatePlacementDrive -> PlacementDrive (placementDrive.js)

182. DELETE /api/college/drives/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: deletePlacementDrive. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:128 -> backend/src/controllers/collegeController.js:1740
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/drives/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> DELETE /api/college/drives/:id -> deletePlacementDrive -> PlacementDrive (placementDrive.js)

183. GET /api/college/drives/:driveId/participants [backend]

Status / purpose	Implemented; no frontend call found. Handler: getDriveParticipants. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:129 -> backend/src/controllers/collegeController.js:2361
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/drives/:driveId/participants
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: driveId; query: stage, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> GET /api/college/drives/:driveId/participants -> getDriveParticipants -> Application (application.js), PlacementDrive (placementDrive.js)

184. PATCH /api/college/drives/:driveId/participants/:participantId [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateParticipantStatus. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:130 -> backend/src/controllers/collegeController.js:2413
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/drives/:driveId/participants/:participantId
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: driveId, participantId; query: none; body: stage, stageStatus, status. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> PATCH /api/college/drives/:driveId/participants/:participantId -> updateParticipantStatus -> Application (application.js), PlacementDrive (placementDrive.js)

185. GET /api/college/drives/:driveId/eligible-students [backend]

Status / purpose	Implemented; no frontend call found. Handler: evaluateDriveEligibleStudents. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:135 -> backend/src/controllers/collegeController.js:2508
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/drives/:driveId/eligible-students
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: driveId; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	PlacementDrive (placementDrive.js), Student (student.js)
Call flow / note	No frontend caller found -> GET /api/college/drives/:driveId/eligible-students -> evaluateDriveEligibleStudents -> PlacementDrive (placementDrive.js), Student (student.js)

186. POST /api/college/broadcasts [backend]

Status / purpose	Implemented; no frontend call found. Handler: createBroadcast. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:144 -> backend/src/controllers/collegeController.js:1778
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/broadcasts
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: body, category, content, expiresAt, isUrgent, message, priority, readCount, snippet, status, targetAudience, title, totalCount, type. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	No frontend caller found -> POST /api/college/broadcasts -> createBroadcast -> Broadcast (broadcast.js)

187. GET /api/college/broadcasts [backend]

Status / purpose	Implemented; no frontend call found. Handler: getBroadcasts. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:145 -> backend/src/controllers/collegeController.js:1860
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/broadcasts
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: priority, search, status; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	No frontend caller found -> GET /api/college/broadcasts -> getBroadcasts -> Broadcast (broadcast.js)

188. GET /api/college/broadcasts/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getBroadcastById. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:146 -> backend/src/controllers/collegeController.js:1898
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/broadcasts/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	No frontend caller found -> GET /api/college/broadcasts/:id -> getBroadcastById -> Broadcast (broadcast.js)

189. PUT /api/college/broadcasts/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateBroadcast. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:147 -> backend/src/controllers/collegeController.js:1932
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/broadcasts/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	No frontend caller found -> PUT /api/college/broadcasts/:id -> updateBroadcast -> Broadcast (broadcast.js)

190. DELETE /api/college/broadcasts/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: deleteBroadcast. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:148 -> backend/src/controllers/collegeController.js:1975
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/broadcasts/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Broadcast (broadcast.js)
Call flow / note	No frontend caller found -> DELETE /api/college/broadcasts/:id -> deleteBroadcast -> Broadcast (broadcast.js)

191. GET /api/college/companies [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCoordinatingCompanies. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:153 -> backend/src/controllers/collegeController.js:2013
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/companies
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: industry, search; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Company (company.js), PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> GET /api/college/companies -> getCoordinatingCompanies -> Company (company.js), PlacementDrive (placementDrive.js)

192. GET /api/college/companies/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCompanyDetailsForCollege. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:154 -> backend/src/controllers/collegeController.js:2074
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/companies/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Company (company.js), PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> GET /api/college/companies/:id -> getCompanyDetailsForCollege -> Company (company.js), PlacementDrive (placementDrive.js)

193. GET /api/college/recruiters [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCoordinatingRecruiters. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:155 -> backend/src/controllers/collegeController.js:2116
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/recruiters
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: search; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> GET /api/college/recruiters -> getCoordinatingRecruiters -> Recruiter (recruiter.js)

194. GET /api/college/coordination/visits [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCampusVisits. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:156 -> backend/src/controllers/collegeController.js:2850
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/coordination/visits
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: search, timeline; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> GET /api/college/coordination/visits -> getCampusVisits -> PlacementDrive (placementDrive.js)

195. GET /api/college/coordination/company-summary [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCompanyPlacementSummary. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:157 -> backend/src/controllers/collegeController.js:2903
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/coordination/company-summary
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Application (application.js), Company (company.js), PlacementDrive (placementDrive.js)
Call flow / note	No frontend caller found -> GET /api/college/coordination/company-summary -> getCompanyPlacementSummary -> Application (application.js), Company (company.js), PlacementDrive (placementDrive.js)

196. GET /api/college/coordination/recruiter-summary [backend]

Status / purpose	Implemented; no frontend call found. Handler: getRecruiterPlacementSummary. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:162 -> backend/src/controllers/collegeController.js:3001
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/coordination/recruiter-summary
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	PlacementDrive (placementDrive.js), Recruiter (recruiter.js)
Call flow / note	No frontend caller found -> GET /api/college/coordination/recruiter-summary -> getRecruiterPlacementSummary -> PlacementDrive (placementDrive.js), Recruiter (recruiter.js)

197. POST /api/college/eligibility-presets [backend]

Status / purpose	Implemented; no frontend call found. Handler: createEligibilityPreset. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:171 -> backend/src/controllers/collegeController.js:2151
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/eligibility-presets
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: allowedPassingYears, description, eligibleBranches, maxActiveBacklogs, minCgpa, name. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	EligibilityPreset (eligibilityPreset.js)
Call flow / note	No frontend caller found -> POST /api/college/eligibility-presets -> createEligibilityPreset -> EligibilityPreset (eligibilityPreset.js)

198. GET /api/college/eligibility-presets [backend]

Status / purpose	Implemented; no frontend call found. Handler: getEligibilityPresets. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:172 -> backend/src/controllers/collegeController.js:2203
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/eligibility-presets
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: search; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	EligibilityPreset (eligibilityPreset.js)
Call flow / note	No frontend caller found -> GET /api/college/eligibility-presets -> getEligibilityPresets -> EligibilityPreset (eligibilityPreset.js)

199. GET /api/college/eligibility-presets/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: getEligibilityPresetById. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:173 -> backend/src/controllers/collegeController.js:2234
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/eligibility-presets/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	EligibilityPreset (eligibilityPreset.js)
Call flow / note	No frontend caller found -> GET /api/college/eligibility-presets/:id -> getEligibilityPresetById -> EligibilityPreset (eligibilityPreset.js)

200. PUT /api/college/eligibility-presets/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateEligibilityPreset. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:178 -> backend/src/controllers/collegeController.js:2272
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/eligibility-presets/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404 (code-observed or middleware; not exhaustive)
Data / external	EligibilityPreset (eligibilityPreset.js)
Call flow / note	No frontend caller found -> PUT /api/college/eligibility-presets/:id -> updateEligibilityPreset -> EligibilityPreset (eligibilityPreset.js)

201. DELETE /api/college/eligibility-presets/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: deleteEligibilityPreset. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:183 -> backend/src/controllers/collegeController.js:2319
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/eligibility-presets/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	EligibilityPreset (eligibilityPreset.js)
Call flow / note	No frontend caller found -> DELETE /api/college/eligibility-presets/:id -> deleteEligibilityPreset -> EligibilityPreset (eligibilityPreset.js)

202. GET /api/college/notifications [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCollegeNotifications. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:192 -> backend/src/controllers/collegeController.js:2598
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/notifications
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: category, isRead, limit, page, type; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	CollegeNotification (collegeNotification.js)
Call flow / note	No frontend caller found -> GET /api/college/notifications -> getCollegeNotifications -> CollegeNotification (collegeNotification.js)

203. PATCH /api/college/notifications/read-all [backend]

Status / purpose	Implemented; no frontend call found. Handler: markAllNotificationsAsRead. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:193 -> backend/src/controllers/collegeController.js:2697
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/notifications/read-all
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	CollegeNotification (collegeNotification.js)
Call flow / note	No frontend caller found -> PATCH /api/college/notifications/read-all -> markAllNotificationsAsRead -> CollegeNotification (collegeNotification.js)

204. PATCH /api/college/notifications/:id/read [backend]

Status / purpose	Implemented; no frontend call found. Handler: markNotificationAsRead. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:198 -> backend/src/controllers/collegeController.js:2653
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/notifications/:id/read
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	CollegeNotification (collegeNotification.js)
Call flow / note	No frontend caller found -> PATCH /api/college/notifications/:id/read -> markNotificationAsRead -> CollegeNotification (collegeNotification.js)

205. DELETE /api/college/notifications/:id [backend]

Status / purpose	Implemented; no frontend call found. Handler: deleteCollegeNotification. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:203 -> backend/src/controllers/collegeController.js:2722
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/notifications/:id
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: id; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	CollegeNotification (collegeNotification.js)
Call flow / note	No frontend caller found -> DELETE /api/college/notifications/:id -> deleteCollegeNotification -> CollegeNotification (collegeNotification.js)

206. GET /api/college/activity-logs [backend]

Status / purpose	Implemented; no frontend call found. Handler: getCollegeActivityLogs. Runtime behavior not verified.
Route / controller	backend/src/routes/collegeRoutes.js:212 -> backend/src/controllers/collegeController.js:2793
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/college/activity-logs
Auth / authorization	Bearer JWT; college; middleware: collegeAuth
Request	Path: none; query: action, endDate, limit, module, page, startDate; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	CollegeActivityLog (collegeActivityLog.js)
Call flow / note	No frontend caller found -> GET /api/college/activity-logs -> getCollegeActivityLogs -> CollegeActivityLog (collegeActivityLog.js)

207. POST /api/student/register [backend]

Status / purpose	Alternate path; no frontend call found. Handler: registerStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:27 -> backend/src/controllers/studentController.js:220
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/register
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: branch, college, email, fullName, name, password, phone, role, semester. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/student/register -> registerStudent -> Student (student.js); alternate route/mount

208. POST /api/students/register [backend]

Status / purpose	Alternate path; no frontend call found. Handler: registerStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:27 -> backend/src/controllers/studentController.js:220
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/register
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: branch, college, email, fullName, name, password, phone, role, semester. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/students/register -> registerStudent -> Student (student.js); alternate route/mount

209. POST /api/student/login [backend]

Status / purpose	Alternate path; no frontend call found. Handler: loginStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:28 -> backend/src/controllers/studentController.js:282
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password, role. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/student/login -> loginStudent -> Student (student.js); alternate route/mount

210. POST /api/students/login [backend]

Status / purpose	Alternate path; no frontend call found. Handler: loginStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:28 -> backend/src/controllers/studentController.js:282
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password, role. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/students/login -> loginStudent -> Student (student.js); alternate route/mount

211. POST /api/student/logout [backend]

Status / purpose	Alternate path; no frontend call found. Handler: logoutStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:29 -> backend/src/controllers/studentController.js:311
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/logout
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/logout -> logoutStudent -> Student (student.js), via auth middleware; alternate route/mount

212. POST /api/students/logout [backend]

Status / purpose	Alternate path; no frontend call found. Handler: logoutStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:29 -> backend/src/controllers/studentController.js:311
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/logout
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/logout -> logoutStudent -> Student (student.js), via auth middleware; alternate route/mount

213. POST /api/student/auth/register [backend]

Status / purpose	Alternate path; no frontend call found. Handler: registerStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:31 -> backend/src/controllers/studentController.js:220
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/auth/register
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: branch, college, email, fullName, name, password, phone, role, semester. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/student/auth/register -> registerStudent -> Student (student.js); alternate route/mount

214. POST /api/students/auth/register [backend]

Status / purpose	Alternate path; no frontend call found. Handler: registerStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:31 -> backend/src/controllers/studentController.js:220
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/auth/register
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: branch, college, email, fullName, name, password, phone, role, semester. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/students/auth/register -> registerStudent -> Student (student.js); alternate route/mount

215. POST /api/student/auth/login [backend]

Status / purpose	Alternate path; no frontend call found. Handler: loginStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:32 -> backend/src/controllers/studentController.js:282
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/auth/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password, role. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/student/auth/login -> loginStudent -> Student (student.js); alternate route/mount

216. POST /api/students/auth/login [backend]

Status / purpose	Alternate path; no frontend call found. Handler: loginStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:32 -> backend/src/controllers/studentController.js:282
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/auth/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password, role. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/students/auth/login -> loginStudent -> Student (student.js); alternate route/mount

217. POST /api/student/auth/logout [backend]

Status / purpose	Alternate path; no frontend call found. Handler: logoutStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:33 -> backend/src/controllers/studentController.js:311
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/auth/logout
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/auth/logout -> logoutStudent -> Student (student.js), via auth middleware; alternate route/mount

218. POST /api/students/auth/logout [backend]

Status / purpose	Alternate path; no frontend call found. Handler: logoutStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:33 -> backend/src/controllers/studentController.js:311
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/auth/logout
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/auth/logout -> logoutStudent -> Student (student.js), via auth middleware; alternate route/mount

219. GET /api/student/auth/me [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:34 -> backend/src/controllers/studentController.js:314
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/auth/me
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/auth/me -> getStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

220. GET /api/students/auth/me [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:34 -> backend/src/controllers/studentController.js:314
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/auth/me
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/auth/me -> getStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

221. GET /api/student/me [backend]

Status / purpose	Alternate path; no frontend call found. Handler: <code>getStudentProfile</code> . Runtime behavior not verified.
Route / controller	<code>backend/src/routes/studentRoutes.js:35</code> -> <code>backend/src/controllers/studentController.js:314</code>
Frontend / full URL	No frontend page caller found. Local URL: <code>http://localhost:5000/api/student/me</code>
Auth / authorization	Bearer JWT; student; middleware: <code>studentAuthMiddleware</code>
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via <code>apiResponse</code> helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (<code>student.js</code>), via auth middleware
Call flow / note	No frontend caller found -> GET <code>/api/student/me</code> -> <code>getStudentProfile</code> -> Student (<code>student.js</code>), via auth middleware; alternate route/mount

222. GET /api/students/me [backend]

Status / purpose	Alternate path; no frontend call found. Handler: <code>getStudentProfile</code> . Runtime behavior not verified.
Route / controller	<code>backend/src/routes/studentRoutes.js:35</code> -> <code>backend/src/controllers/studentController.js:314</code>
Frontend / full URL	No frontend page caller found. Local URL: <code>http://localhost:5000/api/students/me</code>
Auth / authorization	Bearer JWT; student; middleware: <code>studentAuthMiddleware</code>
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via <code>apiResponse</code> helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (<code>student.js</code>), via auth middleware
Call flow / note	No frontend caller found -> GET <code>/api/students/me</code> -> <code>getStudentProfile</code> -> Student (<code>student.js</code>), via auth middleware; alternate route/mount

223. GET /api/student/profile [backend]

Status / purpose	Active / in use (source call found). Handler: <code>getStudentProfile</code> . Runtime behavior not verified.
Route / controller	<code>backend/src/routes/studentRoutes.js:37</code> -> <code>backend/src/controllers/studentController.js:314</code>
Frontend / full URL	<code>studentApi.getProfile</code> (<code>src/pages/student/Profile.tsx:260</code>). Local URL: <code>http://localhost:5000/api/student/profile</code>
Auth / authorization	Bearer JWT; student; middleware: <code>studentAuthMiddleware</code>
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via <code>apiResponse</code> helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (<code>student.js</code>), via auth middleware
Call flow / note	<code>studentApi.getProfile</code> -> GET <code>/api/student/profile</code> -> <code>getStudentProfile</code> -> Student (<code>student.js</code>), via auth middleware

224. GET /api/students/profile [backend]

Status / purpose	Alternate path; no frontend call found. Handler: <code>getStudentProfile</code> . Runtime behavior not verified.
Route / controller	<code>backend/src/routes/studentRoutes.js:37</code> -> <code>backend/src/controllers/studentController.js:314</code>
Frontend / full URL	No frontend page caller found. Local URL: <code>http://localhost:5000/api/students/profile</code>
Auth / authorization	Bearer JWT; student; middleware: <code>studentAuthMiddleware</code>
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via <code>apiResponse</code> helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (<code>student.js</code>), via auth middleware
Call flow / note	No frontend caller found -> GET <code>/api/students/profile</code> -> <code>getStudentProfile</code> -> Student (<code>student.js</code>), via auth middleware; alternate route/mount

225. PUT /api/student/profile [backend]

Status / purpose	Active / in use (source call found). Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:38 -> backend/src/controllers/studentController.js:324
Frontend / full URL	studentApi.updateProfile (src/pages/student/Profile.tsx:330). Local URL: http://localhost:5000/api/student/profile
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	studentApi.updateProfile -> PUT /api/student/profile -> updateStudentProfile -> Student (student.js), via auth middleware

226. PUT /api/students/profile [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:38 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/profile
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/students/profile -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

227. PATCH /api/student/profile [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:39 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/profile
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/student/profile -> updateStudentProfile -> Student (student.js), via auth middleware

228. PATCH /api/students/profile [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:39 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/profile
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/students/profile -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

229. PUT /api/student/profile/details [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:40 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/profile/details
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/student/profile/details -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

230. PUT /api/students/profile/details [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:40 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/profile/details
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/students/profile/details -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

231. PATCH /api/student/profile/details [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:41 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/profile/details
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/student/profile/details -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

232. PATCH /api/students/profile/details [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:41 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/profile/details
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/students/profile/details -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

233. PUT /api/student/profile/education [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:42 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/profile/education
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/student/profile/education -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

234. PUT /api/students/profile/education [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:42 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/profile/education
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/students/profile/education -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

235. PATCH /api/student/profile/education [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:43 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/profile/education
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/student/profile/education -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

236. PATCH /api/students/profile/education [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:43 -> backend/src/controllers/studentController.js:324
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/profile/education
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: education, interests, skills. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/students/profile/education -> updateStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

237. GET /api/student/skills [backend]

Status / purpose	Implemented; no frontend call found. Handler: getStudentSkills. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:45 -> backend/src/controllers/studentController.js:395
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/skills
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/skills -> getStudentSkills -> Student (student.js), via auth middleware

238. GET /api/students/skills [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getStudentSkills. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:45 -> backend/src/controllers/studentController.js:395
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/skills
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/skills -> getStudentSkills -> Student (student.js), via auth middleware; alternate route/mount

239. POST /api/student/skills [backend]

Status / purpose	Implemented; no frontend call found. Handler: addStudentSkill. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:46 -> backend/src/controllers/studentController.js:405
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/skills
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: category, name, proficiency, skill, yearsOfExperience. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/skills -> addStudentSkill -> Student (student.js), via auth middleware

240. POST /api/students/skills [backend]

Status / purpose	Alternate path; no frontend call found. Handler: addStudentSkill. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:46 -> backend/src/controllers/studentController.js:405
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/skills
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: category, name, proficiency, skill, yearsOfExperience. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/skills -> addStudentSkill -> Student (student.js), via auth middleware; alternate route/mount

241. PUT /api/student/skills/:skillId [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateStudentSkill. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:47 -> backend/src/controllers/studentController.js:445
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/skills/:skillId
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: skillId; query: none; body: category, name, proficiency, skillId, yearsOfExperience. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/student/skills/:skillId -> updateStudentSkill -> Student (student.js), via auth middleware

242. PUT /api/students/skills/:skillId [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentSkill. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:47 -> backend/src/controllers/studentController.js:445
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/skills/:skillId
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: skillId; query: none; body: category, name, proficiency, skillId, yearsOfExperience. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/students/skills/:skillId -> updateStudentSkill -> Student (student.js), via auth middleware; alternate route/mount

243. PATCH /api/student/skills/:skillId [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateStudentSkill. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:48 -> backend/src/controllers/studentController.js:445
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/skills/:skillId
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: skillId; query: none; body: category, name, proficiency, skillId, yearsOfExperience. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/student/skills/:skillId -> updateStudentSkill -> Student (student.js), via auth middleware

244. PATCH /api/students/skills/:skillId [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateStudentSkill. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:48 -> backend/src/controllers/studentController.js:445
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/skills/:skillId
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: skillId; query: none; body: category, name, proficiency, skillId, yearsOfExperience. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/students/skills/:skillId -> updateStudentSkill -> Student (student.js), via auth middleware; alternate route/mount

245. DELETE /api/student/skills/:skillId [backend]

Status / purpose	Implemented; no frontend call found. Handler: deleteStudentSkill. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:49 -> backend/src/controllers/studentController.js:512
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/skills/:skillId
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: skillId; query: none; body: name, skillId. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> DELETE /api/student/skills/:skillId -> deleteStudentSkill -> Student (student.js), via auth middleware

246. DELETE /api/students/skills/:skillId [backend]

Status / purpose	Alternate path; no frontend call found. Handler: deleteStudentSkill. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:49 -> backend/src/controllers/studentController.js:512
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/skills/:skillId
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: skillId; query: none; body: name, skillId. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 404, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> DELETE /api/students/skills/:skillId -> deleteStudentSkill -> Student (student.js), via auth middleware; alternate route/mount

247. GET /api/student/learning/modules [backend]

Status / purpose	Implemented; no frontend call found. Handler: getLearningModules. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:51 -> backend/src/controllers/studentController.js:548
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/learning/modules
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/learning/modules -> getLearningModules -> Student (student.js), via auth middleware

248. GET /api/students/learning/modules [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getLearningModules. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:51 -> backend/src/controllers/studentController.js:548
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/learning/modules
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/learning/modules -> getLearningModules -> Student (student.js), via auth middleware; alternate route/mount

249. GET /api/student/learning/progress/history [backend]

Status / purpose	Implemented; no frontend call found. Handler: getLearningProgressHistory. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:52 -> backend/src/controllers/studentController.js:614
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/learning/progress/history
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: moduleId; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/learning/progress/history -> getLearningProgressHistory -> Student (student.js), via auth middleware

250. GET /api/students/learning/progress/history [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getLearningProgressHistory. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:52 -> backend/src/controllers/studentController.js:614
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/learning/progress/history
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: moduleId; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/learning/progress/history -> getLearningProgressHistory -> Student (student.js), via auth middleware; alternate route/mount

251. GET /api/student/learning/modules/:moduleId/history [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getLearningProgressHistory. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:53 -> backend/src/controllers/studentController.js:614
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/learning/modules/:moduleId/history
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: moduleId; query: moduleId; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/learning/modules/:moduleId/history -> getLearningProgressHistory -> Student (student.js), via auth middleware; alternate route/mount

252. GET /api/students/learning/modules/:moduleId/history [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getLearningProgressHistory. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:53 -> backend/src/controllers/studentController.js:614
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/learning/modules/:moduleId/history
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: moduleId; query: moduleId; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/learning/modules/:moduleId/history -> getLearningProgressHistory -> Student (student.js), via auth middleware; alternate route/mount

253. PUT /api/student/learning/modules/:moduleId/progress [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateLearningProgress. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:54 -> backend/src/controllers/studentController.js:553
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/learning/modules/:moduleId/progress
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: moduleId; query: none; body: description, moduleId, moduleTitle, note, progressPercentage, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/student/learning/modules/:moduleId/progress -> updateLearningProgress -> Student (student.js), via auth middleware

254. PUT /api/students/learning/modules/:moduleId/progress [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateLearningProgress. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:54 -> backend/src/controllers/studentController.js:553
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/learning/modules/:moduleId/progress
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: moduleId; query: none; body: description, moduleId, moduleTitle, note, progressPercentage, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PUT /api/students/learning/modules/:moduleId/progress -> updateLearningProgress -> Student (student.js), via auth middleware; alternate route/mount

255. PATCH /api/student/learning/modules/:moduleId/progress [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateLearningProgress. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:55 -> backend/src/controllers/studentController.js:553
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/learning/modules/:moduleId/progress
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: moduleId; query: none; body: description, moduleId, moduleTitle, note, progressPercentage, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/student/learning/modules/:moduleId/progress -> updateLearningProgress -> Student (student.js), via auth middleware

256. PATCH /api/students/learning/modules/:moduleId/progress [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateLearningProgress. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:55 -> backend/src/controllers/studentController.js:553
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/learning/modules/:moduleId/progress
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: moduleId; query: none; body: description, moduleId, moduleTitle, note, progressPercentage, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> PATCH /api/students/learning/modules/:moduleId/progress -> updateLearningProgress -> Student (student.js), via auth middleware; alternate route/mount

257. POST /api/student/learning/progress [backend]

Status / purpose	Implemented; no frontend call found. Handler: updateLearningProgress. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:56 -> backend/src/controllers/studentController.js:553
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/learning/progress
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: description, moduleId, moduleTitle, note, progressPercentage, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/learning/progress -> updateLearningProgress -> Student (student.js), via auth middleware

258. POST /api/students/learning/progress [backend]

Status / purpose	Alternate path; no frontend call found. Handler: updateLearningProgress. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:56 -> backend/src/controllers/studentController.js:553
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/learning/progress
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: description, moduleId, moduleTitle, note, progressPercentage, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/learning/progress -> updateLearningProgress -> Student (student.js), via auth middleware; alternate route/mount

259. POST /api/student/learning/modules/:moduleId/complete [backend]

Status / purpose	Implemented; no frontend call found. Handler: markModuleComplete. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:57 -> backend/src/controllers/studentController.js:608
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/learning/modules/:moduleId/complete
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: moduleId; query: none; body: progressPercentage. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/learning/modules/:moduleId/complete -> markModuleComplete -> Student (student.js), via auth middleware

260. POST /api/students/learning/modules/:moduleid/complete [backend]

Status / purpose	Alternate path; no frontend call found. Handler: markModuleComplete. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:57 -> backend/src/controllers/studentController.js:608
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/learning/modules/:moduleid/complete
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: moduleid; query: none; body: progressPercentage. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/learning/modules/:moduleid/complete -> markModuleComplete -> Student (student.js), via auth middleware; alternate route/mount

261. GET /api/student/assignments [backend]

Status / purpose	Implemented; no frontend call found. Handler: getAssignments. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:59 -> backend/src/controllers/studentController.js:635
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/assignments
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/assignments -> getAssignments -> Student (student.js), via auth middleware

262. GET /api/students/assignments [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getAssignments. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:59 -> backend/src/controllers/studentController.js:635
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/assignments
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/assignments -> getAssignments -> Student (student.js), via auth middleware; alternate route/mount

263. POST /api/student/assignments/submit [backend]

Status / purpose	Implemented; no frontend call found. Handler: submitAssignment. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:60 -> backend/src/controllers/studentController.js:640
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/assignments/submit
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: allowResubmit, answers, assignmentId, content, feedback, score, submissionUrl, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/assignments/submit -> submitAssignment -> Student (student.js), via auth middleware

264. POST /api/students/assignments/submit [backend]

Status / purpose	Alternate path; no frontend call found. Handler: submitAssignment. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:60 -> backend/src/controllers/studentController.js:640
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/assignments/submit
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: allowResubmit, answers, assignmentId, content, feedback, score, submissionUrl, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/assignments/submit -> submitAssignment -> Student (student.js), via auth middleware; alternate route/mount

265. POST /api/student/assignments/:assignmentId/submit [backend]

Status / purpose	Alternate path; no frontend call found. Handler: submitAssignment. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:61 -> backend/src/controllers/studentController.js:640
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/assignments/:assignmentId/submit
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: assignmentId; query: none; body: allowResubmit, answers, assignmentId, content, feedback, score, submissionUrl, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/assignments/:assignmentId/submit -> submitAssignment -> Student (student.js), via auth middleware; alternate route/mount

266. POST /api/students/assignments/:assignmentId/submit [backend]

Status / purpose	Alternate path; no frontend call found. Handler: submitAssignment. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:61 -> backend/src/controllers/studentController.js:640
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/assignments/:assignmentId/submit
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: assignmentId; query: none; body: allowResubmit, answers, assignmentId, content, feedback, score, submissionUrl, title. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/assignments/:assignmentId/submit -> submitAssignment -> Student (student.js), via auth middleware; alternate route/mount

267. GET /api/student/quizzes [backend]

Status / purpose	Implemented; no frontend call found. Handler: getQuizzes. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:63 -> backend/src/controllers/studentController.js:692
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/quizzes
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/quizzes -> getQuizzes -> Student (student.js), via auth middleware

268. GET /api/students/quizzes [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getQuizzes. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:63 -> backend/src/controllers/studentController.js:692
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/quizzes
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/quizzes -> getQuizzes -> Student (student.js), via auth middleware; alternate route/mount

269. POST /api/student/quizzes/submit [backend]

Status / purpose	Implemented; no frontend call found. Handler: submitQuiz. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:64 -> backend/src/controllers/studentController.js:697
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/quizzes/submit
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: allowResubmit, answers, correctAnswers, quizId, score, title, totalQuestions. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/quizzes/submit -> submitQuiz -> Student (student.js), via auth middleware

270. POST /api/students/quizzes/submit [backend]

Status / purpose	Alternate path; no frontend call found. Handler: submitQuiz. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:64 -> backend/src/controllers/studentController.js:697
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/quizzes/submit
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: allowResubmit, answers, correctAnswers, quizId, score, title, totalQuestions. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/quizzes/submit -> submitQuiz -> Student (student.js), via auth middleware; alternate route/mount

271. POST /api/student/quizzes/:quizId/submit [backend]

Status / purpose	Alternate path; no frontend call found. Handler: submitQuiz. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:65 -> backend/src/controllers/studentController.js:697
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/quizzes/:quizId/submit
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: quizId; query: none; body: allowResubmit, answers, correctAnswers, quizId, score, title, totalQuestions. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/quizzes/:quizId/submit -> submitQuiz -> Student (student.js), via auth middleware; alternate route/mount

272. POST /api/students/quizzes/:quizId/submit [backend]

Status / purpose	Alternate path; no frontend call found. Handler: submitQuiz. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:65 -> backend/src/controllers/studentController.js:697
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/quizzes/:quizId/submit
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: quizId; query: none; body: allowResubmit, answers, correctAnswers, quizId, score, title, totalQuestions. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/quizzes/:quizId/submit -> submitQuiz -> Student (student.js), via auth middleware; alternate route/mount

273. GET /api/student/skill-score [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSkillScore. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:67 -> backend/src/controllers/studentController.js:754
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/skill-score
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/skill-score -> getSkillScore -> Student (student.js), via auth middleware; alternate route/mount

274. GET /api/students/skill-score [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSkillScore. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:67 -> backend/src/controllers/studentController.js:754
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/skill-score
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/skill-score -> getSkillScore -> Student (student.js), via auth middleware; alternate route/mount

275. GET /api/student/score [backend]

Status / purpose	Implemented; no frontend call found. Handler: getSkillScore. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:68 -> backend/src/controllers/studentController.js:754
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/score
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/student/score -> getSkillScore -> Student (student.js), via auth middleware

276. GET /api/students/score [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getSkillScore. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:68 -> backend/src/controllers/studentController.js:754
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/score
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/students/score -> getSkillScore -> Student (student.js), via auth middleware; alternate route/mount

277. POST /api/student/skill-score/calculate [backend]

Status / purpose	Implemented; no frontend call found. Handler: calculateAndStoreSkillScore. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:69 -> backend/src/controllers/studentController.js:764
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/student/skill-score/calculate
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/student/skill-score/calculate -> calculateAndStoreSkillScore -> Student (student.js), via auth middleware

278. POST /api/students/skill-score/calculate [backend]

Status / purpose	Alternate path; no frontend call found. Handler: calculateAndStoreSkillScore. Runtime behavior not verified.
Route / controller	backend/src/routes/studentRoutes.js:69 -> backend/src/controllers/studentController.js:764
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/students/skill-score/calculate
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/students/skill-score/calculate -> calculateAndStoreSkillScore -> Student (student.js), via auth middleware; alternate route/mount

279. POST /api/auth/register [backend]

Status / purpose	Implemented; no frontend call found. Handler: registerStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentAuthRoutes.js:12 -> backend/src/controllers/studentController.js:220
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/auth/register
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: branch, college, email, fullName, name, password, phone, role, semester. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 409, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/auth/register -> registerStudent -> Student (student.js)

280. POST /api/auth/login [backend]

Status / purpose	Implemented; no frontend call found. Handler: loginStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentAuthRoutes.js:13 -> backend/src/controllers/studentController.js:282
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/auth/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password, role. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	JSON {success, message, token, student, user, data:{token, student}}; 201 registration or 200 login on success. Codes: 200, 400, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js)
Call flow / note	No frontend caller found -> POST /api/auth/login -> loginStudent -> Student (student.js)

281. POST /api/auth/logout [backend]

Status / purpose	Implemented; no frontend call found. Handler: logoutStudent. Runtime behavior not verified.
Route / controller	backend/src/routes/studentAuthRoutes.js:14 -> backend/src/controllers/studentController.js:311
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/auth/logout
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> POST /api/auth/logout -> logoutStudent -> Student (student.js), via auth middleware

282. GET /api/auth/me [backend]

Status / purpose	Alternate path; no frontend call found. Handler: getStudentProfile. Runtime behavior not verified.
Route / controller	backend/src/routes/studentAuthRoutes.js:15 -> backend/src/controllers/studentController.js:314
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/auth/me
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Usually JSON {success, message, data} via apiResponse helper; handler-specific fields are returned in data. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware
Call flow / note	No frontend caller found -> GET /api/auth/me -> getStudentProfile -> Student (student.js), via auth middleware; alternate route/mount

283. POST /api/ai/study-plan [backend]

Status / purpose	Active / in use (source call found). Handler: studyPlan. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:9 -> backend/src/controllers/aiController.js:30
Frontend / full URL	studentApi.generateStudyPlan (src/pages/student/StudentDashboard.tsx:721). Local URL: http://localhost:5000/api/ai/study-plan
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: studentContext. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via generateStudyPlan
Call flow / note	studentApi.generateStudyPlan -> POST /api/ai/study-plan -> studyPlan -> generateStudyPlan via Google Gemini

284. POST /api/ai/placement-analysis [backend]

Status / purpose	Active / in use (source call found). Handler: placementAnalysis. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:10 -> backend/src/controllers/aiController.js:53
Frontend / full URL	studentApi.placementAnalysis (src/pages/student/StudentDashboard.tsx:828). Local URL: http://localhost:5000/api/ai/placement-analysis
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: studentContext. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via analyzePlacement
Call flow / note	studentApi.placementAnalysis -> POST /api/ai/placement-analysis -> placementAnalysis -> analyzePlacement via Google Gemini

285. POST /api/ai/ats-score [backend]

Status / purpose	Active / in use (source call found). Handler: atsScore. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:11 -> backend/src/controllers/aiController.js:80
Frontend / full URL	studentApi.atsScore (src/pages/student/StudentDashboard.tsx:1022). Local URL: http://localhost:5000/api/ai/ats-score
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: resumeText. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via analyzeResume
Call flow / note	studentApi.atsScore -> POST /api/ai/ats-score -> atsScore -> analyzeResume via Google Gemini

286. POST /api/ai/skill-gap [backend]

Status / purpose	Active / in use (source call found). Handler: skillGap. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:12 -> backend/src/controllers/aiController.js:103
Frontend / full URL	studentApi.skillGap (src/pages/student/StudentDashboard.tsx:1294). Local URL: http://localhost:5000/api/ai/skill-gap
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: role, studentContext. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via analyzeSkillGap
Call flow / note	studentApi.skillGap -> POST /api/ai/skill-gap -> skillGap -> analyzeSkillGap via Google Gemini

287. POST /api/ai/career-coach [backend]

Status / purpose	Active / in use (source call found). Handler: careerCoach. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:13 -> backend/src/controllers/aiController.js:133
Frontend / full URL	studentApi.careerCoach (src/pages/student/StudentDashboard.tsx:1693). Local URL: http://localhost:5000/api/ai/career-coach
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: question, studentContext. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via careerCoach
Call flow / note	studentApi.careerCoach -> POST /api/ai/career-coach -> careerCoach -> careerCoach via Google Gemini

288. POST /api/ai/resume/summary [backend]

Status / purpose	Active / in use (source call found). Handler: resumeSummary. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:14 -> backend/src/controllers/aiController.js:158
Frontend / full URL	studentApi.generateResumeSummary (src/pages/student/AIResume.tsx:594). Local URL: http://localhost:5000/api/ai/resume/summary
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: resume. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via generateResumeSummary
Call flow / note	studentApi.generateResumeSummary -> POST /api/ai/resume/summary -> resumeSummary -> generateResumeSummary via Google Gemini

289. POST /api/ai/resume/experience [backend]

Status / purpose	Active / in use (source call found). Handler: resumeExperience. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:15 -> backend/src/controllers/aiController.js:167
Frontend / full URL	studentApi.enhanceResumeExperience (src/pages/student/AIResume.tsx:629). Local URL: http://localhost:5000/api/ai/resume/experience
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: experience. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via enhanceResumeExperience
Call flow / note	studentApi.enhanceResumeExperience -> POST /api/ai/resume/experience -> resumeExperience -> enhanceResumeExperience via Google Gemini

290. POST /api/ai/resume/note [backend]

Status / purpose	Active / in use (source call found). Handler: resumeNote. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:16 -> backend/src/controllers/aiController.js:176
Frontend / full URL	studentApi.classifyResumeNote (src/pages/student/AIResume.tsx:659). Local URL: http://localhost:5000/api/ai/resume/note
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: note. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via classifyResumeNote
Call flow / note	studentApi.classifyResumeNote -> POST /api/ai/resume/note -> resumeNote -> classifyResumeNote via Google Gemini

291. POST /api/ai/hiring/interview [backend]

Status / purpose	Implemented; no frontend call found. Handler: hiringInterview. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:17 -> backend/src/controllers/aiController.js:192
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/ai/hiring/interview
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via generateHiringInterview
Call flow / note	No frontend caller found -> POST /api/ai/hiring/interview -> hiringInterview -> generateHiringInterview via Google Gemini

292. POST /api/ai/hiring/questions [backend]

Status / purpose	Implemented; no frontend call found. Handler: hiringQuestions. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:18 -> backend/src/controllers/aiController.js:201
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/ai/hiring/questions
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via generateHiringQuestions
Call flow / note	No frontend caller found -> POST /api/ai/hiring/questions -> hiringQuestions -> generateHiringQuestions via Google Gemini

293. POST /api/ai/hiring/evaluate [backend]

Status / purpose	Implemented; no frontend call found. Handler: hiringEvaluate. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:19 -> backend/src/controllers/aiController.js:210
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/ai/hiring/evaluate
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via evaluateHiringAnswer
Call flow / note	No frontend caller found -> POST /api/ai/hiring/evaluate -> hiringEvaluate -> evaluateHiringAnswer via Google Gemini

294. POST /api/ai/hiring/feedback [backend]

Status / purpose	Implemented; no frontend call found. Handler: hiringFeedback. Runtime behavior not verified.
Route / controller	backend/src/routes/aiRoutes.js:20 -> backend/src/controllers/aiController.js:219
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/ai/hiring/feedback
Auth / authorization	Bearer JWT; student; middleware: studentAuthMiddleware
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON {success, message, data}; data comes from Gemini JSON parsing. 400 for required input on selected operations; 500 on service or parse error. Response structure could not be completely determined from the available code. Codes: 200, 401, 403 (code-observed or middleware; not exhaustive)
Data / external	Student (student.js), via auth middleware; Google Gemini via generateHiringFeedback
Call flow / note	No frontend caller found -> POST /api/ai/hiring/feedback -> hiringFeedback -> generateHiringFeedback via Google Gemini

295. POST /api/auth/register [legacy server]

Status / purpose	Legacy alternate server; runtime unverified. Handler: registerUser. Runtime behavior not verified.
Route / controller	server/routes/authRoutes.js:12 -> server/controllers/authController.js:11
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/auth/register
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, fullName, password, phone, role. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Direct JSON from legacy controller; inspect cited handler for exact fields. Response structure could not be completely determined from the available code. Codes: 200, 201, 400, 500 (code-observed or middleware; not exhaustive)
Data / external	User (User.js)
Call flow / note	No frontend caller found -> POST /api/auth/register -> registerUser -> User (User.js)

296. POST /api/auth/login [legacy server]

Status / purpose	Legacy alternate server; runtime unverified. Handler: loginUser. Runtime behavior not verified.
Route / controller	server/routes/authRoutes.js:13 -> server/controllers/authController.js:132
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/auth/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Direct JSON from legacy controller; inspect cited handler for exact fields. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 500 (code-observed or middleware; not exhaustive)
Data / external	User (User.js)
Call flow / note	No frontend caller found -> POST /api/auth/login -> loginUser -> User (User.js)

297. GET /api/auth/me [legacy server]

Status / purpose	Legacy alternate server; runtime unverified. Handler: getMe. Runtime behavior not verified.
Route / controller	server/routes/authRoutes.js:16 -> server/controllers/authController.js:218
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/auth/me
Auth / authorization	Bearer JWT; legacy user token; middleware: protect
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Direct JSON from legacy controller; inspect cited handler for exact fields. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> GET /api/auth/me -> getMe -> No direct model call found

298. POST /api/admin/login [legacy server]

Status / purpose	Legacy alternate server; runtime unverified. Handler: adminLogin. Runtime behavior not verified.
Route / controller	server/routes/adminAuthRoutes.js:8 -> server/controllers/adminAuthController.js:9
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Direct JSON from legacy controller; inspect cited handler for exact fields. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (Admin.js)
Call flow / note	No frontend caller found -> POST /api/admin/login -> adminLogin -> Admin (Admin.js)

299. POST /api/v1/admin/login [legacy server]

Status / purpose	Legacy alternate server; runtime unverified. Handler: adminLogin. Runtime behavior not verified.
Route / controller	server/routes/adminAuthRoutes.js:8 -> server/controllers/adminAuthController.js:9
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/login
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: email, password. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Direct JSON from legacy controller; inspect cited handler for exact fields. Response structure could not be completely determined from the available code. Codes: 200, 400, 401, 500 (code-observed or middleware; not exhaustive)
Data / external	Admin (Admin.js)
Call flow / note	No frontend caller found -> POST /api/v1/admin/login -> adminLogin -> Admin (Admin.js); alternate route/mount

300. GET /api/admin/me [legacy server]

Status / purpose	Legacy alternate server; runtime unverified. Handler: getAdminProfile. Runtime behavior not verified.
Route / controller	server/routes/adminAuthRoutes.js:11 -> server/controllers/adminAuthController.js:105
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/admin/me
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Direct JSON from legacy controller; inspect cited handler for exact fields. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> GET /api/admin/me -> getAdminProfile -> No direct model call found

301. GET /api/v1/admin/me [legacy server]

Status / purpose	Legacy alternate server; runtime unverified. Handler: getAdminProfile. Runtime behavior not verified.
Route / controller	server/routes/adminAuthRoutes.js:11 -> server/controllers/adminAuthController.js:105
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/api/v1/admin/me
Auth / authorization	Bearer JWT; Admin or Super Admin; middleware: adminAuth
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	Direct JSON from legacy controller; inspect cited handler for exact fields. Response structure could not be completely determined from the available code. Codes: 200, 401, 403, 500 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> GET /api/v1/admin/me -> getAdminProfile -> No direct model call found; alternate route/mount

302. GET / [backend]

Status / purpose	Implemented; no frontend call found. Handler: inline health handler. Runtime behavior not verified.
Route / controller	backend/src/app.js:17 -> backend/src/app.js:17
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON health message; exact shape differs between server entry points. Codes: 200 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> GET / -> inline health handler -> No direct model call found

303. GET / [legacy server]

Status / purpose	Legacy alternate server; runtime unverified. Handler: inline health handler. Runtime behavior not verified.
Route / controller	server/server.js:40 -> server/server.js:40
Frontend / full URL	No frontend page caller found. Local URL: http://localhost:5000/
Auth / authorization	No route auth middleware; middleware: none
Request	Path: none; query: none; body: No named fields detected. JSON Content-Type used by frontend Axios clients; Bearer token for protected paths. No cookie dependency found. No multipart upload middleware found.
Response / codes	200 JSON health message; exact shape differs between server entry points. Codes: 200 (code-observed or middleware; not exhaustive)
Data / external	No direct model call found
Call flow / note	No frontend caller found -> GET / -> inline health handler -> No direct model call found

6. Frontend to backend API mapping

FRONTEND FUNCTION	METHOD	REQUEST PATH	PAGE / COMPONENT	BACKEND HANDLER	MATCH
adminApi.getProfile	GET	/api/admin/profile	src/components/dashboard/admin/views/SettingsView.tsx:39	getAdminProfile	Matched
adminApi.updateProfile	PUT	/api/admin/profile	No page caller found	updateAdminProfile	Matched
adminApi.getDashboardAnalytics	GET	/api/admin/dashboard	src/components/dashboard/admin/views/AdminOverview.tsx:61	getDashboardAnalytics	Matched
adminApi.getStudents	GET	/api/admin/students	src/components/dashboard/admin/views/UserManagement.tsx:44	getAllStudents	Matched
adminApi.getStudentById	GET	/api/admin/students/:id	No page caller found	getStudentById	Matched
adminApi.updateStudent	PUT	/api/admin/students/:id	No page caller found	updateStudent	Matched
adminApi.updateStudentStatus	PATCH	/api/admin/students/:id/status	src/components/dashboard/admin/views/UserManagement.tsx:104	updateStudentStatus	Matched
adminApi.deleteStudent	DELETE	/api/admin/students/:id	src/components/dashboard/admin/views/UserManagement.tsx:125	deleteStudent	Matched
adminApi.getColleges	GET	/api/admin/colleges	src/components/dashboard/admin/views/UserManagement.tsx:56	getAllColleges	Matched
adminApi.getCollegeById	GET	/api/admin/colleges/:id	No page caller found	getCollegeById	Matched
adminApi.createCollege	POST	/api/admin/colleges	No page caller found	createCollege	Matched
adminApi.updateCollege	PUT	/api/admin/colleges/:id	No page caller found	updateCollege	Matched
adminApi.updateCollegeStatus	PATCH	/api/admin/colleges/:id/status	src/components/dashboard/admin/views/UserManagement.tsx:106	updateCollegeStatus	Matched
adminApi.deleteCollege	DELETE	/api/admin/colleges/:id	src/components/dashboard/admin/views/UserManagement.tsx:127	deleteCollege	Matched
adminApi.getRecruiters	GET	/api/admin/recruiters	src/components/dashboard/admin/views/UserManagement.tsx:68	getAllRecruiters	Matched
adminApi.getRecruiterById	GET	/api/admin/recruiters/:id	No page caller found	getRecruiterById	Matched
adminApi.createRecruiter	POST	/api/admin/recruiters	No page caller found	createRecruiter	Matched
adminApi.updateRecruiter	PUT	/api/admin/recruiters/:id	No page caller found	updateRecruiter	Matched
adminApi.updateRecruiterStatus	PATCH	/api/admin/recruiters/:id/status	src/components/dashboard/admin/views/UserManagement.tsx:108	updateRecruiterStatus	Matched
adminApi.deleteRecruiter	DELETE	/api/admin/recruiters/:id	src/components/dashboard/admin/views/UserManagement.tsx:129	deleteRecruiter	Matched
adminApi.getCompanies	GET	/api/admin/companies	No page caller found	getAllCompanies	Matched
adminApi.getProjects	GET	/api/admin/projects	No page caller found	getAllProjects	Matched
adminApi.getProjectById	GET	/api/admin/projects/:id	No page caller found	getProjectById	Matched
adminApi.createProject	POST	/api/admin/projects	No page caller found	createProject	Matched

FRONTEND FUNCTION	METHOD	REQUEST PATH	PAGE / COMPONENT	BACKEND HANDLER	MATCH
adminApi.updateProject	PUT	/api/admin/projects/:id	No page caller found	updateProject	Matched
adminApi.approveProject	PUT	/api/admin/projects/:id/approve	src/components/dashboard/admin/views/VerificationQueue.tsx:104	approveProject	Matched
adminApi.rejectProject	PUT	/api/admin/projects/:id/reject	src/components/dashboard/admin/views/VerificationQueue.tsx:114	rejectProject	Matched
adminApi.deleteProject	DELETE	/api/admin/projects/:id	No page caller found	deleteProject	Matched
adminApi.getVerificationQueue	GET	/api/admin/verifications	src/components/dashboard/admin/views/VerificationQueue.tsx:37	getVerificationQueue	Matched
adminApi.verifyCollege	PUT	/api/admin/verifications/colleges/:id	src/components/dashboard/admin/views/VerificationQueue.tsx:58, src/components/dashboard/admin/views/VerificationQueue.tsx:71	verifyCollege	Matched
adminApi.verifyRecruiter	PUT	/api/admin/verifications/recruiters/:id	src/components/dashboard/admin/views/VerificationQueue.tsx:81, src/components/dashboard/admin/views/VerificationQueue.tsx:94	verifyRecruiter	Matched
adminApi.getPlacementOversight	GET	/api/admin/placements/overview	src/components/dashboard/admin/views/PlacementOversight.tsx:30	getPlacementOversight	Matched
adminApi.getBroadcasts	GET	/api/admin/broadcasts	src/components/dashboard/admin/views/BroadcastControl.tsx:32	getBroadcasts	Matched
adminApi.createBroadcast	POST	/api/admin/broadcasts	src/components/dashboard/admin/views/AdminOverview.tsx:106, src/components/dashboard/admin/views/BroadcastControl.tsx:53	createBroadcast	Matched
adminApi.deleteBroadcast	DELETE	/api/admin/broadcasts/:id	src/components/dashboard/admin/views/BroadcastControl.tsx:74	deleteBroadcast	Matched
adminApi.getContentRoadmaps	GET	/api/admin/content/roadmaps	src/components/dashboard/admin/views/ContentHub.tsx:35	getContentRoadmaps	Matched
adminApi.createContentRoadmap	POST	/api/admin/content/roadmaps	src/components/dashboard/admin/views/ContentHub.tsx:59	createContentRoadmap	Matched
adminApi.updateContentRoadmap	PUT	/api/admin/content/roadmaps/:id	No page caller found	updateContentRoadmap	Matched
adminApi.deleteContentRoadmap	DELETE	/api/admin/content/roadmaps/:id	src/components/dashboard/admin/views/ContentHub.tsx:78	deleteContentRoadmap	Matched
adminApi.getSupportTickets	GET	/api/admin/support/tickets	src/components/dashboard/admin/views/SupportCenter.tsx:49	getSupportTickets	Matched
adminApi.getSupportTicketById	GET	/api/admin/support/tickets/:id	No page caller found	getSupportTicketById	Matched
adminApi.createSupportTicket	POST	/api/admin/support/tickets	src/components/dashboard/admin/views/SupportCenter.tsx:118	createSupportTicket	Matched
adminApi.replySupportTicket	POST	/api/admin/support/tickets/:id/reply	src/components/dashboard/admin/views/SupportCenter.tsx:89	replySupportTicket	Matched
adminApi.updateSupportTicketStatus	PUT	/api/admin/support/tickets/:id/status	src/components/dashboard/admin/views/SupportCenter.tsx:104	updateSupportTicketStatus	Matched
adminApi.getPlatformAnalytics	GET	/api/admin/analytics	src/components/dashboard/admin/views/AnalyticsView.tsx:28	getPlatformAnalytics	Matched
adminApi.getSystemSettings	GET	/api/admin/settings	src/components/dashboard/admin/views/SettingsView.tsx:47	getSystemSettings	Matched

FRONTEND FUNCTION	METHOD	REQUEST PATH	PAGE / COMPONENT	BACKEND HANDLER	MATCH
adminApi.updateSystemSettings	PUT	/api/admin/settings	src/components/dashboard/admin/views/SettingsView.tsx:87	updateSystemSettings	Matched
adminApi.getAdminActivities	GET	/api/admin/activity	No page caller found	getAdminActivities	Matched
studentApi.register	POST	/api/auth/register	No page caller found	registerStudent	Matched
studentApi.login	POST	/api/auth/login	No page caller found	loginStudent	Matched
studentApi.logout	POST	/api/auth/logout	No page caller found	logoutStudent	Matched
studentApi.me	GET	/api/auth/me	No page caller found	getStudentProfile	Matched
studentApi.getProfile	GET	/api/student/profile	src/pages/student/Profile.tsx:260	getStudentProfile	Matched
studentApi.updateProfile	PUT	/api/student/profile	src/pages/student/Profile.tsx:330	updateStudentProfile	Matched
studentApi.uploadProfileImage	PUT	/api/student/profile	No page caller found	updateStudentProfile	Matched
studentApi.getDashboard	GET	/api/student/dashboard	src/pages/student/StudentDashboard.tsx:1830	NO MATCH	Missing in backend/src
studentApi.getSkills	GET	/api/student/skills	No page caller found	getStudentSkills	Matched
studentApi.addSkill	POST	/api/student/skills	No page caller found	addStudentSkill	Matched
studentApi.updateSkill	PUT	/api/student/skills/:id	No page caller found	updateStudentSkill	Matched
studentApi.deleteSkill	DELETE	/api/student/skills/:id	No page caller found	deleteStudentSkill	Matched
studentApi.getProjects	GET	/api/student/projects	No page caller found	NO MATCH	Missing in backend/src
studentApi.applyToProject	POST	/api/student/projects/:projectId/apply	No page caller found	NO MATCH	Missing in backend/src
studentApi.getApplications	GET	/api/student/applications	src/pages/student/Applications.tsx:246	NO MATCH	Missing in backend/src
studentApi.getApplicationDetails	GET	/api/student/applications/:applicationId	No page caller found	NO MATCH	Missing in backend/src
studentApi.withdrawApplication	DELETE	/api/student/applications/:applicationId	No page caller found	NO MATCH	Missing in backend/src
studentApi.getNotifications	GET	/api/student/notifications	src/pages/student/Notifications.tsx:669	NO MATCH	Missing in backend/src
studentApi.markNotificationRead	PATCH	/api/student/notifications/:id/read	src/pages/student/Notifications.tsx:738	NO MATCH	Missing in backend/src
studentApi.markAllNotificationsRead	PATCH	/api/student/notifications/all/read	src/pages/student/Notifications.tsx:757	NO MATCH	Missing in backend/src
studentApi.deleteNotification	DELETE	/api/student/notifications/:id	src/pages/student/Notifications.tsx:774	NO MATCH	Missing in backend/src
studentApi.getCertificates	GET	/api/student/certificates	src/pages/student/Certificates.tsx:213	NO MATCH	Missing in backend/src
studentApi.uploadCertificate	POST	/api/student/certificates	No page caller found	NO MATCH	Missing in backend/src
studentApi.updateCertificate	PUT	/api/student/certificates/:id	No page caller found	NO MATCH	Missing in backend/src
studentApi.deleteCertificate	DELETE	/api/student/certificates/:id	No page caller found	NO MATCH	Missing in backend/src
studentApi.getSettings	GET	/api/student/settings	src/pages/student/Settings.tsx:299	NO MATCH	Missing in backend/src
studentApi.updateSettings	PUT	/api/student/settings	src/pages/student/Notifications.tsx:800, src/pages/student/Notifications.tsx:834, src/pages/student/Settings.tsx:340	NO MATCH	Missing in backend/src
studentApi.getResumeBuilder	GET	/api/student/resume-builder	src/pages/student/AIResume.tsx:501	NO MATCH	Missing in backend/src
studentApi.saveResumeBuilder	PUT	/api/student/resume-builder	src/pages/student/AIResume.tsx:531	NO MATCH	Missing in backend/src

FRONTEND FUNCTION	METHOD	REQUEST PATH	PAGE / COMPONENT	BACKEND HANDLER	MATCH
studentApi.getHiringDrives	GET	/api/student/hiring/drives	No page caller found	NO MATCH	Missing in backend/src
studentApi.startHiringDrive	POST	/api/student/hiring/drives/:projectId/start	src/pages/student/PlacementPrep.tsx:563	NO MATCH	Missing in backend/src
studentApi.generateStudyPlan	POST	/api/ai/study-plan	src/pages/student/StudentDashboard.tsx:721	studyPlan	Matched
studentApi.placementAnalysis	POST	/api/ai/placement-analysis	src/pages/student/StudentDashboard.tsx:828	placementAnalysis	Matched
studentApi.atsScore	POST	/api/ai/ats-score	src/pages/student/StudentDashboard.tsx:1022	atsScore	Matched
studentApi.skillGap	POST	/api/ai/skill-gap	src/pages/student/StudentDashboard.tsx:1294	skillGap	Matched
studentApi.careerCoach	POST	/api/ai/career-coach	src/pages/student/StudentDashboard.tsx:1693	careerCoach	Matched
studentApi.generateResumeSummary	POST	/api/ai/resume/summary	src/pages/student/AIResume.tsx:594	resumeSummary	Matched
studentApi.enhanceResumeExperience	POST	/api/ai/resume/experience	src/pages/student/AIResume.tsx:629	resumeExperience	Matched
studentApi.classifyResumeNote	POST	/api/ai/resume/note	src/pages/student/AIResume.tsx:659	resumeNote	Matched
studentApi.generateHiringInterview	POST	/api/ai/hiring/interview	No page caller found	hiringInterview	Matched
studentApi.generateHiringQuestions	POST	/api/ai/hiring/questions	No page caller found	hiringQuestions	Matched
studentApi.evaluateHiringAnswer	POST	/api/ai/hiring/evaluate	No page caller found	hiringEvaluate	Matched
studentApi.generateHiringFeedback	POST	/api/ai/hiring/feedback	No page caller found	hiringFeedback	Matched
direct axios.AdminLogin	POST	/api/admin/login	src/pages/admin/AdminLogin.tsx:30	loginAdmin	Matched
direct axios.ProtectedAdminRoute	GET	/api/admin/profile	src/components/auth/ProtectedAdminRoute.tsx:21	getAdminProfile	Matched

7. Backend APIs without detected frontend callers

254 current backend paths have no page-level caller. This includes alternate mounts and endpoints intended for clients, tests, or future work. Their future purpose cannot be verified from source. Backend test scripts make HTTP requests to selected admin and college routes; these are test callers, not frontend application callers. No internal HTTP-to-HTTP caller was found in backend/src; controllers call models and helpers directly.

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
POST	/api/v1/admin/login	loginAdmin	Alternate path
POST	/api/admin/auth/login	loginAdmin	Alternate path
POST	/api/v1/admin/auth/login	loginAdmin	Alternate path
GET	/api/v1/admin/profile	getAdminProfile	Alternate path
PUT	/api/admin/profile	updateAdminProfile	Exposed handler; future use unknown
PUT	/api/v1/admin/profile	updateAdminProfile	Alternate path
PATCH	/api/admin/profile	updateAdminProfile	Exposed handler; future use unknown
PATCH	/api/v1/admin/profile	updateAdminProfile	Alternate path

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
POST	/api/admin/register	registerAdmin	Exposed handler; future use unknown
POST	/api/v1/admin/register	registerAdmin	Alternate path
GET	/api/v1/admin/dashboard	getDashboardAnalytics	Alternate path
GET	/api/v1/admin/students	getAllStudents	Alternate path
GET	/api/admin/students/:id	getStudentById	Exposed handler; future use unknown
GET	/api/v1/admin/students/:id	getStudentById	Alternate path
PATCH	/api/v1/admin/students/:id/status	updateStudentStatus	Alternate path
PUT	/api/admin/students/:id	updateStudent	Exposed handler; future use unknown
PUT	/api/v1/admin/students/:id	updateStudent	Alternate path
DELETE	/api/v1/admin/students/:id	deleteStudent	Alternate path
GET	/api/v1/admin/colleges	getAllColleges	Alternate path
POST	/api/admin/colleges	createCollege	Exposed handler; future use unknown
POST	/api/v1/admin/colleges	createCollege	Alternate path
GET	/api/admin/colleges/:id	getCollegeById	Exposed handler; future use unknown
GET	/api/v1/admin/colleges/:id	getCollegeById	Alternate path
PATCH	/api/v1/admin/colleges/:id/status	updateCollegeStatus	Alternate path
PUT	/api/admin/colleges/:id	updateCollege	Exposed handler; future use unknown
PUT	/api/v1/admin/colleges/:id	updateCollege	Alternate path
DELETE	/api/v1/admin/colleges/:id	deleteCollege	Alternate path
GET	/api/v1/admin/recruiters	getAllRecruiters	Alternate path
POST	/api/admin/recruiters	createRecruiter	Exposed handler; future use unknown
POST	/api/v1/admin/recruiters	createRecruiter	Alternate path
GET	/api/admin/recruiters/:id	getRecruiterById	Exposed handler; future use unknown
GET	/api/v1/admin/recruiters/:id	getRecruiterById	Alternate path
PATCH	/api/v1/admin/recruiters/:id/status	updateRecruiterStatus	Alternate path
PUT	/api/admin/recruiters/:id	updateRecruiter	Exposed handler; future use unknown
PUT	/api/v1/admin/recruiters/:id	updateRecruiter	Alternate path
DELETE	/api/v1/admin/recruiters/:id	deleteRecruiter	Alternate path
GET	/api/admin/companies	getAllCompanies	Exposed handler; future use unknown
GET	/api/v1/admin/companies	getAllCompanies	Alternate path
GET	/api/admin/projects	getAllProjects	Exposed handler; future use unknown
GET	/api/v1/admin/projects	getAllProjects	Alternate path

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
POST	/api/admin/projects	createProject	Exposed handler; future use unknown
POST	/api/v1/admin/projects	createProject	Alternate path
PUT	/api/v1/admin/projects/:id/approve	approveProject	Alternate path
PATCH	/api/admin/projects/:id/approve	approveProject	Exposed handler; future use unknown
PATCH	/api/v1/admin/projects/:id/approve	approveProject	Alternate path
PUT	/api/admin/projects/:id/approval	approveProject	Alternate path
PUT	/api/v1/admin/projects/:id/approval	approveProject	Alternate path
PATCH	/api/admin/projects/:id/approval	approveProject	Alternate path
PATCH	/api/v1/admin/projects/:id/approval	approveProject	Alternate path
PUT	/api/v1/admin/projects/:id/reject	rejectProject	Alternate path
PATCH	/api/admin/projects/:id/reject	rejectProject	Exposed handler; future use unknown
PATCH	/api/v1/admin/projects/:id/reject	rejectProject	Alternate path
GET	/api/admin/projects/:id	getProjectById	Exposed handler; future use unknown
GET	/api/v1/admin/projects/:id	getProjectById	Alternate path
PUT	/api/admin/projects/:id	updateProject	Exposed handler; future use unknown
PUT	/api/v1/admin/projects/:id	updateProject	Alternate path
DELETE	/api/admin/projects/:id	deleteProject	Exposed handler; future use unknown
DELETE	/api/v1/admin/projects/:id	deleteProject	Alternate path
GET	/api/v1/admin/verifications	getVerificationQueue	Alternate path
GET	/api/admin/verification-queue	getVerificationQueue	Alternate path
GET	/api/v1/admin/verification-queue	getVerificationQueue	Alternate path
PUT	/api/v1/admin/verifications/colleges/:id	verifyCollege	Alternate path
PATCH	/api/admin/verifications/colleges/:id	verifyCollege	Alternate path
PATCH	/api/v1/admin/verifications/colleges/:id	verifyCollege	Alternate path
PUT	/api/admin/colleges/:id/verify	verifyCollege	Alternate path
PUT	/api/v1/admin/colleges/:id/verify	verifyCollege	Alternate path
PATCH	/api/admin/colleges/:id/verify	verifyCollege	Exposed handler; future use unknown
PATCH	/api/v1/admin/colleges/:id/verify	verifyCollege	Alternate path
PUT	/api/v1/admin/verifications/recruiters/:id	verifyRecruiter	Alternate path
PATCH	/api/admin/verifications/recruiters/:id	verifyRecruiter	Alternate path
PATCH	/api/v1/admin/verifications/recruiters/:id	verifyRecruiter	Alternate path
PUT	/api/admin/recruiters/:id/verify	verifyRecruiter	Alternate path

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
PUT	/api/v1/admin/recruiters/:id/verify	verifyRecruiter	Alternate path
PATCH	/api/admin/recruiters/:id/verify	verifyRecruiter	Exposed handler; future use unknown
PATCH	/api/v1/admin/recruiters/:id/verify	verifyRecruiter	Alternate path
GET	/api/v1/admin/placements/overview	getPlacementOversight	Alternate path
GET	/api/admin/placement-oversight	getPlacementOversight	Alternate path
GET	/api/v1/admin/placement-oversight	getPlacementOversight	Alternate path
GET	/api/v1/admin/broadcasts	getBroadcasts	Alternate path
POST	/api/v1/admin/broadcasts	createBroadcast	Alternate path
DELETE	/api/v1/admin/broadcasts/:id	deleteBroadcast	Alternate path
GET	/api/v1/admin/content/roadmaps	getContentRoadmaps	Alternate path
GET	/api/admin/content-roadmaps	getContentRoadmaps	Alternate path
GET	/api/v1/admin/content-roadmaps	getContentRoadmaps	Alternate path
POST	/api/v1/admin/content/roadmaps	createContentRoadmap	Alternate path
POST	/api/admin/content-roadmaps	createContentRoadmap	Alternate path
POST	/api/v1/admin/content-roadmaps	createContentRoadmap	Alternate path
PUT	/api/admin/content/roadmaps/:id	updateContentRoadmap	Alternate path
PUT	/api/v1/admin/content/roadmaps/:id	updateContentRoadmap	Alternate path
PUT	/api/admin/content-roadmaps/:id	updateContentRoadmap	Exposed handler; future use unknown
PUT	/api/v1/admin/content-roadmaps/:id	updateContentRoadmap	Alternate path
DELETE	/api/v1/admin/content/roadmaps/:id	deleteContentRoadmap	Alternate path
DELETE	/api/admin/content-roadmaps/:id	deleteContentRoadmap	Alternate path
DELETE	/api/v1/admin/content-roadmaps/:id	deleteContentRoadmap	Alternate path
GET	/api/v1/admin/support/tickets	getSupportTickets	Alternate path
GET	/api/admin/support-tickets	getSupportTickets	Alternate path
GET	/api/v1/admin/support-tickets	getSupportTickets	Alternate path
POST	/api/v1/admin/support/tickets	createSupportTicket	Alternate path
POST	/api/admin/support-tickets	createSupportTicket	Alternate path
POST	/api/v1/admin/support-tickets	createSupportTicket	Alternate path
POST	/api/v1/admin/support/tickets/:id/reply	replySupportTicket	Alternate path
POST	/api/admin/support-tickets/:id/reply	replySupportTicket	Alternate path
POST	/api/v1/admin/support-tickets/:id/reply	replySupportTicket	Alternate path
PUT	/api/v1/admin/support/tickets/:id/status	updateSupportTicketStatus	Alternate path

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
PUT	/api/admin/support-tickets/:id/status	updateSupportTicketStatus	Alternate path
PUT	/api/v1/admin/support-tickets/:id/status	updateSupportTicketStatus	Alternate path
GET	/api/admin/support/tickets/:id	getSupportTicketById	Alternate path
GET	/api/v1/admin/support/tickets/:id	getSupportTicketById	Alternate path
GET	/api/admin/support-tickets/:id	getSupportTicketById	Exposed handler; future use unknown
GET	/api/v1/admin/support-tickets/:id	getSupportTicketById	Alternate path
GET	/api/v1/admin/analytics	getPlatformAnalytics	Alternate path
GET	/api/v1/admin/settings	getSystemSettings	Alternate path
PUT	/api/v1/admin/settings	updateSystemSettings	Alternate path
GET	/api/admin/activity	getAdminActivities	Exposed handler; future use unknown
GET	/api/v1/admin/activity	getAdminActivities	Alternate path
POST	/api/college/register	registerCollege	Exposed handler; future use unknown
POST	/api/college/auth/register	registerCollege	Alternate path
POST	/api/college/login	loginCollege	Exposed handler; future use unknown
POST	/api/college/auth/login	loginCollege	Alternate path
GET	/api/college/profile	getCollegeProfile	Exposed handler; future use unknown
PUT	/api/college/profile	updateCollegeProfile	Exposed handler; future use unknown
PATCH	/api/college/profile	updateCollegeProfile	Exposed handler; future use unknown
GET	/api/college/dashboard	getCollegeDashboardStats	Exposed handler; future use unknown
POST	/api/college/students/bulk-import	bulkImportStudents	Exposed handler; future use unknown
GET	/api/college/students/export	exportStudentsCSV	Exposed handler; future use unknown
PATCH	/api/college/students/bulk	bulkUpdateStudents	Exposed handler; future use unknown
POST	/api/college/students	createStudent	Exposed handler; future use unknown
GET	/api/college/students	getAllStudents	Exposed handler; future use unknown
GET	/api/college/students/eligible	getEligibleStudents	Exposed handler; future use unknown
GET	/api/college/students/:id	getStudentById	Exposed handler; future use unknown
PUT	/api/college/students/:id	updateStudent	Exposed handler; future use unknown
PATCH	/api/college/students/:id	updateStudent	Exposed handler; future use unknown
DELETE	/api/college/students/:id	deleteStudent	Exposed handler; future use unknown
GET	/api/college/applications/summary	getApplicationSummary	Exposed handler; future use unknown
GET	/api/college/applications/:id/history	getApplicationStatusHistory	Exposed handler; future use unknown
POST	/api/college/applications	createApplication	Exposed handler; future use unknown

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
GET	/api/college/applications	getAllApplications	Exposed handler; future use unknown
GET	/api/college/applications/:id	getApplicationById	Exposed handler; future use unknown
PUT	/api/college/applications/:id	updateApplication	Exposed handler; future use unknown
PATCH	/api/college/applications/:id	updateApplication	Exposed handler; future use unknown
DELETE	/api/college/applications/:id	deleteApplication	Exposed handler; future use unknown
POST	/api/college/projects	createCollegeProject	Exposed handler; future use unknown
GET	/api/college/projects	getCollegeProjects	Exposed handler; future use unknown
GET	/api/college/projects/:id	getCollegeProjectById	Exposed handler; future use unknown
PUT	/api/college/projects/:id	updateCollegeProject	Exposed handler; future use unknown
DELETE	/api/college/projects/:id	deleteCollegeProject	Exposed handler; future use unknown
POST	/api/college/drives	createPlacementDrive	Exposed handler; future use unknown
GET	/api/college/drives	getPlacementDrives	Exposed handler; future use unknown
GET	/api/college/drives/:id	getPlacementDriveById	Exposed handler; future use unknown
PUT	/api/college/drives/:id	updatePlacementDrive	Exposed handler; future use unknown
DELETE	/api/college/drives/:id	deletePlacementDrive	Exposed handler; future use unknown
GET	/api/college/drives/:driveId/participants	getDriveParticipants	Exposed handler; future use unknown
PATCH	/api/college/drives/:driveId/participants/:participantId	updateParticipantStatus	Exposed handler; future use unknown
GET	/api/college/drives/:driveId/eligible-students	evaluateDriveEligibleStudents	Exposed handler; future use unknown
POST	/api/college/broadcasts	createBroadcast	Exposed handler; future use unknown
GET	/api/college/broadcasts	getBroadcasts	Exposed handler; future use unknown
GET	/api/college/broadcasts/:id	getBroadcastById	Exposed handler; future use unknown
PUT	/api/college/broadcasts/:id	updateBroadcast	Exposed handler; future use unknown
DELETE	/api/college/broadcasts/:id	deleteBroadcast	Exposed handler; future use unknown
GET	/api/college/companies	getCoordinatingCompanies	Exposed handler; future use unknown
GET	/api/college/companies/:id	getCompanyDetailsForCollege	Exposed handler; future use unknown
GET	/api/college/recruiters	getCoordinatingRecruiters	Exposed handler; future use unknown
GET	/api/college/coordination/visits	getCampusVisits	Exposed handler; future use unknown
GET	/api/college/coordination/company-summary	getCompanyPlacementSummary	Exposed handler; future use unknown
GET	/api/college/coordination/recruiter-summary	getRecruiterPlacementSummary	Exposed handler; future use unknown
POST	/api/college/eligibility-presets	createEligibilityPreset	Exposed handler; future use unknown
GET	/api/college/eligibility-presets	getEligibilityPresets	Exposed handler; future use unknown
GET	/api/college/eligibility-presets/:id	getEligibilityPresetById	Exposed handler; future use unknown

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
PUT	/api/college/eligibility-presets/:id	updateEligibilityPreset	Exposed handler; future use unknown
DELETE	/api/college/eligibility-presets/:id	deleteEligibilityPreset	Exposed handler; future use unknown
GET	/api/college/notifications	getCollegeNotifications	Exposed handler; future use unknown
PATCH	/api/college/notifications/read-all	markAllNotificationsAsRead	Exposed handler; future use unknown
PATCH	/api/college/notifications/:id/read	markNotificationAsRead	Exposed handler; future use unknown
DELETE	/api/college/notifications/:id	deleteCollegeNotification	Exposed handler; future use unknown
GET	/api/college/activity-logs	getCollegeActivityLogs	Exposed handler; future use unknown
POST	/api/student/register	registerStudent	Alternate path
POST	/api/students/register	registerStudent	Alternate path
POST	/api/student/login	loginStudent	Alternate path
POST	/api/students/login	loginStudent	Alternate path
POST	/api/student/logout	logoutStudent	Alternate path
POST	/api/students/logout	logoutStudent	Alternate path
POST	/api/student/auth/register	registerStudent	Alternate path
POST	/api/students/auth/register	registerStudent	Alternate path
POST	/api/student/auth/login	loginStudent	Alternate path
POST	/api/students/auth/login	loginStudent	Alternate path
POST	/api/student/auth/logout	logoutStudent	Alternate path
POST	/api/students/auth/logout	logoutStudent	Alternate path
GET	/api/student/auth/me	getStudentProfile	Alternate path
GET	/api/students/auth/me	getStudentProfile	Alternate path
GET	/api/student/me	getStudentProfile	Alternate path
GET	/api/students/me	getStudentProfile	Alternate path
GET	/api/students/profile	getStudentProfile	Alternate path
PUT	/api/students/profile	updateStudentProfile	Alternate path
PATCH	/api/student/profile	updateStudentProfile	Exposed handler; future use unknown
PATCH	/api/students/profile	updateStudentProfile	Alternate path
PUT	/api/student/profile/details	updateStudentProfile	Alternate path
PUT	/api/students/profile/details	updateStudentProfile	Alternate path
PATCH	/api/student/profile/details	updateStudentProfile	Alternate path
PATCH	/api/students/profile/details	updateStudentProfile	Alternate path
PUT	/api/student/profile/education	updateStudentProfile	Alternate path

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
PUT	/api/students/profile/education	updateStudentProfile	Alternate path
PATCH	/api/student/profile/education	updateStudentProfile	Alternate path
PATCH	/api/students/profile/education	updateStudentProfile	Alternate path
GET	/api/student/skills	getStudentSkills	Exposed handler; future use unknown
GET	/api/students/skills	getStudentSkills	Alternate path
POST	/api/student/skills	addStudentSkill	Exposed handler; future use unknown
POST	/api/students/skills	addStudentSkill	Alternate path
PUT	/api/student/skills/:skillId	updateStudentSkill	Exposed handler; future use unknown
PUT	/api/students/skills/:skillId	updateStudentSkill	Alternate path
PATCH	/api/student/skills/:skillId	updateStudentSkill	Exposed handler; future use unknown
PATCH	/api/students/skills/:skillId	updateStudentSkill	Alternate path
DELETE	/api/student/skills/:skillId	deleteStudentSkill	Exposed handler; future use unknown
DELETE	/api/students/skills/:skillId	deleteStudentSkill	Alternate path
GET	/api/student/learning/modules	getLearningModules	Exposed handler; future use unknown
GET	/api/students/learning/modules	getLearningModules	Alternate path
GET	/api/student/learning/progress/history	getLearningProgressHistory	Exposed handler; future use unknown
GET	/api/students/learning/progress/history	getLearningProgressHistory	Alternate path
GET	/api/student/learning/modules/:moduleId/history	getLearningProgressHistory	Alternate path
GET	/api/students/learning/modules/:moduleId/history	getLearningProgressHistory	Alternate path
PUT	/api/student/learning/modules/:moduleId/progress	updateLearningProgress	Exposed handler; future use unknown
PUT	/api/students/learning/modules/:moduleId/progress	updateLearningProgress	Alternate path
PATCH	/api/student/learning/modules/:moduleId/progress	updateLearningProgress	Exposed handler; future use unknown
PATCH	/api/students/learning/modules/:moduleId/progress	updateLearningProgress	Alternate path
POST	/api/student/learning/progress	updateLearningProgress	Exposed handler; future use unknown
POST	/api/students/learning/progress	updateLearningProgress	Alternate path
POST	/api/student/learning/modules/:moduleId/complete	markModuleComplete	Exposed handler; future use unknown
POST	/api/students/learning/modules/:moduleId/complete	markModuleComplete	Alternate path
GET	/api/student/assignments	getAssignments	Exposed handler; future use unknown
GET	/api/students/assignments	getAssignments	Alternate path
POST	/api/student/assignments/submit	submitAssignment	Exposed handler; future use unknown
POST	/api/students/assignments/submit	submitAssignment	Alternate path
POST	/api/student/assignments/:assignmentId/submit	submitAssignment	Alternate path

METHOD	ENDPOINT	CONTROLLER	PURPOSE / OBSERVATION
POST	/api/students/assignments/:assignmentId/submit	submitAssignment	Alternate path
GET	/api/student/quizzes	getQuizzes	Exposed handler; future use unknown
GET	/api/students/quizzes	getQuizzes	Alternate path
POST	/api/student/quizzes/submit	submitQuiz	Exposed handler; future use unknown
POST	/api/students/quizzes/submit	submitQuiz	Alternate path
POST	/api/student/quizzes/:quizId/submit	submitQuiz	Alternate path
POST	/api/students/quizzes/:quizId/submit	submitQuiz	Alternate path
GET	/api/student/skill-score	getSkillScore	Alternate path
GET	/api/students/skill-score	getSkillScore	Alternate path
GET	/api/student/score	getSkillScore	Exposed handler; future use unknown
GET	/api/students/score	getSkillScore	Alternate path
POST	/api/student/skill-score/calculate	calculateAndStoreSkillScore	Exposed handler; future use unknown
POST	/api/students/skill-score/calculate	calculateAndStoreSkillScore	Alternate path
POST	/api/auth/register	registerStudent	Exposed handler; future use unknown
POST	/api/auth/login	loginStudent	Exposed handler; future use unknown
POST	/api/auth/logout	logoutStudent	Exposed handler; future use unknown
GET	/api/auth/me	getStudentProfile	Alternate path
POST	/api/ai/hiring/interview	hiringInterview	Exposed handler; future use unknown
POST	/api/ai/hiring/questions	hiringQuestions	Exposed handler; future use unknown
POST	/api/ai/hiring/evaluate	hiringEvaluate	Exposed handler; future use unknown
POST	/api/ai/hiring/feedback	hiringFeedback	Exposed handler; future use unknown
GET	/	inline health handler	Exposed handler; future use unknown

8. Frontend calls without matching backend APIs

These are service definitions whose method/path cannot be found in backend/src. A page reference makes the mismatch user-facing. The legacy server does not implement them either.

METHOD	FRONTEND REQUEST	SOURCE / PAGE CALLER	ACTUAL BACKEND ENDPOINT	PROBLEM
GET	/api/student/dashboard	src/services/studentApi.ts:129; src/pages/student/StudentDashboard.tsx:1830	None at this method/path	Missing route
GET	/api/student/projects	src/services/studentApi.ts:154; service only	None at this method/path	Missing route
POST	/api/student/projects/:projectId/apply	src/services/studentApi.ts:156; service only	None at this method/path	Missing route
GET	/api/student/applications	src/services/studentApi.ts:159; src/pages/student/Applications.tsx:246	None at this method/path	Missing route

METHOD	FRONTEND REQUEST	SOURCE / PAGE CALLER	ACTUAL BACKEND ENDPOINT	PROBLEM
GET	/api/student/applications/:applicationId	src/services/studentApi.ts:162; service only	None at this method/path	Missing route
DELETE	/api/student/applications/:applicationId	src/services/studentApi.ts:165; service only	None at this method/path	Missing route
GET	/api/student/notifications	src/services/studentApi.ts:174; src/pages/student/Notifications.tsx:669	None at this method/path	Missing route
PATCH	/api/student/notifications/:id/read	src/services/studentApi.ts:176; src/pages/student/Notifications.tsx:738	None at this method/path	Missing route
PATCH	/api/student/notifications/all/read	src/services/studentApi.ts:179; src/pages/student/Notifications.tsx:757	None at this method/path	Missing route
DELETE	/api/student/notifications/:id	src/services/studentApi.ts:182; src/pages/student/Notifications.tsx:774	None at this method/path	Missing route
GET	/api/student/certificates	src/services/studentApi.ts:191; src/pages/student/Certificates.tsx:213	None at this method/path	Missing route
POST	/api/student/certificates	src/services/studentApi.ts:194; service only	None at this method/path	Missing route
PUT	/api/student/certificates/:id	src/services/studentApi.ts:197; service only	None at this method/path	Missing route
DELETE	/api/student/certificates/:id	src/services/studentApi.ts:200; service only	None at this method/path	Missing route
GET	/api/student/settings	src/services/studentApi.ts:209; src/pages/student/Settings.tsx:299	None at this method/path	Missing route
PUT	/api/student/settings	src/services/studentApi.ts:212; src/pages/student/Notifications.tsx:800, src/pages/student/Notifications.tsx:834, src/pages/student/Settings.tsx:340	None at this method/path	Missing route
GET	/api/student/resume-builder	src/services/studentApi.ts:221; src/pages/student/AIResume.tsx:501	None at this method/path	Missing route
PUT	/api/student/resume-builder	src/services/studentApi.ts:224; src/pages/student/AIResume.tsx:531	None at this method/path	Missing route
GET	/api/student/hiring/drives	src/services/studentApi.ts:233; service only	None at this method/path	Missing route
POST	/api/student/hiring/drives/:projectId/start	src/services/studentApi.ts:236; src/pages/student/PlacementPrep.tsx:563	None at this method/path	Missing route

9. Authentication and authorization matrix

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
POST	/api/admin/login	None	public	none
POST	/api/v1/admin/login	None	public	none
POST	/api/admin/auth/login	None	public	none
POST	/api/v1/admin/auth/login	None	public	none
GET	/api/admin/profile	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/profile	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/profile	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/profile	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/profile	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/profile	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/register	Bearer JWT	Super Admin	adminAuth, requireSuperAdmin
POST	/api/v1/admin/register	Bearer JWT	Super Admin	adminAuth, requireSuperAdmin
GET	/api/admin/dashboard	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/dashboard	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/students	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/students	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/students/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/students/:id	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/students/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/students/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/students/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/students/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/admin/students/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/v1/admin/students/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/colleges	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/colleges	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/colleges	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/colleges	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
PATCH	/api/admin/colleges/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/colleges/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/admin/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/v1/admin/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/recruiters	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/recruiters	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/recruiters	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/recruiters	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/recruiters/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/recruiters/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/admin/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/v1/admin/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/companies	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/companies	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/projects	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/projects	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/projects	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/projects	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/projects/:id/approve	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/projects/:id/approve	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/projects/:id/approve	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/projects/:id/approve	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/projects/:id/approval	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/projects/:id/approval	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/projects/:id/approval	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/projects/:id/approval	Bearer JWT	Admin or Super Admin	adminAuth

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
PUT	/api/admin/projects/:id/reject	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/projects/:id/reject	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/projects/:id/reject	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/projects/:id/reject	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/projects/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/projects/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/projects/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/projects/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/admin/projects/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/v1/admin/projects/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/verifications	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/verifications	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/verification-queue	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/verification-queue	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/verifications/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/verifications/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/verifications/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/verifications/colleges/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/colleges/:id/verify	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/colleges/:id/verify	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/colleges/:id/verify	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/colleges/:id/verify	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/verifications/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/verifications/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/verifications/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/verifications/recruiters/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/recruiters/:id/verify	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/recruiters/:id/verify	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/admin/recruiters/:id/verify	Bearer JWT	Admin or Super Admin	adminAuth
PATCH	/api/v1/admin/recruiters/:id/verify	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/placements/overview	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/placements/overview	Bearer JWT	Admin or Super Admin	adminAuth

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
GET	/api/admin/placement-oversight	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/placement-oversight	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/broadcasts	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/broadcasts	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/broadcasts	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/broadcasts	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/admin/broadcasts/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/v1/admin/broadcasts/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/content/roadmaps	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/content/roadmaps	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/content-roadmaps	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/content-roadmaps	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/content/roadmaps	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/content/roadmaps	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/content-roadmaps	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/content-roadmaps	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/content/roadmaps/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/content/roadmaps/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/content-roadmaps/:id	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/content-roadmaps/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/admin/content/roadmaps/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/v1/admin/content/roadmaps/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/admin/content-roadmaps/:id	Bearer JWT	Admin or Super Admin	adminAuth
DELETE	/api/v1/admin/content-roadmaps/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/support/tickets	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/support/tickets	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/support-tickets	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/support-tickets	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/support/tickets	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/support/tickets	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/support-tickets	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/support-tickets	Bearer JWT	Admin or Super Admin	adminAuth

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
POST	/api/admin/support/tickets/:id/reply	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/support/tickets/:id/reply	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/admin/support-tickets/:id/reply	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/v1/admin/support-tickets/:id/reply	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/support/tickets/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/support/tickets/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/support-tickets/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/v1/admin/support-tickets/:id/status	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/support/tickets/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/support/tickets/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/support-tickets/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/support-tickets/:id	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/analytics	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/analytics	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/admin/settings	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/settings	Bearer JWT	Admin or Super Admin	adminAuth
PUT	/api/admin/settings	Bearer JWT	Super Admin	adminAuth, requireSuperAdmin
PUT	/api/v1/admin/settings	Bearer JWT	Super Admin	adminAuth, requireSuperAdmin
GET	/api/admin/activity	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/activity	Bearer JWT	Admin or Super Admin	adminAuth
POST	/api/college/register	None	public	none
POST	/api/college/auth/register	None	public	none
POST	/api/college/login	None	public	none
POST	/api/college/auth/login	None	public	none
GET	/api/college/profile	Bearer JWT	college	collegeAuth
PUT	/api/college/profile	Bearer JWT	college	collegeAuth
PATCH	/api/college/profile	Bearer JWT	college	collegeAuth
GET	/api/college/dashboard	Bearer JWT	college	collegeAuth
POST	/api/college/students/bulk-import	Bearer JWT	college	collegeAuth
GET	/api/college/students/export	Bearer JWT	college	collegeAuth
PATCH	/api/college/students/bulk	Bearer JWT	college	collegeAuth
POST	/api/college/students	Bearer JWT	college	collegeAuth

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
GET	/api/college/students	Bearer JWT	college	collegeAuth
GET	/api/college/students/eligible	Bearer JWT	college	collegeAuth
GET	/api/college/students/:id	Bearer JWT	college	collegeAuth
PUT	/api/college/students/:id	Bearer JWT	college	collegeAuth
PATCH	/api/college/students/:id	Bearer JWT	college	collegeAuth
DELETE	/api/college/students/:id	Bearer JWT	college	collegeAuth
GET	/api/college/applications/summary	Bearer JWT	college	collegeAuth
GET	/api/college/applications/:id/history	Bearer JWT	college	collegeAuth
POST	/api/college/applications	Bearer JWT	college	collegeAuth
GET	/api/college/applications	Bearer JWT	college	collegeAuth
GET	/api/college/applications/:id	Bearer JWT	college	collegeAuth
PUT	/api/college/applications/:id	Bearer JWT	college	collegeAuth
PATCH	/api/college/applications/:id	Bearer JWT	college	collegeAuth
DELETE	/api/college/applications/:id	Bearer JWT	college	collegeAuth
POST	/api/college/projects	Bearer JWT	college	collegeAuth
GET	/api/college/projects	Bearer JWT	college	collegeAuth
GET	/api/college/projects/:id	Bearer JWT	college	collegeAuth
PUT	/api/college/projects/:id	Bearer JWT	college	collegeAuth
DELETE	/api/college/projects/:id	Bearer JWT	college	collegeAuth
POST	/api/college/drives	Bearer JWT	college	collegeAuth
GET	/api/college/drives	Bearer JWT	college	collegeAuth
GET	/api/college/drives/:id	Bearer JWT	college	collegeAuth
PUT	/api/college/drives/:id	Bearer JWT	college	collegeAuth
DELETE	/api/college/drives/:id	Bearer JWT	college	collegeAuth
GET	/api/college/drives/:driveId/participants	Bearer JWT	college	collegeAuth
PATCH	/api/college/drives/:driveId/participants/:participantId	Bearer JWT	college	collegeAuth
GET	/api/college/drives/:driveId/eligible-students	Bearer JWT	college	collegeAuth
POST	/api/college/broadcasts	Bearer JWT	college	collegeAuth
GET	/api/college/broadcasts	Bearer JWT	college	collegeAuth
GET	/api/college/broadcasts/:id	Bearer JWT	college	collegeAuth
PUT	/api/college/broadcasts/:id	Bearer JWT	college	collegeAuth
DELETE	/api/college/broadcasts/:id	Bearer JWT	college	collegeAuth

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
GET	/api/college/companies	Bearer JWT	college	collegeAuth
GET	/api/college/companies/:id	Bearer JWT	college	collegeAuth
GET	/api/college/recruiters	Bearer JWT	college	collegeAuth
GET	/api/college/coordination/visits	Bearer JWT	college	collegeAuth
GET	/api/college/coordination/company-summary	Bearer JWT	college	collegeAuth
GET	/api/college/coordination/recruiter-summary	Bearer JWT	college	collegeAuth
POST	/api/college/eligibility-presets	Bearer JWT	college	collegeAuth
GET	/api/college/eligibility-presets	Bearer JWT	college	collegeAuth
GET	/api/college/eligibility-presets/:id	Bearer JWT	college	collegeAuth
PUT	/api/college/eligibility-presets/:id	Bearer JWT	college	collegeAuth
DELETE	/api/college/eligibility-presets/:id	Bearer JWT	college	collegeAuth
GET	/api/college/notifications	Bearer JWT	college	collegeAuth
PATCH	/api/college/notifications/read-all	Bearer JWT	college	collegeAuth
PATCH	/api/college/notifications/:id/read	Bearer JWT	college	collegeAuth
DELETE	/api/college/notifications/:id	Bearer JWT	college	collegeAuth
GET	/api/college/activity-logs	Bearer JWT	college	collegeAuth
POST	/api/student/register	None	public	none
POST	/api/students/register	None	public	none
POST	/api/student/login	None	public	none
POST	/api/students/login	None	public	none
POST	/api/student/logout	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/logout	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/auth/register	None	public	none
POST	/api/students/auth/register	None	public	none
POST	/api/student/auth/login	None	public	none
POST	/api/students/auth/login	None	public	none
POST	/api/student/auth/logout	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/auth/logout	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/auth/me	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/auth/me	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/me	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/me	Bearer JWT	student	studentAuthMiddleware

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
GET	/api/student/profile	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/profile	Bearer JWT	student	studentAuthMiddleware
PUT	/api/student/profile	Bearer JWT	student	studentAuthMiddleware
PUT	/api/students/profile	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/student/profile	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/students/profile	Bearer JWT	student	studentAuthMiddleware
PUT	/api/student/profile/details	Bearer JWT	student	studentAuthMiddleware
PUT	/api/students/profile/details	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/student/profile/details	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/students/profile/details	Bearer JWT	student	studentAuthMiddleware
PUT	/api/student/profile/education	Bearer JWT	student	studentAuthMiddleware
PUT	/api/students/profile/education	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/student/profile/education	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/students/profile/education	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/skills	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/skills	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/skills	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/skills	Bearer JWT	student	studentAuthMiddleware
PUT	/api/student/skills/skillId	Bearer JWT	student	studentAuthMiddleware
PUT	/api/students/skills/skillId	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/student/skills/skillId	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/students/skills/skillId	Bearer JWT	student	studentAuthMiddleware
DELETE	/api/student/skills/skillId	Bearer JWT	student	studentAuthMiddleware
DELETE	/api/students/skills/skillId	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/learning/modules	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/learning/modules	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/learning/progress/history	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/learning/progress/history	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/learning/modules/:moduleId/history	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/learning/modules/:moduleId/history	Bearer JWT	student	studentAuthMiddleware
PUT	/api/student/learning/modules/:moduleId/progress	Bearer JWT	student	studentAuthMiddleware
PUT	/api/students/learning/modules/:moduleId/progress	Bearer JWT	student	studentAuthMiddleware

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
PATCH	/api/student/learning/modules/:moduleId/progress	Bearer JWT	student	studentAuthMiddleware
PATCH	/api/students/learning/modules/:moduleId/progress	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/learning/progress	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/learning/progress	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/learning/modules/:moduleId/complete	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/learning/modules/:moduleId/complete	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/assignments	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/assignments	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/assignments/submit	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/assignments/submit	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/assignments/:assignmentId/submit	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/assignments/:assignmentId/submit	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/quizzes	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/quizzes	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/quizzes/submit	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/quizzes/submit	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/quizzes/:quizId/submit	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/quizzes/:quizId/submit	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/skill-score	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/skill-score	Bearer JWT	student	studentAuthMiddleware
GET	/api/student/score	Bearer JWT	student	studentAuthMiddleware
GET	/api/students/score	Bearer JWT	student	studentAuthMiddleware
POST	/api/student/skill-score/calculate	Bearer JWT	student	studentAuthMiddleware
POST	/api/students/skill-score/calculate	Bearer JWT	student	studentAuthMiddleware
POST	/api/auth/register	None	public	none
POST	/api/auth/login	None	public	none
POST	/api/auth/logout	Bearer JWT	student	studentAuthMiddleware
GET	/api/auth/me	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/study-plan	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/placement-analysis	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/ats-score	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/skill-gap	Bearer JWT	student	studentAuthMiddleware

METHOD	ENDPOINT	AUTHENTICATION	REQUIRED ROLE	MIDDLEWARE
POST	/api/ai/career-coach	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/resume/summary	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/resume/experience	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/resume/note	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/hiring/interview	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/hiring/questions	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/hiring/evaluate	Bearer JWT	student	studentAuthMiddleware
POST	/api/ai/hiring/feedback	Bearer JWT	student	studentAuthMiddleware
POST	/api/auth/register	None	public	none
POST	/api/auth/login	None	public	none
GET	/api/auth/me	Bearer JWT	legacy user token	protect
POST	/api/admin/login	None	public	none
POST	/api/v1/admin/login	None	public	none
GET	/api/admin/me	Bearer JWT	Admin or Super Admin	adminAuth
GET	/api/v1/admin/me	Bearer JWT	Admin or Super Admin	adminAuth
GET	/	None	public	none
GET	/	None	public	none

10. Database / API mapping

Models are direct controller references plus the Student lookup in student auth middleware. Some handlers write audit/activity records through helpers; inspect the cited controller and helper for those secondary effects.

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
POST	/api/admin/login	loginAdmin	Admin (admin.js)	CREATE / ACTION
POST	/api/v1/admin/login	loginAdmin	Admin (admin.js)	CREATE / ACTION
POST	/api/admin/auth/login	loginAdmin	Admin (admin.js)	CREATE / ACTION
POST	/api/v1/admin/auth/login	loginAdmin	Admin (admin.js)	CREATE / ACTION
GET	/api/admin/profile	getAdminProfile	No direct model call found	READ
GET	/api/v1/admin/profile	getAdminProfile	No direct model call found	READ
PUT	/api/admin/profile	updateAdminProfile	Admin (admin.js)	UPDATE
PUT	/api/v1/admin/profile	updateAdminProfile	Admin (admin.js)	UPDATE
PATCH	/api/admin/profile	updateAdminProfile	Admin (admin.js)	UPDATE

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
PATCH	/api/v1/admin/profile	updateAdminProfile	Admin (admin.js)	UPDATE
POST	/api/admin/register	registerAdmin	Admin (admin.js)	CREATE / ACTION
POST	/api/v1/admin/register	registerAdmin	Admin (admin.js)	CREATE / ACTION
GET	/api/admin/dashboard	getDashboardAnalytics	Application (application.js), Broadcast (broadcast.js), College (college.js), Company (company.js), PlacementDrive (placementDrive.js), Project (project.js), Recruiter (recruiter.js), Student (student.js), SupportTicket (supportTicket.js)	READ
GET	/api/v1/admin/dashboard	getDashboardAnalytics	Application (application.js), Broadcast (broadcast.js), College (college.js), Company (company.js), PlacementDrive (placementDrive.js), Project (project.js), Recruiter (recruiter.js), Student (student.js), SupportTicket (supportTicket.js)	READ
GET	/api/admin/students	getAllStudents	Student (student.js)	READ
GET	/api/v1/admin/students	getAllStudents	Student (student.js)	READ
GET	/api/admin/students/:id	getStudentById	Student (student.js)	READ
GET	/api/v1/admin/students/:id	getStudentById	Student (student.js)	READ
PATCH	/api/admin/students/:id/status	updateStudentStatus	Student (student.js)	UPDATE
PATCH	/api/v1/admin/students/:id/status	updateStudentStatus	Student (student.js)	UPDATE
PUT	/api/admin/students/:id	updateStudent	Student (student.js)	UPDATE
PUT	/api/v1/admin/students/:id	updateStudent	Student (student.js)	UPDATE
DELETE	/api/admin/students/:id	deleteStudent	Application (application.js), Student (student.js)	DELETE
DELETE	/api/v1/admin/students/:id	deleteStudent	Application (application.js), Student (student.js)	DELETE
GET	/api/admin/colleges	getAllColleges	College (college.js)	READ
GET	/api/v1/admin/colleges	getAllColleges	College (college.js)	READ
POST	/api/admin/colleges	createCollege	College (college.js)	CREATE / ACTION
POST	/api/v1/admin/colleges	createCollege	College (college.js)	CREATE / ACTION
GET	/api/admin/colleges/:id	getCollegeById	College (college.js)	READ
GET	/api/v1/admin/colleges/:id	getCollegeById	College (college.js)	READ
PATCH	/api/admin/colleges/:id/status	updateCollegeStatus	College (college.js)	UPDATE
PATCH	/api/v1/admin/colleges/:id/status	updateCollegeStatus	College (college.js)	UPDATE
PUT	/api/admin/colleges/:id	updateCollege	College (college.js)	UPDATE
PUT	/api/v1/admin/colleges/:id	updateCollege	College (college.js)	UPDATE
DELETE	/api/admin/colleges/:id	deleteCollege	College (college.js)	DELETE
DELETE	/api/v1/admin/colleges/:id	deleteCollege	College (college.js)	DELETE
GET	/api/admin/recruiters	getAllRecruiters	Recruiter (recruiter.js)	READ
GET	/api/v1/admin/recruiters	getAllRecruiters	Recruiter (recruiter.js)	READ

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
POST	/api/admin/recruiters	createRecruiter	Recruiter (recruiter.js)	CREATE / ACTION
POST	/api/v1/admin/recruiters	createRecruiter	Recruiter (recruiter.js)	CREATE / ACTION
GET	/api/admin/recruiters/:id	getRecruiterById	Recruiter (recruiter.js)	READ
GET	/api/v1/admin/recruiters/:id	getRecruiterById	Recruiter (recruiter.js)	READ
PATCH	/api/admin/recruiters/:id/status	updateRecruiterStatus	Recruiter (recruiter.js)	UPDATE
PATCH	/api/v1/admin/recruiters/:id/status	updateRecruiterStatus	Recruiter (recruiter.js)	UPDATE
PUT	/api/admin/recruiters/:id	updateRecruiter	Recruiter (recruiter.js)	UPDATE
PUT	/api/v1/admin/recruiters/:id	updateRecruiter	Recruiter (recruiter.js)	UPDATE
DELETE	/api/admin/recruiters/:id	deleteRecruiter	Recruiter (recruiter.js)	DELETE
DELETE	/api/v1/admin/recruiters/:id	deleteRecruiter	Recruiter (recruiter.js)	DELETE
GET	/api/admin/companies	getAllCompanies	Company (company.js)	READ
GET	/api/v1/admin/companies	getAllCompanies	Company (company.js)	READ
GET	/api/admin/projects	getAllProjects	Project (project.js)	READ
GET	/api/v1/admin/projects	getAllProjects	Project (project.js)	READ
POST	/api/admin/projects	createProject	Project (project.js)	CREATE / ACTION
POST	/api/v1/admin/projects	createProject	Project (project.js)	CREATE / ACTION
PUT	/api/admin/projects/:id/approve	approveProject	Project (project.js)	UPDATE
PUT	/api/v1/admin/projects/:id/approve	approveProject	Project (project.js)	UPDATE
PATCH	/api/admin/projects/:id/approve	approveProject	Project (project.js)	UPDATE
PATCH	/api/v1/admin/projects/:id/approve	approveProject	Project (project.js)	UPDATE
PUT	/api/admin/projects/:id/approval	approveProject	Project (project.js)	UPDATE
PUT	/api/v1/admin/projects/:id/approval	approveProject	Project (project.js)	UPDATE
PATCH	/api/admin/projects/:id/approval	approveProject	Project (project.js)	UPDATE
PATCH	/api/v1/admin/projects/:id/approval	approveProject	Project (project.js)	UPDATE
PUT	/api/admin/projects/:id/reject	rejectProject	Project (project.js)	UPDATE
PUT	/api/v1/admin/projects/:id/reject	rejectProject	Project (project.js)	UPDATE
PATCH	/api/admin/projects/:id/reject	rejectProject	Project (project.js)	UPDATE
PATCH	/api/v1/admin/projects/:id/reject	rejectProject	Project (project.js)	UPDATE
GET	/api/admin/projects/:id	getProjectById	Project (project.js)	READ
GET	/api/v1/admin/projects/:id	getProjectById	Project (project.js)	READ
PUT	/api/admin/projects/:id	updateProject	Project (project.js)	UPDATE
PUT	/api/v1/admin/projects/:id	updateProject	Project (project.js)	UPDATE

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
DELETE	/api/admin/projects/:id	deleteProject	Application (application.js), Project (project.js)	DELETE
DELETE	/api/v1/admin/projects/:id	deleteProject	Application (application.js), Project (project.js)	DELETE
GET	/api/admin/verifications	getVerificationQueue	College (college.js), Project (project.js), Recruiter (recruiter.js)	READ
GET	/api/v1/admin/verifications	getVerificationQueue	College (college.js), Project (project.js), Recruiter (recruiter.js)	READ
GET	/api/admin/verification-queue	getVerificationQueue	College (college.js), Project (project.js), Recruiter (recruiter.js)	READ
GET	/api/v1/admin/verification-queue	getVerificationQueue	College (college.js), Project (project.js), Recruiter (recruiter.js)	READ
PUT	/api/admin/verifications/colleges/:id	verifyCollege	College (college.js)	UPDATE
PUT	/api/v1/admin/verifications/colleges/:id	verifyCollege	College (college.js)	UPDATE
PATCH	/api/admin/verifications/colleges/:id	verifyCollege	College (college.js)	UPDATE
PATCH	/api/v1/admin/verifications/colleges/:id	verifyCollege	College (college.js)	UPDATE
PUT	/api/admin/colleges/:id/verify	verifyCollege	College (college.js)	UPDATE
PUT	/api/v1/admin/colleges/:id/verify	verifyCollege	College (college.js)	UPDATE
PATCH	/api/admin/colleges/:id/verify	verifyCollege	College (college.js)	UPDATE
PATCH	/api/v1/admin/colleges/:id/verify	verifyCollege	College (college.js)	UPDATE
PUT	/api/admin/verifications/recruiters/:id	verifyRecruiter	Recruiter (recruiter.js)	UPDATE
PUT	/api/v1/admin/verifications/recruiters/:id	verifyRecruiter	Recruiter (recruiter.js)	UPDATE
PATCH	/api/admin/verifications/recruiters/:id	verifyRecruiter	Recruiter (recruiter.js)	UPDATE
PATCH	/api/v1/admin/verifications/recruiters/:id	verifyRecruiter	Recruiter (recruiter.js)	UPDATE
PUT	/api/admin/recruiters/:id/verify	verifyRecruiter	Recruiter (recruiter.js)	UPDATE
PUT	/api/v1/admin/recruiters/:id/verify	verifyRecruiter	Recruiter (recruiter.js)	UPDATE
PATCH	/api/admin/recruiters/:id/verify	verifyRecruiter	Recruiter (recruiter.js)	UPDATE
PATCH	/api/v1/admin/recruiters/:id/verify	verifyRecruiter	Recruiter (recruiter.js)	UPDATE
GET	/api/admin/placements/overview	getPlacementOversight	Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)	READ
GET	/api/v1/admin/placements/overview	getPlacementOversight	Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)	READ
GET	/api/admin/placement-oversight	getPlacementOversight	Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)	READ
GET	/api/v1/admin/placement-oversight	getPlacementOversight	Application (application.js), College (college.js), PlacementDrive (placementDrive.js), Project (project.js)	READ
GET	/api/admin/broadcasts	getBroadcasts	Broadcast (broadcast.js)	READ
GET	/api/v1/admin/broadcasts	getBroadcasts	Broadcast (broadcast.js)	READ
POST	/api/admin/broadcasts	createBroadcast	Broadcast (broadcast.js)	CREATE / ACTION
POST	/api/v1/admin/broadcasts	createBroadcast	Broadcast (broadcast.js)	CREATE / ACTION

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
DELETE	/api/admin/broadcasts/:id	deleteBroadcast	Broadcast (broadcast.js)	DELETE
DELETE	/api/v1/admin/broadcasts/:id	deleteBroadcast	Broadcast (broadcast.js)	DELETE
GET	/api/admin/content/roadmaps	getContentRoadmaps	ContentRoadmap (contentRoadmap.js)	READ
GET	/api/v1/admin/content/roadmaps	getContentRoadmaps	ContentRoadmap (contentRoadmap.js)	READ
GET	/api/admin/content-roadmaps	getContentRoadmaps	ContentRoadmap (contentRoadmap.js)	READ
GET	/api/v1/admin/content-roadmaps	getContentRoadmaps	ContentRoadmap (contentRoadmap.js)	READ
POST	/api/admin/content/roadmaps	createContentRoadmap	ContentRoadmap (contentRoadmap.js)	CREATE / ACTION
POST	/api/v1/admin/content/roadmaps	createContentRoadmap	ContentRoadmap (contentRoadmap.js)	CREATE / ACTION
POST	/api/admin/content-roadmaps	createContentRoadmap	ContentRoadmap (contentRoadmap.js)	CREATE / ACTION
POST	/api/v1/admin/content-roadmaps	createContentRoadmap	ContentRoadmap (contentRoadmap.js)	CREATE / ACTION
PUT	/api/admin/content/roadmaps/:id	updateContentRoadmap	ContentRoadmap (contentRoadmap.js)	UPDATE
PUT	/api/v1/admin/content/roadmaps/:id	updateContentRoadmap	ContentRoadmap (contentRoadmap.js)	UPDATE
PUT	/api/admin/content-roadmaps/:id	updateContentRoadmap	ContentRoadmap (contentRoadmap.js)	UPDATE
PUT	/api/v1/admin/content-roadmaps/:id	updateContentRoadmap	ContentRoadmap (contentRoadmap.js)	UPDATE
DELETE	/api/admin/content/roadmaps/:id	deleteContentRoadmap	ContentRoadmap (contentRoadmap.js)	DELETE
DELETE	/api/v1/admin/content/roadmaps/:id	deleteContentRoadmap	ContentRoadmap (contentRoadmap.js)	DELETE
DELETE	/api/admin/content-roadmaps/:id	deleteContentRoadmap	ContentRoadmap (contentRoadmap.js)	DELETE
DELETE	/api/v1/admin/content-roadmaps/:id	deleteContentRoadmap	ContentRoadmap (contentRoadmap.js)	DELETE
GET	/api/admin/support/tickets	getSupportTickets	SupportTicket (supportTicket.js)	READ
GET	/api/v1/admin/support/tickets	getSupportTickets	SupportTicket (supportTicket.js)	READ
GET	/api/admin/support-tickets	getSupportTickets	SupportTicket (supportTicket.js)	READ
GET	/api/v1/admin/support-tickets	getSupportTickets	SupportTicket (supportTicket.js)	READ
POST	/api/admin/support/tickets	createSupportTicket	SupportTicket (supportTicket.js)	CREATE / ACTION
POST	/api/v1/admin/support/tickets	createSupportTicket	SupportTicket (supportTicket.js)	CREATE / ACTION
POST	/api/admin/support-tickets	createSupportTicket	SupportTicket (supportTicket.js)	CREATE / ACTION
POST	/api/v1/admin/support-tickets	createSupportTicket	SupportTicket (supportTicket.js)	CREATE / ACTION
POST	/api/admin/support/tickets/:id/reply	replySupportTicket	SupportTicket (supportTicket.js)	CREATE / ACTION
POST	/api/v1/admin/support/tickets/:id/reply	replySupportTicket	SupportTicket (supportTicket.js)	CREATE / ACTION
POST	/api/admin/support-tickets/:id/reply	replySupportTicket	SupportTicket (supportTicket.js)	CREATE / ACTION
POST	/api/v1/admin/support-tickets/:id/reply	replySupportTicket	SupportTicket (supportTicket.js)	CREATE / ACTION
PUT	/api/admin/support/tickets/:id/status	updateSupportTicketStatus	SupportTicket (supportTicket.js)	UPDATE
PUT	/api/v1/admin/support/tickets/:id/status	updateSupportTicketStatus	SupportTicket (supportTicket.js)	UPDATE

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
PUT	/api/admin/support-tickets/:id/status	updateSupportTicketStatus	SupportTicket (supportTicket.js)	UPDATE
PUT	/api/v1/admin/support-tickets/:id/status	updateSupportTicketStatus	SupportTicket (supportTicket.js)	UPDATE
GET	/api/admin/support/tickets/:id	getSupportTicketById	SupportTicket (supportTicket.js)	READ
GET	/api/v1/admin/support/tickets/:id	getSupportTicketById	SupportTicket (supportTicket.js)	READ
GET	/api/admin/support-tickets/:id	getSupportTicketById	SupportTicket (supportTicket.js)	READ
GET	/api/v1/admin/support-tickets/:id	getSupportTicketById	SupportTicket (supportTicket.js)	READ
GET	/api/admin/analytics	getPlatformAnalytics	Application (application.js), College (college.js), Recruiter (recruiter.js), Student (student.js)	READ
GET	/api/v1/admin/analytics	getPlatformAnalytics	Application (application.js), College (college.js), Recruiter (recruiter.js), Student (student.js)	READ
GET	/api/admin/settings	getSystemSettings	SystemSetting (systemSetting.js)	READ
GET	/api/v1/admin/settings	getSystemSettings	SystemSetting (systemSetting.js)	READ
PUT	/api/admin/settings	updateSystemSettings	SystemSetting (systemSetting.js)	UPDATE
PUT	/api/v1/admin/settings	updateSystemSettings	SystemSetting (systemSetting.js)	UPDATE
GET	/api/admin/activity	getAdminActivities	AdminActivity (adminActivity.js)	READ
GET	/api/v1/admin/activity	getAdminActivities	AdminActivity (adminActivity.js)	READ
POST	/api/college/register	registerCollege	College (college.js)	CREATE / ACTION
POST	/api/college/auth/register	registerCollege	College (college.js)	CREATE / ACTION
POST	/api/college/login	loginCollege	College (college.js)	CREATE / ACTION
POST	/api/college/auth/login	loginCollege	College (college.js)	CREATE / ACTION
GET	/api/college/profile	getCollegeProfile	No direct model call found	READ
PUT	/api/college/profile	updateCollegeProfile	No direct model call found	UPDATE
PATCH	/api/college/profile	updateCollegeProfile	No direct model call found	UPDATE
GET	/api/college/dashboard	getCollegeDashboardStats	Application (application.js), Project (project.js), Student (student.js)	READ
POST	/api/college/students/bulk-import	bulkImportStudents	College (college.js), Student (student.js)	CREATE / ACTION
GET	/api/college/students/export	exportStudentsCSV	Student (student.js)	READ
PATCH	/api/college/students/bulk	bulkUpdateStudents	Student (student.js)	UPDATE
POST	/api/college/students	createStudent	College (college.js), Student (student.js)	CREATE / ACTION
GET	/api/college/students	getAllStudents	Student (student.js)	READ
GET	/api/college/students/eligible	getEligibleStudents	Student (student.js)	READ
GET	/api/college/students/:id	getStudentById	Student (student.js)	READ
PUT	/api/college/students/:id	updateStudent	Student (student.js)	UPDATE
PATCH	/api/college/students/:id	updateStudent	Student (student.js)	UPDATE

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
DELETE	/api/college/students/:id	deleteStudent	Student (student.js)	DELETE
GET	/api/college/applications/summary	getApplicationSummary	Application (application.js), Student (student.js)	READ
GET	/api/college/applications/:id/history	getApplicationStatusHistory	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)	READ
POST	/api/college/applications	createApplication	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)	CREATE / ACTION
GET	/api/college/applications	getAllApplications	Application (application.js), Student (student.js)	READ
GET	/api/college/applications/:id	getApplicationById	Application (application.js)	READ
PUT	/api/college/applications/:id	updateApplication	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)	UPDATE
PATCH	/api/college/applications/:id	updateApplication	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)	UPDATE
DELETE	/api/college/applications/:id	deleteApplication	Application (application.js), ApplicationStatusHistory (applicationStatusHistory.js)	DELETE
POST	/api/college/projects	createCollegeProject	Project (project.js)	CREATE / ACTION
GET	/api/college/projects	getCollegeProjects	Project (project.js)	READ
GET	/api/college/projects/:id	getCollegeProjectById	Project (project.js)	READ
PUT	/api/college/projects/:id	updateCollegeProject	Project (project.js)	UPDATE
DELETE	/api/college/projects/:id	deleteCollegeProject	Project (project.js)	DELETE
POST	/api/college/drives	createPlacementDrive	PlacementDrive (placementDrive.js)	CREATE / ACTION
GET	/api/college/drives	getPlacementDrives	PlacementDrive (placementDrive.js)	READ
GET	/api/college/drives/:id	getPlacementDriveById	PlacementDrive (placementDrive.js)	READ
PUT	/api/college/drives/:id	updatePlacementDrive	PlacementDrive (placementDrive.js)	UPDATE
DELETE	/api/college/drives/:id	deletePlacementDrive	PlacementDrive (placementDrive.js)	DELETE
GET	/api/college/drives/:driveId/participants	getDriveParticipants	Application (application.js), PlacementDrive (placementDrive.js)	READ
PATCH	/api/college/drives/:driveId/participants/:participantId	updateParticipantStatus	Application (application.js), PlacementDrive (placementDrive.js)	UPDATE
GET	/api/college/drives/:driveId/eligible-students	evaluateDriveEligibleStudents	PlacementDrive (placementDrive.js), Student (student.js)	READ
POST	/api/college/broadcasts	createBroadcast	Broadcast (broadcast.js)	CREATE / ACTION
GET	/api/college/broadcasts	getBroadcasts	Broadcast (broadcast.js)	READ
GET	/api/college/broadcasts/:id	getBroadcastById	Broadcast (broadcast.js)	READ
PUT	/api/college/broadcasts/:id	updateBroadcast	Broadcast (broadcast.js)	UPDATE
DELETE	/api/college/broadcasts/:id	deleteBroadcast	Broadcast (broadcast.js)	DELETE
GET	/api/college/companies	getCoordinatingCompanies	Company (company.js), PlacementDrive (placementDrive.js)	READ
GET	/api/college/companies/:id	getCompanyDetailsForCollege	Company (company.js), PlacementDrive (placementDrive.js)	READ

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
GET	/api/college/recruiters	getCoordinatingRecruiters	Recruiter (recruiter.js)	READ
GET	/api/college/coordination/visits	getCampusVisits	PlacementDrive (placementDrive.js)	READ
GET	/api/college/coordination/company-summary	getCompanyPlacementSummary	Application (application.js), Company (company.js), PlacementDrive (placementDrive.js)	READ
GET	/api/college/coordination/recruiter-summary	getRecruiterPlacementSummary	PlacementDrive (placementDrive.js), Recruiter (recruiter.js)	READ
POST	/api/college/eligibility-presets	createEligibilityPreset	EligibilityPreset (eligibilityPreset.js)	CREATE / ACTION
GET	/api/college/eligibility-presets	getEligibilityPresets	EligibilityPreset (eligibilityPreset.js)	READ
GET	/api/college/eligibility-presets/:id	getEligibilityPresetById	EligibilityPreset (eligibilityPreset.js)	READ
PUT	/api/college/eligibility-presets/:id	updateEligibilityPreset	EligibilityPreset (eligibilityPreset.js)	UPDATE
DELETE	/api/college/eligibility-presets/:id	deleteEligibilityPreset	EligibilityPreset (eligibilityPreset.js)	DELETE
GET	/api/college/notifications	getCollegeNotifications	CollegeNotification (collegeNotification.js)	READ
PATCH	/api/college/notifications/read-all	markAllNotificationsAsRead	CollegeNotification (collegeNotification.js)	UPDATE
PATCH	/api/college/notifications/:id/read	markNotificationAsRead	CollegeNotification (collegeNotification.js)	UPDATE
DELETE	/api/college/notifications/:id	deleteCollegeNotification	CollegeNotification (collegeNotification.js)	DELETE
GET	/api/college/activity-logs	getCollegeActivityLogs	CollegeActivityLog (collegeActivityLog.js)	READ
POST	/api/student/register	registerStudent	Student (student.js)	CREATE / ACTION
POST	/api/students/register	registerStudent	Student (student.js)	CREATE / ACTION
POST	/api/student/login	loginStudent	Student (student.js)	CREATE / ACTION
POST	/api/students/login	loginStudent	Student (student.js)	CREATE / ACTION
POST	/api/student/logout	logoutStudent	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/logout	logoutStudent	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/student/auth/register	registerStudent	Student (student.js)	CREATE / ACTION
POST	/api/students/auth/register	registerStudent	Student (student.js)	CREATE / ACTION
POST	/api/student/auth/login	loginStudent	Student (student.js)	CREATE / ACTION
POST	/api/students/auth/login	loginStudent	Student (student.js)	CREATE / ACTION
POST	/api/student/auth/logout	logoutStudent	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/auth/logout	logoutStudent	Student (student.js), via auth middleware	CREATE / ACTION
GET	/api/student/auth/me	getStudentProfile	Student (student.js), via auth middleware	READ
GET	/api/students/auth/me	getStudentProfile	Student (student.js), via auth middleware	READ
GET	/api/student/me	getStudentProfile	Student (student.js), via auth middleware	READ
GET	/api/students/me	getStudentProfile	Student (student.js), via auth middleware	READ
GET	/api/student/profile	getStudentProfile	Student (student.js), via auth middleware	READ
GET	/api/students/profile	getStudentProfile	Student (student.js), via auth middleware	READ

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
PUT	/api/student/profile	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PUT	/api/students/profile	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PATCH	/api/student/profile	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PATCH	/api/students/profile	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PUT	/api/student/profile/details	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PUT	/api/students/profile/details	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PATCH	/api/student/profile/details	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PATCH	/api/students/profile/details	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PUT	/api/student/profile/education	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PUT	/api/students/profile/education	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PATCH	/api/student/profile/education	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
PATCH	/api/students/profile/education	updateStudentProfile	Student (student.js), via auth middleware	UPDATE
GET	/api/student/skills	getStudentSkills	Student (student.js), via auth middleware	READ
GET	/api/students/skills	getStudentSkills	Student (student.js), via auth middleware	READ
POST	/api/student/skills	addStudentSkill	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/skills	addStudentSkill	Student (student.js), via auth middleware	CREATE / ACTION
PUT	/api/student/skills/:skillId	updateStudentSkill	Student (student.js), via auth middleware	UPDATE
PUT	/api/students/skills/:skillId	updateStudentSkill	Student (student.js), via auth middleware	UPDATE
PATCH	/api/student/skills/:skillId	updateStudentSkill	Student (student.js), via auth middleware	UPDATE
PATCH	/api/students/skills/:skillId	updateStudentSkill	Student (student.js), via auth middleware	UPDATE
DELETE	/api/student/skills/:skillId	deleteStudentSkill	Student (student.js), via auth middleware	DELETE
DELETE	/api/students/skills/:skillId	deleteStudentSkill	Student (student.js), via auth middleware	DELETE
GET	/api/student/learning/modules	getLearningModules	Student (student.js), via auth middleware	READ
GET	/api/students/learning/modules	getLearningModules	Student (student.js), via auth middleware	READ
GET	/api/student/learning/progress/history	getLearningProgressHistory	Student (student.js), via auth middleware	READ
GET	/api/students/learning/progress/history	getLearningProgressHistory	Student (student.js), via auth middleware	READ
GET	/api/student/learning/modules/:moduleId/history	getLearningProgressHistory	Student (student.js), via auth middleware	READ
GET	/api/students/learning/modules/:moduleId/history	getLearningProgressHistory	Student (student.js), via auth middleware	READ
PUT	/api/student/learning/modules/:moduleId/progress	updateLearningProgress	Student (student.js), via auth middleware	UPDATE
PUT	/api/students/learning/modules/:moduleId/progress	updateLearningProgress	Student (student.js), via auth middleware	UPDATE
PATCH	/api/student/learning/modules/:moduleId/progress	updateLearningProgress	Student (student.js), via auth middleware	UPDATE
PATCH	/api/students/learning/modules/:moduleId/progress	updateLearningProgress	Student (student.js), via auth middleware	UPDATE

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
POST	/api/student/learning/progress	updateLearningProgress	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/learning/progress	updateLearningProgress	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/student/learning/modules/:moduleId/complete	markModuleComplete	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/learning/modules/:moduleId/complete	markModuleComplete	Student (student.js), via auth middleware	CREATE / ACTION
GET	/api/student/assignments	getAssignments	Student (student.js), via auth middleware	READ
GET	/api/students/assignments	getAssignments	Student (student.js), via auth middleware	READ
POST	/api/student/assignments/submit	submitAssignment	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/assignments/submit	submitAssignment	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/student/assignments/:assignmentId/submit	submitAssignment	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/assignments/:assignmentId/submit	submitAssignment	Student (student.js), via auth middleware	CREATE / ACTION
GET	/api/student/quizzes	getQuizzes	Student (student.js), via auth middleware	READ
GET	/api/students/quizzes	getQuizzes	Student (student.js), via auth middleware	READ
POST	/api/student/quizzes/submit	submitQuiz	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/quizzes/submit	submitQuiz	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/student/quizzes/:quizId/submit	submitQuiz	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/quizzes/:quizId/submit	submitQuiz	Student (student.js), via auth middleware	CREATE / ACTION
GET	/api/student/skill-score	getSkillScore	Student (student.js), via auth middleware	READ
GET	/api/students/skill-score	getSkillScore	Student (student.js), via auth middleware	READ
GET	/api/student/score	getSkillScore	Student (student.js), via auth middleware	READ
GET	/api/students/score	getSkillScore	Student (student.js), via auth middleware	READ
POST	/api/student/skill-score/calculate	calculateAndStoreSkillScore	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/students/skill-score/calculate	calculateAndStoreSkillScore	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/auth/register	registerStudent	Student (student.js)	CREATE / ACTION
POST	/api/auth/login	loginStudent	Student (student.js)	CREATE / ACTION
POST	/api/auth/logout	logoutStudent	Student (student.js), via auth middleware	CREATE / ACTION
GET	/api/auth/me	getStudentProfile	Student (student.js), via auth middleware	READ
POST	/api/ai/study-plan	studyPlan	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/placement-analysis	placementAnalysis	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/ats-score	atsScore	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/skill-gap	skillGap	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/career-coach	careerCoach	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/resume/summary	resumeSummary	Student (student.js), via auth middleware	CREATE / ACTION

METHOD	ENDPOINT	HANDLER	MODEL / COLLECTION	OPERATION
POST	/api/ai/resume/experience	resumeExperience	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/resume/note	resumeNote	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/hiring/interview	hiringInterview	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/hiring/questions	hiringQuestions	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/hiring/evaluate	hiringEvaluate	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/ai/hiring/feedback	hiringFeedback	Student (student.js), via auth middleware	CREATE / ACTION
POST	/api/auth/register	registerUser	User (User.js)	CREATE / ACTION
POST	/api/auth/login	loginUser	User (User.js)	CREATE / ACTION
GET	/api/auth/me	getMe	No direct model call found	READ
POST	/api/admin/login	adminLogin	Admin (Admin.js)	CREATE / ACTION
POST	/api/v1/admin/login	adminLogin	Admin (Admin.js)	CREATE / ACTION
GET	/api/admin/me	getAdminProfile	No direct model call found	READ
GET	/api/v1/admin/me	getAdminProfile	No direct model call found	READ
GET	/	inline health handler	No direct model call found	READ
GET	/	inline health handler	No direct model call found	READ

11. External API integrations

Google Gemini: backend/src/services/aiServices.js constructs GoogleGenAI with GEMINI_API_KEY and calls ai.models.generateContent using GEMINI_MODEL or gemini-2.5-flash. All twelve POST /api/ai/* routes reach this helper. Exact provider HTTP endpoint is hidden by the SDK. Request is a generated prompt; response.text is parsed as JSON by aiController. Runtime status requires a valid key and provider availability.

Clerk: src/routes/AppRoutes.tsx provides ClerkProvider using VITE_CLERK_PUBLISHABLE_KEY, and src/context/AuthContext.tsx calls Clerk sign-in/sign-up methods. The SDK-managed HTTP endpoints, headers, and response schema are not visible in this code. Clerk authentication is distinct from the backend JWT expected by studentApi.

Static Unsplash image URLs, mock Microsoft Teams links, and the displayed college ERP webhook URL are not implemented outbound API calls in this repository. No Stripe, Cloudinary, Socket.IO, or email HTTP integration was found in executable source.

12. API dependency and call flow

Admin example: AdminLogin.tsx -> POST /api/admin/login -> loginAdmin -> Admin model + JWT generation -> JSON token; protected admin views -> adminApi.ts -> admin routes -> adminAuth -> adminController -> Mongoose models and selected auditLogger writes.

Student example: student page -> studentApi.ts -> /api/student or /api/ai -> studentAuthMiddleware -> Student model lookup -> studentController or aiController -> Student model or aiServices -> Gemini SDK -> JSON response. The AuthContext login path does not directly call the backend student auth routes.

College routes -> collegeAuth -> collegeController -> College, Student, Application, Project, PlacementDrive, Broadcast, EligibilityPreset, Notification and activity models. No current college UI HTTP caller was detected. The legacy server is a separate process and cannot be assumed to serve the main backend endpoints simultaneously on port 5000.

13. Issues and recommendations

Critical - Student/AI protected routes

Evidence: src/context/AuthContext.tsx:48,105 and src/services/studentApi.ts:8,19. Clerk/local sessions do not populate c2c_student_token; studentApi attaches only that key. Impact: Authenticated UI flows can receive 401 from student and AI APIs. Recommended action: Unify sign-in with backend JWT or exchange Clerk identity for a backend token; test protected flows.

High - 20 student service requests

Evidence: src/services/studentApi.ts:130-239; backend/src/routes/studentRoutes.js:27-69. No matching backend/src method/path for 20 requests; 12 have page callers. Impact: Dashboard, applications, notifications, certificates, settings, resume and hiring functions can fail. Recommended action: Implement routes/controllers or remove/repoint the calls; prioritize the 12 page-referenced requests.

High - Legacy authentication server

Evidence: server/controllers/adminAuthController.js:22-23,66; server/utils/generateToken.js:4. Default admin credentials and JWT secret fallbacks exist in the separate server. Impact: Launching that server can expose predictable authentication secrets. Recommended action: Remove fallbacks and require environment secrets, or retire the legacy server.

High - Local admin demo login

Evidence: src/context/AuthContext.tsx:106-122; src/routes/ProtectedRoute.tsx:17-30. An admin-like email with a short password creates a local admin role for the alternate /admin-dashboard path. Impact: UI role protection is bypassable even though backend JWT routes still enforce server-side auth. Recommended action: Remove demo acceptance from production builds and gate all admin UI with verified backend/Clerk authorization.

Medium - Gemini key logging

Evidence: backend/src/services/aiServices.js:3-5. The first ten characters of GEMINI_API_KEY are logged at module load. Impact: Logs disclose part of a secret. Recommended action: Remove key-prefix logging.

Medium - Two competing server entry points

Evidence: backend/src/server.js:8 and server/server.js:54. Both default to port 5000 and overlap six method/path pairs, with different behavior. Impact: Wrong process selection changes auth contracts and available endpoints. Recommended action: Document a single production entry point and retire or isolate the older server.

Medium - Stale architecture guide

Evidence: backend_architecture_guide.md:26-70; backend/src/app.js:22-38. Guide describes server/ models/routes absent from executable source. Impact: Readers can mistake planned endpoints for current APIs. Recommended action: Update guide from the mounted route inventory.

Low - Hardcoded local API fallback

Evidence: src/services/api.ts:5 and src/services/studentApi.ts:4. Default base URL targets localhost:5000; the generic API instance has no detected callers. Impact: A deployed frontend needs an explicit API origin or relative proxy. Recommended action: Set VITE_API_URL by environment and remove unused client after review.

14. Final API health summary

The current backend exposes 295 concrete method/path combinations; 41 have source-visible page callers and 254 do not. This is an integration/maturity measure, not a runtime success rate. The 20 missing student service paths and the backend JWT versus Clerk/local session gap are the highest-priority integration findings. No current route handler is labeled confirmed broken solely because it was not executed. The legacy server adds eight separate mounted paths and should be treated as a different application entry point.

Appendix - complete endpoint list and source map

The full exact method/path list appears in Section 4; Section 5 cites each route and controller line. Source files audited include all route, controller, model, middleware, config, service, frontend API and page files in backend/src, server, and src. package.json, Vite proxy, env variable references, README, architecture guide, and test scripts were also inspected. Environment values were not copied into this report.

Counting rule: /api/admin and /api/v1/admin mounts, plus /api/student and /api/students mounts, are counted as distinct request URLs. Handler-method grouping collapses path aliases for the 149 operation count. The root GET / health route is included for each server. The 20 unmatched frontend service requests are excluded from backend API totals.