```
mysql> desc employee;
| Field
           | Type
                        | Null | Key | Default | Extra |
| Emp_no
                        YES
                                    NULL
          | int
| E_name | char(30)
                        YES
                                     NULL
| E_address | varchar(100) | YES
                                    I NULL
| E_phno | int
                        YES
                                    NULL
| Dept_no
          | int
                        YES
                                    NULL
| Dept name | varchar(20)
                                    NULL
                        YES
| Job_id | char(10)
                        | YES
                                    NULL
           | int
salary
                        YES
                                    NULL
8 rows in set (0.01 sec)
```

Q2

```
mysql> desc employee;
| Field
           | Type
                         | Null | Key | Default | Extra |
         | int
| Emp no
                         | YES
                                     NULL
| E name | char(30)
                         YES
                                     NULL
| E address | varchar(100) | YES |
                                     NULL
| E_phno | int
                         | YES |
                                     NULL
| Dept_no
           | int
                         | YES |
                                     NULL
| Dept_name | varchar(20)
                         | YES |
                                     NULL
| Job id
          | char(10)
                         | YES |
                                     NULL
| salary | int
                         YES
                                     NULL
| HIRE DATE | date
                         | YES |
                                     NULL
9 rows in set (0.00 sec)
```

Q3

mysql> desc	employee;				
Field	Туре	Null	Key	Default	Extra
Emp_no	int	YES		NULL	
E_name   E_address		YES		NULL NULL	
E_phno   Dept_no	int   int	YES     YES		NULL NULL	
	varchar(20)   varchar(10)	YES     YES		NULL   NULL	
salary   HIRE_DATE	int   date	YES     YES		NULL   NULL	
+ 9 rows in set	t (0.00 sec)	+		+	++

```
mysql> desc employee;
 Field
            | Type
                          | Null | Key | Default | Extra |
E_no
            | int
                           YES
                                       NULL
            | char(30)
| E_name
                            YES
                                         NULL
| E_address | varchar(100)
                            YES
                                         NULL
| E_phno
            | int
                            YES
                                        NULL
| Dept_no
            | int
                           YES
                                       NULL
| Dept_name | varchar(20)
| Job_id | varchar(10)
                           YES
                                       NULL
                           YES
                                        NULL
| salary
            | int
                                       NULL
                           YES
| HIRE_DATE | date
                           YES
                                        NULL
9 rows in set (0.00 sec)
```

Q5

ysql> desc e	employee;	+	++		++
Field	Туре	Null	Key	Default	Extra
E_no	int	YES		NULL	
E_name	char(30)	YES	l I	NULL	I I
E_address	varchar(100)	YES	l I	NULL	I I
E_phno	int	YES	l I	NULL	I I
Dept_no	int	YES	l I	NULL	I I
Dept_name	varchar(20)	YES		NULL	1 1
Job_id	varchar(20)	YES	i i	NULL	1 1
salary	int	YES	Πİ	NULL	i i
HIRE_DATE	date	YES	i i	NULL	i i
		+	++		++