PROGRAMMING LABORATORY-ITIC 1152

Practical-5

RE.N;-D/ICT/25/0121

QUSETION – 01

A) input;-

```
#include <iostream>
using namespace std;

int main() {
  int i = 1;
  while (i <=100) {
    cout << i << "\n";
    i++;
  }
  return 0;
}
```

output;-



B) Input;-

File Edit View

```
#include <iostream>
using namespace std;

int main() {
  int i = 50;
  while (i >=5) {
    cout << i << "\n";
    i--;
  }
  return 0;
}
```

Ouput;-

```
C:\Users\USER\OneDrive\Desktop\c++> g++ whileloop2.cpp

C:\Users\USER\OneDrive\Desktop\c++>a
50
49
48
47
46
45
44
43
42
41
40
39
38
37
36
35
34
33
32
31
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5

C:\Users\USER\OneDrive\Desktop\c++>
```

C) Input;- output;

File Edit View

```
#include <iostream>
using namespace std;

int main() {
  int i = -2;
  while (i >=-20) {
    cout << i << "\n";
    i-=2;
  }
  return 0;
}
```

```
C:\Users\USER\OneDrive\Desktop\c++> g++ whileloop3.cpp

C:\Users\USER\OneDrive\Desktop\c++>a
-2
-4
-6
-8
-10
-12
-14
-16
-18
-20
```

QUSETION – 02

Input;-

File Edit View

```
#include <iostream>
using namespace std;
   int main (){
       double price, sum =0;
       int count =0, i=0;

       while (i< 10){
           cout <<"Enter price of iteam"<< (i+1)<<":";
           cin >> price;

           sum+=price;
           if (price >200){
                   count++;
           }
           i++;
   }
   cout <<"Average price:"<< sum/10 <<endl;
   cout<< "Number of iteam with price >200:" << count<< endl;
   return 0;
}
```

Output;-

```
C:\Users\USER\OneDrive\Desktop\c++>g++ whileloopqu2.cpp

C:\Users\USER\OneDrive\Desktop\c++>a
Enter price of iteam1:100
Enter price of iteam2:56
Enter price of iteam3:400
Enter price of iteam4:800
Enter price of iteam5:83
Enter price of iteam6:700
Enter price of iteam7:400
Enter price of iteam8:126
Enter price of iteam9:1000
Enter price of iteam10:456
Average price:412.1
Number of iteam with price >200:6

C:\Users\USER\OneDrive\Desktop\c++>
```

QUSETION – 03

Input;-

File Edit View

```
#include <iostream>
using namespace std;

int main() {
    int num, reversedNumber = 0;

    cout << "Enter an integer: ";
    cin >> num;

    while (num != 0) {
        int digit = num % 10;
        reversedNumber = reversedNumber * 10 + digit;
        num /= 10;
    }

    cout << "Reversed Number: " << reversedNumber <<endl;
    return 0;
}
```

Output;-

```
C:\Users\USER\OneDrive\Desktop\c++> g++ whileloopques3.cpp

C:\Users\USER\OneDrive\Desktop\c++>a
Enter an integer: 256
Reversed Number: 652

C:\Users\USER\OneDrive\Desktop\c++>a
Enter an integer: 89
Reversed Number: 98

C:\Users\USER\OneDrive\Desktop\c++>
```

QUSETION – 04

Input;-

File Edit View

```
using namespace std;

int main() {
     int base , power , a, b;
     cout << "Enter the Number ";
     cin>> base;
     cout<<" Enter the Power";
     cin >> power;
     b= power;
     a= base;
     while (b>1)

     {
         a*=base;
         b--;
     }
     cout << base <<"to the power of"<< power<<"is="<<a;
     return 0;
}
```

output;

```
C:\Users\USER\OneDrive\Desktop\c++>a
Enter the Number 5
 Enter the Power 6
5to the power of6is=15625
C:\Users\USER\OneDrive\Desktop\c++>
```

QUSETION – 05

Input;-

File Edit View

```
#include <iostream>
using namespace std;

      int main(){
          int num, a=1, b;
          cout << "Enter the number";
          cin >> num;
          b= num;
          while (b>0)
          {
           a*=b;
           b--;
          }
          cout <<"Factorial of the"<< num<<"is = " << a;
          return 0;
}
```

Output;-

```
C:\Users\USER\OneDrive\Desktop\c++> g++ whileloopqu5.cpp

C:\Users\USER\OneDrive\Desktop\c++>a
Enter the number 6
Factorial of the6is = 720
C:\Users\USER\OneDrive\Desktop\c++>
```