

测试文档

[toc]

测试用例编号方式及对照表

首字母为测试用例所属模块，后跟3位十进制数。最后一位为0代表成功测试，为1-9代表失败测试。高两位代表序号。

模块对照表：

字母	对应模块
S	资源模块方法测试
P	帖子模块方法测试
U	用户模块方法测试
D	统计模块方法测试
O	非功能测试
C	用例测试

模块方法测试

帖子模块方法测试

测试名称	上传图片成功
测试编号	P000
测试函数	public ResponseEntity uploadImage(@RequestPart("file") MultipartFile image,HttpServletRequest request)
输入数据	form-data:{key: file[file类型], value: ava1.webp }
前置条件	图片已经在本地加载成功
预期输出	一个云端图片存储的路径
实际输出	{ "status":201,"success":true,"message":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/0/e72d815d-c29e-4231-8beb-3113c171fef0"}
测试名称	上传图片失败
测试编号	P001
测试函数	public ResponseEntity uploadImage(@RequestPart("file") MultipartFile image,HttpServletRequest request)
输入数据	form-data:{key: image[file类型], value: ava1.webp }
前置条件	图片已经在本地加载成功
预期输出	上传图片失败的报错
实际输出	{ "status":400,"success":false,"message":"未上传资源"}
测试名称	上传帖子成功
测试编号	P010
测试函数	public ResponseEntity uploadPost(@RequestBody AddPostRequest addPostRequest, HttpServletRequest request)
输入数据	{ "title": "测试upload", "content": "upload成功", "authority": 0, "images": [] }
前置条件	用户已经获得了登录权限
预期输出	返回上传成功的信息
实际输出	{ "status":200,"success":true,"message":"上传成功"}
测试名称	上传帖子失败(身份)
测试编号	P011
测试函数	public ResponseEntity uploadPost(@RequestBody AddPostRequest addPostRequest, HttpServletRequest request)
输入数据	{ "title": "测试upload", "content": "upload失败", "authority": 0, "images": [] } (Headers为一个没有注册过的token)
前置条件	用户已经获得了登录权限
预期输出	拒绝上传并返回token问题
实际输出	{ "status":401,"success":false,"message":"Invalid or expired token"}
测试名称	上传帖子失败(权限)
测试编号	P012

测试名称	上传帖子失败(权限)
测试函数	public ResponseEntity uploadPost(@RequestBody AddPostRequest addPostRequest, HttpServletRequest request)
输入数据	{"title": "测试upload", "content": "upload失败", "authority": 1, "images": []}
前置条件	用户已经获得了登录权限
预期输出	拒绝上传并返回设置权限问题
实际输出	{"status":403,"success":false,"message":"权限等级不足"}

测试名称	上传帖子失败(敏感词汇)
测试编号	P013
测试函数	public ResponseEntity uploadPost(@RequestBody AddPostRequest addPostRequest, HttpServletRequest request)
输入数据	{"title": "傻逼", "content": "upload失败", "authority": 1, "images": []}
前置条件	用户已经获得了登录权限
预期输出	拒绝上传并返回设置权限问题
实际输出	{"status":422,"success":false,"message":"存在低俗辱骂不合规"}

测试名称	查看帖子详细信息成功
测试编号	P020
测试函数	public ResponseEntity openPost(@RequestBody GetPostDetailRequest getPostDetailRequest, HttpServletRequest request)
输入数据	{"postId": 37}
前置条件	用户已经成功登录并获取token
预期输出	返回对应序号帖子及其内容、评论、回复
实际输出	<pre>{ "status": 200, "success": true, "message": { "id": 37, "userId": 10000071, "userName": "我是傻逼", "userLevel": 4, "userLevelName": "LV.4 探索能手", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/cfe05cdb-90ab-468c-a542-345fe0b3890a", "title": "我是撒谎", "content": "12121212", "likeCount": 0, "browseCount": 5, "imageurls": null, "imageUrlList": null, "postTime": "2023-06-03 22:27:05", "updateTime": "2023-06-03 23:22:27", "commentList": { "currPage": 1, "prePage": 1, "nextPage": 1, "count": 1, "list": [{ "userId": 10000071, "userName": "我是傻逼", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/cfe05cdb-90ab-468c-a542-345fe0b3890a", "userLevel": 4, "userLevelName": "LV.4 探索能手", "postId": 37, "id": 113, "content": "aaaa", "imageUrl": null, "publishTime": "2023-06-03 23:22:27", "floor": 1, "canDelete": false, "replyList": null }] }, "pageSize": 10, "pageCount": 1, "filterCount": 0, "authority": 1, "hotPoint": 5, "canDelete": false, "like": false, "canOperate": true } }</pre>

测试名称	查看帖子详细信息失败(帖子不存在)
测试编号	P021
测试函数	public ResponseEntity openPost(@RequestBody GetPostDetailRequest getPostDetailRequest, HttpServletRequest request)
输入数据	{"postId": 3}
前置条件	用户已经成功登录并获取token
预期输出	无法显示帖子并返回错误
实际输出	{"timestamp":"2023-06-06T12:31:25.886+00:00","status":500,"error":"Internal Server Error","path":"/post/postDetail"}

测试名称	查看帖子详细信息失败(权限不足)
测试编号	P022
测试函数	public ResponseEntity openPost(@RequestBody GetPostDetailRequest getPostDetailRequest, HttpServletRequest request)
输入数据	{ "postId": 49 }
前置条件	用户已经成功登录并获取token
预期输出	会返回帖子，但是会隐藏帖子内容
实际输出	<pre>{ "status": 200, "success": true, "message": { "id": 49, "userId": 10000002, "userName": "PCPA", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "title": "你们都看不了这个帖略略", "content": "很抱歉，您的等级暂时不能查看此帖子，请努力升级后再来查看~", "likeCount": 0, "browseCount": 5, "imageUrls": null, "imageUrlList": null, "postTime": "2020-06-06 00:41:45", "updateTime": "2023-06-06 00:43:10", "commentList": { "currPage": 1, "prePage": 1, "nextPage": 1, "count": 1, "list": [{ "userId": 10000002, "userName": "PCPA", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "postId": 49, "id": 131, "content": "但是我是傻宝", "imageUrl": null, "publishTime": "2023-06-06 00:43:10", "floor": 1, "canDelete": false, "replyList": null }, { "page": 1, "pageCount": 1, "filterCount": 0, "authority": 8, "hotPoint": 5, "canDelete": false, "like": false, "canOperate": false }] }</pre>
测试名称	查看帖子列表成功
测试编号	P030
测试函数	public ResponseEntity listPost(@RequestBody ListPostRequest listPostRequest, HttpServletRequest request)
输入数据	{ "pageNum": 1, "cntInPage": 2, "mode": 3 }
前置条件	用户已经成功登录并获取权限
预期输出	返回当页的帖子列表及粗略信息
实际输出	<pre>{ "status": 200, "success": true, "message": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 7, "list": [{ "id": 85, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "测试upload", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:25:50", "canDelete": true }, { "id": 84, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "测试upload", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:21:48", "canDelete": true }, { "page": 2, "pageCount": 4, "filterCount": 0 }] }</pre>

测试名称	查看帖子列表失败(输入不存在的页)
测试编号	P031
测试函数	public ResponseEntity listPost(@RequestBody ListPostRequest listPostRequest, HttpServletRequest request)
输入数据	{"pageNum": 1,"cntInPage": 49,"mode": 3}
前置条件	用户已经成功登录并获取权限
预期输出	返回置空列表
实际输出	{"status":200,"success":true,"message":{"currPage":50,"prePage":49,"nextPage":51,"count":7,"list":[],"pageSize":2,"pageCount":4,"filterCount":98}}
测试名称	删除帖子成功
测试编号	P040
测试函数	public ResponseEntity deletePost(@RequestBody DeletePostRequest deletePostRequest, HttpServletRequest request)
输入数据	{"postId": 2,"pageNum": 1}
前置条件	用户已经登录并且获取token
预期输出	返回删除帖子成功的信息
实际输出	{"status":200,"success":true,"message":1}
测试名称	删除帖子失败(没有权限)
测试编号	P041
测试函数	public ResponseEntity deletePost(@RequestBody DeletePostRequest deletePostRequest, HttpServletRequest request)
输入数据	{"postId": 49,"pageNum": 1}
前置条件	用户已经登录并且获取token
预期输出	拒绝删除并返回错误信息
实际输出	{"status":400,"success":false,"message":-1}
测试名称	删除帖子失败(帖子不存在)
测试编号	P042
测试函数	public ResponseEntity deletePost(@RequestBody DeletePostRequest deletePostRequest, HttpServletRequest request)
输入数据	{"postId": 4,"pageNum": 1}
前置条件	用户已经登录并且获取token
预期输出	拒绝删除并返回错误信息
实际输出	{"timestamp":"2023-06-06T12:42:38.447+00:00","status":500,"error":"Internal Server Error","path":"/post/postDelete"}
测试名称	点赞帖子成功
测试编号	P050
测试函数	ResponseEntity likePost(@RequestBody LikePostRequest likePostRequest ,HttpServletRequest request)
输入数据	{"postId": 26,"isLike": false}
前置条件	用户已经登录并打开帖子
预期输出	成功点赞并返回此时的点赞状态
实际输出	{"status":200,"success":true,"message":1}
测试名称	点赞帖子失败(帖子不存在)
测试编号	P051
测试函数	ResponseEntity likePost(@RequestBody LikePostRequest likePostRequest ,HttpServletRequest request)
输入数据	{"postId": 3,"isLike": false}
前置条件	用户已经登录并打开帖子
预期输出	拒绝点赞操作并返回错误
实际输出	{"timestamp":"2023-06-06T12:48:09.106+00:00","status":500,"error":"Internal Server Error","path":"/post/postLike"}
测试名称	点赞帖子失败(权限不足)
测试编号	P052
测试函数	public ResponseEntity deletePost(@RequestBody DeletePostRequest deletePostRequest, HttpServletRequest request)
输入数据	{"postId": 7,"isLike": false}

测试名称	点赞帖子失败(权限不足)
前置条件	用户已经登录并打开帖子
预期输出	拒绝点赞操作并返回错误
实际输出	{ "status":400,"success":false,"message":"权限不够" }

测试名称	评论帖子成功
测试编号	P060
测试函数	public ResponseEntity commentPost(@RequestBody CommentPostRequest commentPostRequest, HttpServletRequest request)
输入数据	{ "postId": 26,"pageNum": 1,"imageUrl": [],"content": "评论4" }
前置条件	用户已经登录并打开帖子
预期输出	评论成功
实际输出	{ "status":200,"success":true,"message":"发帖成功" }

测试名称	评论帖子失败(权限不足)
测试编号	P061
测试函数	public ResponseEntity commentPost(@RequestBody CommentPostRequest commentPostRequest, HttpServletRequest request)
输入数据	{ "postId": 7,"pageNum": 1,"imageUrl": [],"content": "评论4" }
前置条件	用户已经登录并打开帖子
预期输出	中断评论操作并返回错误
实际输出	{ "status":403,"success":false,"message":"权限不够" }

测试名称	评论帖子失败(含有敏感词汇)
测试编号	P062
测试函数	public ResponseEntity deletePost(@RequestBody DeletePostRequest deletePostRequest, HttpServletRequest request)
输入数据	{ "postId": 7,"pageNum": 1,"imageUrl": [],"content": "傻逼" }
前置条件	用户已经登录并打开帖子
预期输出	中断评论操作并返回错误
实际输出	{ "status":422,"success":false,"message":"存在低俗辱骂不合规" }

测试名称	展示评论列表成功
测试编号	P070
测试函数	public ResponseEntity listComment(@RequestBody ListCommentRequest listCommentRequest, HttpServletRequest request)
输入数据	{ "postId": 7,"pageNum": 1,"cntInPage": 2 }
前置条件	用户已经打开帖子
预期输出	返回当页评论列表
实际输出	{ "status":200,"success":true,"message":{"currPage":1,"prePage":1,"nextPage":2,"count":12,"list":[{"userId":10000058,"userName":"user10000058","profilePhotoUrl":"https://zzq-typora-picgo.oss-cn-beijing.aliyuncs.com/Eric-cartman.webp","userLevel":0,"userLevelName":"LV.0 新手小白","postId":7,"id":19,"content":"","imageUrl":null,"publishTime":"2023-05-28 19:38:24","floor":9,"canDelete":false,"replyList":null},{ "userId":10000071,"userName":"我是评论","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/cfe05cdb-90ab-468c-a542-345fe0b3890a","userLevel":4,"userLevelName":"LV.4 探索能手","postId":7,"id":109,"content":"

测试名称	展示评论列表成功
测试编号	12rergdhgk
测试函数	"imageUrl":null,"publishTime":"2023-06-03 19:36:15","floor":100,"canDelete":false,"replyList":null},"pageSize":2,"pageCount":6,"filterCount":0}}
测试名称	展示评论列表失败(不存在的页)
测试编号	P071
测试函数	public ResponseEntity listComment(@RequestBody ListCommentRequest listCommentRequest, HttpServletRequest request)
输入数据	{"postId": 4,"pageNum": 1,"cntInPage": 2}
前置条件	用户已经打开帖子
预期输出	返回空列
实际输出	{"status":200,"success":true,"message":{"currPage":1,"prePage":1,"nextPage":2,"count":0,"list":[],"pageSize":2,"pageCount":0,"filterCount":0}}
测试名称	展示回复列表成功
测试编号	P080
测试函数	public ResponseEntity listReply(@RequestBody ListReplyRequest listReplyRequest, HttpServletRequest request)
输入数据	{"commentId": 19,"cntInPage": 2}
前置条件	用户已经打开帖子
预期输出	返回当前评论的回复集合
实际输出	{"status":200,"success":true,"message":[{"id":68,"userId":10000071,"userName":"我是傻逼","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/cfe05cdb-90ab-468c-a542-345fe0b3890a","userLevel":4,"userLevelName":"LV.4 探索能手","postId":7,"commentId":19,"content":"没有更多啦! ","publishTime":"2023-06-03 12:54:08","canDelete":false}, {"id":69,"userId":10000071,"userName":"我是傻逼","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/cfe05cdb-90ab-468c-a542-345fe0b3890a","userLevel":4,"userLevelName":"LV.4 探索能手","postId":7,"commentId":19,"content":"? ? ","publishTime":"2023-06-03 12:55:12","canDelete":false}]}
测试名称	展示回复列表失败(不存在的评论)
测试编号	P081
测试函数	public ResponseEntity listReply(@RequestBody ListReplyRequest listReplyRequest, HttpServletRequest request)
输入数据	{"commentId": 7,"cntInPage": 2}
前置条件	用户已经打开帖子
预期输出	返回空值
实际输出	{"status":200,"success":true,"message":[]}
测试名称	发表回复成功
测试编号	P090

测试名称	发表回复成功
编号	
测试函数	public ResponseEntity replyComment(@RequestBody ReplyCommentRequest replyCommentRequest, HttpServletRequest request)
输入数据	{"postId": 34,"commentId": 118,"content": "恢复1"}
前置条件	用户已经打开帖子
预期输出	返回新的回复列表
实际输出	{ "status":200,"success":true,"message":{"id":0,"userId":10000003,"userName":"我亦是傻宝","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b","userLevel":0,"userLevelName":null,"postId":34,"commentId":118,"content":"恢复1","publishTime":"2023-06-06 21:25:02","canDelete":true}}

测试名称	发表回复失败(帖子或评论被删除)
测试编号	P091
测试函数	public ResponseEntity replyComment(@RequestBody ReplyCommentRequest replyCommentRequest, HttpServletRequest request)
输入数据	{"postId": 9,"commentId": 8,"content": "恢复1"}
前置条件	用户已经打开帖子
预期输出	拒绝上传回复并返回错误值
实际输出	{"timestamp":"2023-06-06T13:23:20.002+00:00","status":500,"error":"Internal Server Error","path":"/post/commentReply"}

测试名称	删除评论成功
测试编号	P100
测试函数	public ResponseEntity deleteComment(@RequestBody DeleteCommentRequest deleteCommentRequest, HttpServletRequest request)
输入数据	{"commentId": 147}
前置条件	用户选择了存在的评论
预期输出	返回成功信息
实际输出	{"status":200,"success":true,"message":1}

测试名称	删除评论失败(没有权限)
测试编号	P101
测试函数	public ResponseEntity deleteComment(@RequestBody DeleteCommentRequest deleteCommentRequest, HttpServletRequest request)
输入数据	{"commentId": 120}
前置条件	用户选择了存在的评论
预期输出	拒绝删除并返回错误信息
实际输出	{"status":400,"success":false,"message":-1}

测试名称	删除回复成功
测试编号	P110
测试函数	public ResponseEntity deleteReply(@RequestBody DeleteReplyRequest deleteReplyRequest, HttpServletRequest request)
输入数据	{"replyId": 81}
前置条件	用户选择了存在的回复
预期输出	返回成功删除的信息

测试名称	删除回复成功
实际输出	{ "status":200,"success":true,"message":1}
测试名称	删除回复失败(没有权限)
测试编号	P111
测试函数	public ResponseEntity deleteReply(@RequestBody DeleteReplyRequest deleteReplyRequest, HttpServletRequest request)
输入数据	{"replyId": 78}
前置条件	用户选择了存在的回复
预期输出	拒绝删除操作并返回信息
实际输出	{ "status":400,"success":false,"message":-1}
测试名称	获取热门帖成功
测试编号	P120
测试函数	public ResponseEntity getPostByHot(HttpServletRequest request)
输入数据	
前置条件	用户已经登录
预期输出	返回当前热门帖
实际输出	{ "status":200,"success":true,"message":[{"id":69,"userId":10000002,"userName":"PCPA","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0","authority":10,"userLevelName":"LV.10 神一般的存在","title":"原创：数据库和Lucene扫盲","likeCount":1,"browseCount":10040,"hotPoint":10050,"updateTime":"2023-06-06 15:13:54","canDelete":false}, {"id":7,"userId":10000003,"userName":"我亦是傻宝","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b","authority":1,"userLevelName":"LV.1 入门菜鸟","title":"看看转字符串","likeCount":48,"browseCount":519,"hotPoint":999,"updateTime":"2023-06-06 00:03:16","canDelete":false}, {"id":47,"userId":10000003,"userName":"我亦是傻宝","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b","authority":1,"userLevelName":"LV.1 入门菜鸟","title":"WOWOWO","likeCount":2,"browseCount":23,"hotPoint":43,"updateTime":"2023-06-06 15:55:52","canDelete":false}, {"id":50,"userId":10000003,"userName":"我亦是傻宝","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b","authority":1,"userLevelName":"LV.1 入门菜鸟","title":"我为什么是零级","likeCount":1,"browseCount":12,"hotPoint":22,"updateTime":"2023-06-06 16:48:48","canDelete":false}, {"id":44,"userId":10000072,"userName":"我很喜欢原来的昵称但为了测试只能改掉","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0","authority":1,"userLevelName":"LV.1 入门菜鸟","title":"胖胖张正奇可爱捏","likeCount":1,"browseCount":11,"hotPoint":21,"updateTime":"2023-06-06 01:13:59","canDelete":false}, {"id":1,"userId":10000003,"userName":"我亦是傻宝","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b","authority":1,"userLevelName":"LV.1 入门菜鸟","title":"这是标题","likeCount":1,"browseCount":10,"hotPoint":20,"updateTime":null,"canDelete":false}, {"id":68,"userId":10000088,"userName":"user10000088","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/test/ava1.webp","authority":0,"userLevelName":"LV.0 新手小白","title":"JAVA详解之注解（一）","likeCount":1,"browseCount":6,"hotPoint":16,"updateTime":"2023-06-06 13:21:00","canDelete":false}, {"id":34,"userId":10000071,"userName":"我是傻逼","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/cfe05cdb-90ab-468c-a542-345fe0b3890a","authority":4,"userLevelName":"LV.4 探索能手","title":"12121","likeCount":0,"browseCount":14,"hotPoint":14,"updateTime":"2023-06-06 21:25:02","canDelete":false}, {"id":26,"userId":10000071,"userName":"我是傻逼","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/cfe05cdb-90ab-468c-a542-345fe0b3890a","authority":4,"userLevelName":"LV.4 探索能手","title":"11111","likeCount":1,"browseCount":3,"hotPoint":13,"updateTime":"2023-06-06 20:54:25","canDelete":false}, {"id":37,"userId":10000071,"userName":"我是傻逼","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/cfe05cdb-90ab-468c-a542-345fe0b3890a","authority":4,"userLevelName":"LV.4 探索能手","title":"我是撒谎","likeCount":0,"browseCount":6,"hotPoint":6,"updateTime":"2023-06-03 23:22:27","canDelete":false}, {"id":61,"userId":10000089,"userName":"周公旦","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/b8aef0f9-de8d-4add-924b-89d0281b7ec8","authority":9,"userLevelName":"LV.9 传奇天才","title":"长图测试1","likeCount":0,"browseCount":6,"hotPoint":6,"updateTime":"2023-06-06 12:40:19","canDelete":false}, {"id":62,"userId":10000089,"userName":"周公

测试名称	获取热门帖成功
测试数据	旦","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/b8aef0f9-de8d-4add-924b-89d0281b7ec8","authority":9,"userLevelName":"LV.9 传奇天才","title":"长图测试2","likeCount":0,"browseCount":6,"hotPoint":6,"updateTime":"2023-06-06 12:42:59","canDelete":false}}}
测试名称	获取热门帖失败(网络问题)
测试编号	P121
测试函数	public ResponseEntity getPostByHot(HttpServletRequest request)
输入数据	
前置条件	用户已经登录
预期输出	无法获取，返回报错
实际输出	Error: connect ECONNREFUSED 127.0.0.1:8080
测试名称	获取他人发帖记录成功
测试编号	P130
测试函数	public ResponseEntity getUserPost(@RequestBody ListUserPostRequest listUserPostRequest, HttpServletRequest request)
输入数据	{"userId": 10000003,"pageNum": 1,"cntInPage": 2}
前置条件	他人账号存在
预期输出	输出他人账号对应的发帖记录
实际输出	{ "status":200,"success":true,"message":{"currPage":1,"prePage":1,"nextPage":2,"count":13,"list":[{"id":92,"userId":10000003,"userName":null,"profilePhotoUrl":null,"authority":0,"userLevelName":null,"title":"我的号被盗了！！","likeCount":0,"browseCount":0,"hotPoint":0,"updateTime":"2023-06-06 21:12:17","canDelete":true}, {"id":91,"userId":10000003,"userName":null,"profilePhotoUrl":null,"authority":0,"userLevelName":null,"title":"888元","likeCount":0,"browseCount":2,"hotPoint":2,"updateTime":"2023-06-06 21:11:45","canDelete":true}], "pageSize":2,"pageCount":7,"filterCount":0}}
测试名称	获取他人发帖记录失败(不存在的页)
测试编号	P131
测试函数	public ResponseEntity getUserPost(@RequestBody ListUserPostRequest listUserPostRequest, HttpServletRequest request)
输入数据	{"userId": 10000003,"pageNum": 20,"cntInPage": 2}
前置条件	他人账号存在
预期输出	返回空值
实际输出	{ "status":200,"success":true,"message":{"currPage":20,"prePage":19,"nextPage":21,"count":13,"list":[], "pageSize":2,"pageCount":7,"filterCount":38}}
登录/注册模块方法测试	
测试名称	检查Token成功
测试编号	U000
测试函数	public ResponseEntity verifyToken(HttpServletRequest request)
输入数据	

测试名称	检查Token成功
前置条件	用户发送token请求
预期输出	返回成功信息
实际输出	{"status":200,"success":true,"message":0}

测试名称	检查Token失败
测试编号	U001
测试函数	public ResponseEntity verifyToken(HttpServletRequest request)
输入数据	
前置条件	用户发送token请求
预期输出	拦截并返回失败信息
实际输出	{"status":401,"success":false,"message":"Invalid or expired token"}

测试名称	检查管理员登录成功
测试编号	U010
测试函数	public ResponseEntity verifyAdminLogin(@RequestBody VerifyAdminLoginRequest verifyAdminLoginRequest, HttpServletRequest request)
输入数据	{"account":"1","password":"4d287b4ee3f25e1c2aafd4475f8ab4c12520bf9f0db98e1c177387a96bad9b14"}
前置条件	管理员发送登录请求
预期输出	返回成功登录信息并赋值token
实际输出	{"status": 200,"success": true,"message": {"id": "1","name": null,"profilePhotoUrl": null,"token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpZCI6IjEiLCJleHAiOiJlY2ODYwNjQ0OTJ9.xPmDDwb97zurliBVg7gY4RDtJC7h2wwOPXK2RwLZ8Mw"}}

测试名称	检查管理员登陆失败
测试编号	U011
测试函数	public ResponseEntity verifyAdminLogin(@RequestBody VerifyAdminLoginRequest verifyAdminLoginRequest, HttpServletRequest request)
输入数据	{"account":"1","password":"123456787654"}
前置条件	管理员发送登录请求
预期输出	返回登录失败信息
实际输出	{"status":400,"success":false,"message":"用户不存在或密码错误"}

测试名称	获取前端盐值成功
测试编号	U020
测试函数	public ResponseEntity getSalt(@RequestBody GetSaltRequest getSaltRequest, HttpServletRequest request)
输入数据	{"idOrEmail": "111@qq.com"}
前置条件	用户已经输入密码
预期输出	成功信息和生成的盐值字符串
实际输出	{"status":200,"success":true,"message":"yisjclqjshu9742msui"}

测试名称	获取前端盐值失败
测试编号	U021
测试函数	public ResponseEntity getSalt(@RequestBody GetSaltRequest getSaltRequest, HttpServletRequest request)
输入数据	{"idOrEmail": "14567d@qq.com"}
前置条件	用户已经输入密码
预期输出	失败信息，一个随机的字符串
实际输出	{"status":200,"success":true,"message":"0a6a68df41f140bc93e0"}

测试名称	获取用户等级成功
测试编号	U030
测试函数	public ResponseEntity getLevel(HttpServletRequest request)
输入数据	
前置条件	用户发送登录请求
预期输出	返回用户等级
实际输出	{"status":200,"success":true,"message":{"userLevel":1}}

测试名称	获取用户等级失败
测试编号	U031
测试函数	public ResponseEntity getLevel(HttpServletRequest request)
输入数据	
前置条件	用户发送登录请求
预期输出	返回-1并报错
实际输出	{"status":401,"success":false,"message":"Invalid or expired token"}

测试名称	检查用户登录成功
测试编号	U040
测试函数	public ResponseEntity verifyUserLogin(@RequestBody VerifyUserLoginRequest verifyUserLoginRequest, HttpServletRequest request)
输入数据	{"idOrEmail":"10000003","password":"9bc833e9d374e40ce811a17c1fc7bb2a7410636d35dd32fb02b7b57ee6c3a0c1"}
前置条件	用户发送登录请求
预期输出	返回用户个人数据
实际输出	{"status":200,"success":true,"message":{"id":"10000003","name":"我亦是傻宝","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b","token":"eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJuYW1lIjo5IjoiR5Lqm5piv5YK75a6dliwiaWQiOilxMDAwMDAwMyIsImV4cCI6MTY4NjA2NTI2N30.5iFgMK8PdQVbn1XSCF5e5ac3xEgG-eTN73XYW9217U"}}

测试名称	检查用户登录失败
测试编号	U041
测试函数	public ResponseEntity verifyUserLogin(@RequestBody VerifyUserLoginRequest verifyUserLoginRequest, HttpServletRequest request)
输入数据	{"idOrEmail":"10000003","password":"7402b7b57ee6c3a0cfd332fb7412ae40c0636d35dd9bc7bbe811a17c1833e9c1"}

测试名称	检测用户注册信息成功
测试编号	U070
测试函数	public ResponseEntity verifyUserRegister(@RequestBody VerifyRegisterRequest verifyRegisterRequest, HttpServletRequest request)
输入数据	{"email": "3rtyugq@a.com", "password": "123456", "salt": "asdasdasd"}
前置条件	用户发出注册信息
预期输出	返回注册成功的信息
实际输出	{"status":200,"success":true,"message":"注册成功"}

测试名称	检测用户注册信息失败
测试编号	U071
测试函数	public ResponseEntity verifyUserRegister(@RequestBody VerifyRegisterRequest verifyRegisterRequest, HttpServletRequest request)
输入数据	{"email": "11@a.com", "password": "123456", "salt": "asdasdasd"}
前置条件	用户发出注册信息
预期输出	返回注册失败的信息
实际输出	{"status":400,"success":false,"message":"该邮箱已被注册"}

测试名称	获取用户详细信息成功
测试编号	U080
测试函数	public ResponseEntity getUserInfo(HttpServletRequest request)
输入数据	
前置条件	用户发出请求
预期输出	返回用户详细信息
实际输出	{"status":200,"success":true,"message":{"id":10000002,"name":"PCPA","email":"1@q.com","gender":"Male","birthday":"1997-02-05","registerTime":null,"profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0","userLevel":10,"userLevelName":"LV.10 神一般的存在","exp":40063,"loginNum":3}}

测试名称	获取用户详细信息失败
测试编号	U081
测试函数	public ResponseEntity getUserInfo(HttpServletRequest request)
输入数据	
前置条件	用户发出请求
预期输出	返回错误信息
实际输出	{"status":401,"success":false,"message":"Token is null"}

测试名称	获取他人用户信息成功
测试编号	U090

测试名称	获取他人用户信息成功
编号	
测试函数	public ResponseEntity getOtherUserInfo(@RequestBody GetOtherUserInfoRequest getOtherUserInfoRequest, HttpServletRequest request)
输入数据	{"userId":"10000002"}
前置条件	发出获取信息请求
预期输出	返回他人信息
实际输出	{"status":200,"success":true,"message":{"id":10000002,"name":"PCPA","email":"1@qq.com","gender":"Male","birthday":"1997-02-05","registerTime":null,"profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0","userLevel":10,"userLevelName":"LV.10 神一般的存在","exp":40063,"loginNum":3}}

测试名称	获取他人用户信息失败
测试编号	U091
测试函数	public ResponseEntity getOtherUserInfo(@RequestBody GetOtherUserInfoRequest getOtherUserInfoRequest, HttpServletRequest request)
输入数据	{"userId":"10000001"}
前置条件	发出获取信息请求
预期输出	返回失败信息和空值
实际输出	{"status":400,"success":false,"message":null}

测试名称	更新用户信息成功
测试编号	U100
测试函数	public ResponseEntity updateAccountInfo(@RequestBody UpdateAccountInfoRequest updateAccountInfoRequest, HttpServletRequest request)
输入数据	{"id":"10000010","name":"梦想成为神一般的存在","email":"312466@qq.com","birthday":"1990-01-01","gender":"Male", "profilePhotoUrl":"resource/image/ec6358cc-104d-42ca-9a31-4f427e0844be"}
前置条件	用户发送更新的数据
预期输出	返回成功信息
实际输出	{"status":200,"success":true,"message":"修改成功"}

测试名称	更新用户信息失败
测试编号	U101
测试函数	public ResponseEntity updateAccountInfo(@RequestBody UpdateAccountInfoRequest updateAccountInfoRequest, HttpServletRequest request)
输入数据	{"id":"10000010","name":"梦想成为神一般的存在","email":"312466@qq.com","birthday":"1990-01-01","gender":"Male", "profilePhotoUrl":"resource/image/ec6358cc-104d-42ca-9a31-4f427e0844be"}(更换了token)
前置条件	用户发送更新的数据
预期输出	返回失败信息
实际输出	{"status":400,"success":false,"message":"权限等级不足"}

测试名称	获取用户列表成功
测试编号	U110
测试函数	public ResponseEntity getAccountInfoList(@RequestBody GetAccountInfoListRequest getAccountInfoListRequest, HttpServletRequest request)
输入数据	{"cntInPage":3,"pageNum":1}
前置条件	
预期输出	返回用户列表信息
实际输出	<pre>{ "status": 200, "success": true, "message": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 76, "list": [{ "id": 10000002, "name": "pcpas", "email": "1@qq.com", "gender": "Male", "birthday": "1997-02-05", "registerTime": null, "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "exp": 40063, "loginNum": 3 }, { "id": 10000003, "name": "我亦是傻宝", "email": "20374151@buaa.edu.cn", "gender": "Male", "birthday": "2023-06-06", "registerTime": "2023-05-22", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "userLevel": 1, "userLevelName": "LV.1 入门菜鸟", "exp": 66, "loginNum": 4 }, { "id": 10000010, "name": "梦想成为神一般的存在", "email": "312466@qq.com", "gender": "Male", "birthday": "1990-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": "resource/image/ec6358cc-104d-42ca-9a31-4f427e0844be", "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }] }, "pageSize": 3, "pageCount": 26, "filterCount": 0 }</pre>
测试名称	获取用户列表失败
测试编号	U111
测试函数	public ResponseEntity getAccountInfoList(@RequestBody GetAccountInfoListRequest getAccountInfoListRequest, HttpServletRequest request)
输入数据	{"cntInPage":3,"pageNum":1}(更换token)
前置条件	
预期输出	返回失败信息
实际输出	<pre>{ "status": 400, "success": false, "message": "权限等级不足" }</pre>
测试名称	获取密码成功
测试编号	U120
测试函数	public ResponseEntity getPassword(@RequestBody GetPasswordRequest getPasswordRequest, HttpServletRequest request)
输入数据	{"email":"312466@qq.com"}
前置条件	发送请求
预期输出	返回用户操作成功
实际输出	<pre>{ "status": 200, "success": true, "message": "密码已重置并发送到你的邮箱" }</pre>
测试名称	获取密码失败
测试编号	U121
测试函数	public ResponseEntity getPassword(@RequestBody GetPasswordRequest getPasswordRequest, HttpServletRequest request)
输入数据	{"email":"31dasd6@q.com"}
前置条件	发送请求
预期输出	返回用户操作失败
实际输出	<pre>{ "status": 404, "success": false, "message": "用户不存在" }</pre>

测试名称	更新密码成功
测试编号	U130
测试函数	public ResponseEntity updatePassword(@RequestBody UpdatePasswordRequest updatePasswordRequest, HttpServletRequest request)
输入数据	{"userId": "10000071", "oldPassword": "456789876dfghjfgghjkjhgfioihyujbvfr67ujhgfrt6yuh", "newPassword": "ft67uhgt678ijhgyujgyhnyuijhgtyuhgfrtygftgfgghjk"}
前置条件	发送请求
预期输出	返回成功信息
实际输出	{"status":200,"success":true,"message":"修改成功"}

测试名称	更新密码失败
测试编号	U131
测试函数	public ResponseEntity updatePassword(@RequestBody UpdatePasswordRequest updatePasswordRequest, HttpServletRequest request)
输入数据	{"userId": "10000072", "oldPassword": "456789876dfghjfgghjkjhgfioihyujbvfr67ujhgfrt6yuh", "newPassword": "ft67uhgt678ijhgyujgyhnyuijhgtyuhgfrtygftgfgghjk"}
前置条件	发送请求
预期输出	返回失败信息
实际输出	{"status":401,"success":false,"message":"原密码错误"}

测试名称	注销账户成功
测试编号	U140
测试函数	public ResponseEntity deleteAccount(@RequestBody DeleteAccountRequest deleteAccountRequest, HttpServletRequest request)
输入数据	{"id":"10000011"}
前置条件	
预期输出	返回删除成功信息
实际输出	{"status":200,"success":true,"message":"删除成功"}
测试名称	注销账户失败
测试编号	U141
测试函数	public ResponseEntity deleteAccount(@RequestBody DeleteAccountRequest deleteAccountRequest, HttpServletRequest request)
输入数据	{"id":"10000009"}
前置条件	
预期输出	返回失败信息
实际输出	{"status":404,"success":false,"message":"不存在此用户"}

资源模块方法测试

测试名称	上传资源成功
测试编号	S000
测试函数	public ResponseEntity uploadResource(@RequestBody UploadResourceRequest uploadResourceRequest, HttpServletRequest request)
输入数据	{"title": "我来发个试试", "subject": 1, "categories": [1,2,3,4], "content": "不知道能不能成功"}
前置条件	发送请求且登录
预期输出	返回成功信息

测试名称	上传资源成功
实际输出	{ "status":200,"success":true,"message":"上传成功" }
测试名称	上传资源失败
测试编号	S001
测试函数	public ResponseEntity uploadResource(@RequestBody UploadResourceRequest uploadResourceRequest,HttpServletRequest request)
输入数据	{ "title": "我来发个试试", "subject": 1, "categories": [1,2,3,4], "content": "草泥马" }
前置条件	发送请求且登录
预期输出	返回错误信息并禁止发布
实际输出	{ "status":422,"success":false,"message":"存在低俗辱骂不合规" }

测试名称	获取资源详细信息成功
测试编号	S010
测试函数	public ResponseEntity getResourceDetail(@RequestBody GetResourceDetailRequest getResourceDetailRequest,HttpServletRequest request)
输入数据	{ "resourceId": "2" }
前置条件	发送请求
预期输出	资源详细信息
实际输出	{ "status":200,"success":true,"message":{ "id":2,"userId":"10000072","username":"我很喜欢原来的昵称但为了测试只能改掉","profilePhotoUrl":"https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0","title":"爱在西元前","subject":7,"categories":[],"publishTime":"2023-05-24 20:26:02","content":"这是周杰伦的一首歌，爱在西元前","fileName":"学习资料","imageUrl":"resource/image/d438d25e-5e70-4bf9-bcb3-2054240c3ed9","path":null,"downloadCount":8,"size":0,"canDelete":false,"canModify":false,"canDownload":false} }

测试名称	获取资源详细信息失败
测试编号	S011
测试函数	public ResponseEntity getResourceDetail(@RequestBody GetResourceDetailRequest getResourceDetailRequest,HttpServletRequest request)
输入数据	{ "resourceId": "10086" }
前置条件	发送请求
预期输出	返回错误信息
实际输出	{ "status":404,"success":false,"message":"资源不存在" }

测试名称	更新资源内容成功
测试编号	S020

测试名称	更新资源内容成功
测试函数	public ResponseEntity updateResource(@RequestBody UpdateResourceRequest updateResourceRequest, HttpServletRequest request)
输入数据	{ "id": "7", "title": "陈之浩在改这个试试这句话有没有二十个字呢", "content": "asdasdadsasd", "subject": "1", "categories": [1,2,3] }
前置条件	发送请求
预期输出	返回更新后的内容
实际输出	{ "status": 200, "success": true, "message": { "id": 7, "userId": "10000003", "username": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "陈之浩在改这个试试这句话有没有二十个字呢", "subject": "1", "categories": [1,2,3], "publishTime": "2023-05-25 19:53:31", "content": "asdasdadsasd", "fileName": "学习资料", "imageUrl": "resource/image/a40330a3-bd46-4b44-82e2-89f57403579a", "path": "resource/file/a1a73748-1f1f-48d6-92d5-adcd72fd3414", "downloadCount": 13, "size": 503, "canDelete": false, "canModify": false, "canDownload": false } }
测试名称	更新资源内容失败
测试编号	S021
测试函数	public ResponseEntity updateResource(@RequestBody UpdateResourceRequest updateResourceRequest, HttpServletRequest request)
输入数据	{ "id": "7", "title": "陈之浩在改这个试试这句话有没有超过二十个字呢", "content": "asdasdadsasd", "subject": "1", "categories": [1,2,3] }
前置条件	
预期输出	
实际输出	{ "status": 400, "success": false, "message": "标题或内容过长！" }
测试名称	删除资源成功
测试编号	S030
测试函数	public ResponseEntity deleteResource(@RequestBody DeleteResourceRequest deleteResourceRequest, HttpServletRequest request)
输入数据	{ "resourceId": "11" }
前置条件	
预期输出	返回成功信息
实际输出	{ "status": 200, "success": true, "message": "删除成功" }
测试名称	删除资源失败
测试编号	S031
测试函数	public ResponseEntity deleteResource(@RequestBody DeleteResourceRequest deleteResourceRequest, HttpServletRequest request)
输入数据	{ "resourceId": "11" }
前置条件	
预期输出	返回失败信息
实际输出	{ "status": 404, "success": false, "message": "资源不存在" }
测试名称	下载资源成功
测试编号	S040
测试函数	public ResponseEntity downloadResource(@RequestBody DownloadResourceRequest downloadResourceRequest, HttpServletRequest request)
输入数据	{ "resourceId": "2" }
前置条件	发送请求
预期输出	返回资源下载链接
实际输出	{ "status": 200, "success": true, "message": { "path": "resource/file/84b4ddad-f6ff-44a7-97fb-7fc27b4c9352", "fileName": "学习资料" } }

19 / 63

测试名称	搜索资源成功
测试编号	S060
测试函数	public ResponseEntity searchResource(@RequestBody SearchResourceRequest searchResourceRequest,HttpServletRequest request)
输入数据	{"subjects":[0,1,2,3,4,5,6,7,8],"categories":[0,1,2,3,4,5],"cntlnPage":10,"pageNum":1,"keywords":"人工智能"}
前置条件	发送请求
预期输出	符合条件的资源列表
实际输出	<pre>{ "status": 200, "success": true, "message": { "currPage": 1, "prePage": 1, "nextPage": 1, "count": 2, "list": [{ "id": 39, "userId": "10000072", "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "title": "人工智能5555", "content": "最终准确率67，测试过程中稳定在70多", "subject": 4, "categories": [0], "downloadCount": 4, "canDelete": false }, { "id": 54, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "人工智能是什么东西", "content": "和小编一起来学习人工智能吧", "subject": 1, "categories": [1,2,3,4], "downloadCount": 0, "canDelete": false }], "pageSize": 10, "pageCount": 1, "filterCount": 0 } }</pre>

测试名称	搜索资源失败
测试编号	S061
测试函数	public ResponseEntity searchResource(@RequestBody SearchResourceRequest searchResourceRequest,HttpServletRequest request)
输入数据	{"subjects":[0,1,2,3,4,5,6,7,8],"categories":[0,1,2,3,4,5],"cntlnPage":10,"pageNum":1,"keywords":"搜索不到了吧"}
前置条件	
预期输出	返回空列表
实际输出	<pre>{ "status": 200, "success": true, "message": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 0, "list": [], "pageSize": 10, "pageCount": 0, "filterCount": 0 } }</pre>

测试名称	以用户id列出资源成功
测试编号	S070
测试函数	public ResponseEntity listResourceByUserId(@RequestBody ListResourceByUserIdRequest listResourceByUserIdRequest, HttpServletRequest request)
输入数据	{"userId":10000003,"cntlnPage":10,"pageNum":1}
前置条件	发送请求
预期	资源列表

[illegible]

测试名称

列出资源成功

[illegible]

统计模块方法测试

测试名称	获取所有表格成功
------	----------

测试编号	D000
测试函数	public ResponseEntity getOverallFigure(HttpServletRequest request)
输入数据	
前置条件	
预期输出	返回成功信息及数据
实际输出	{ "status":200,"success":true,"message":{"numOfOnlineUser":1,"numOfUser":74,"numOfPost":49,"numOfResource":33}}

测试名称	获取所有表格失败
------	----------

测试编号	D001
测试函数	public ResponseEntity deletePost(@RequestBody DeletePostRequest deletePostRequest, HttpServletRequest request)
输入数据	
前置条件	
预期输出	返回失败信息
实际输出	{"status":401,"success":false,"message":"Invalid or expired token"}

测试名称 资源分类统计成功

测试编号	D010
测试函数	public ResponseEntity resourceClassificationStatistics(HttpServletRequest request)
输入数据	
前置条件	
预期输出	返回成功的数据
实际输出	{ "status":200,"success":true,"message":[{"0.0.0.1,2.0.0.0.1},[2.7.0.1,0.0.0.1.0],[0.6.1.1,0.0.0.0.0],[0.6.0.1,0.1.0.0.0.0],[0.8.0.0.0.0,1.0.0],[0.0.0.0.0.0.0.0.0]]}

测试名称 资源分类统计失败

测试编号	D011
测试函数	public ResponseEntity resourceClassificationStatistics(HttpServletRequest request)
输入数据	
前置条件	
预期输出	返回失败信息
实际输出	{"status":401,"success":false,"message":"Invalid or expired token"}

测试名称	获取过去30天下载成功
测试编号	D020
测试函数	public ResponseEntity resourceDownloadsByDays(HttpServletRequest request)
输入数据	
前置条件	用户发送请求
预期输出	返回下载数据
实际输出	{ "status":200,"success":true,"message":{"days":["2023-05-08","2023-05-09","2023-05-10","2023-05-11","2023-05-12","2023-05-13","2023-05-14","2023-05-15","2023-05-16","2023-05-17","2023-05-18","2023-05-19","2023-05-20","2023-05-21","2023-05-22","2023-05-23","2023-05-24","2023-05-25","2023-05-26","2023-05-27","2023-05-28","2023-05-29","2023-05-30","2023-05-31","2023-06-01","2023-06-02","2023-06-03","2023-06-04","2023-06-05","2023-06-06"],"downloads":[0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,1,1,1,0,0,0,0,0,1,19,44,5,25],"uploads":[0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,3,3,0,0,1,0,0,0,0,1,7,2,5]}}
测试名称	获取过去30天下载失败
测试编号	D021
测试函数	public ResponseEntity resourceDownloadsByDays(HttpServletRequest request)
输入数据	(修改token)
前置条件	用户发送请求
预期输出	返回失败信息
实际输出	{ "status":401,"success":false,"message":"你没有权限查看统计信息"}
测试名称	获取学科资源量成功
测试编号	D030
测试函数	public ResponseEntity resourceCountBySubject(HttpServletRequest request)
输入数据	
前置条件	发送请求
预期输出	返回统计数据
实际输出	{ "status":200,"success":true,"message":[2,16,1,3,2,1,0,6,1,1]}
测试名称	获取学科资源量失败
测试编号	D031
测试函数	public ResponseEntity resourceCountBySubject(HttpServletRequest request)
输入数据	(修改token)
前置条件	发送请求
预期输出	返回错误信息
实际输出	{ "status":401,"success":false,"message":"你没有权限查看统计信息"}
测试名称	获取过去30天注册用户成功
测试编号	D040

24 / 63

测试名称	过去7天所有帖子热度信息成功
输出	[4,1,-1,1,0,0,"的"],[4,3,-1,3,0,0,"aaaaa"],[4,6,-1,6,0,1,"我是撒谎"],[5,25,1,15,1,2,"胖胖张正奇可爱捏"],[5,44,1,24,2,5,"WOWOWO"],[6,5,10,5,0,1,"你们都看不了这个帖子略略略"],[6,22,1,12,1,4,"我为什么是零级"],[6,2,-1,2,0,0,"测试帖子"],[6,2,10,2,0,0,"test10.50"],[6,4,9,4,0,1,"大图测试"],[6,6,9,6,0,1,"长图测试1"],[6,6,9,6,0,1,"长图测试2"],[6,17,0,7,1,0,"JAVA详解之注解（一）"],[6,10050,10,10040,1,5,"原创：数据库和Lucene扫盲"],[6,8,-1,8,0,0,"sjb"],[6,0,9,0,0,0,"测试帖子标题"],[6,1,9,1,0,0,"按位的"],[6,0,9,0,0,0,"分色法"],[6,5,10,5,0,0,"test1"],[6,5,0,5,0,1,"# 新人入住"],[6,1,10,1,0,0,"test1"],[6,0,10,0,0,0,"test18.12"],[6,0,10,0,0,0,"test18.13-1"],[6,1,10,1,0,0,"12345"],[6,14,10,4,1,2,"12345"],[6,3,10,3,0,0,"2345678"],[6,0,1,0,0,0,"测试upload"],[6,0,1,0,0,0,"测试upload"],[6,0,1,0,0,0,"天猫618大促，加V"],[6,0,1,0,0,0,"天猫618大促，加微信广告"],[6,0,1,0,0,0,"天猫618大促，+V123415326"],[6,0,1,0,0,0,"重金求子"],[6,0,1,0,0,0,"诈骗广告"],[6,2,1,2,0,1,"私密一对一服务，888元"],[6,1,1,1,0,0,"我的号被盗了！！"]]]}
测试名称	过去7天所有帖子热度信息失败
测试编号	D051
测试函数	public ResponseEntity hotPostByDays(HttpServletRequest request)
输入数据	(修改token)
前置条件	发送请求
预期输出	返回失败信息
实际输出	{"status":401,"success":false,"message":"你无权限查看统计信息"}

非测试功能测试

非功能测试的目的

- 非功能测试应提高产品的可用性，效率，可维护性和可移植性。
- 帮助降低与产品的非功能性方面相关的生产风险和成本。
- 优化产品的安装，设置，执行，管理和监视方式。
- 收集并产生用于内部研发的度量和指标。
- 改进和增强对产品行为和所使用技术的了解。

非功能测试项目

安全性


本项目数据库采取腾讯云数据库，因此可以根据其提供的报告来测试安全性。



- 漏洞扫描：这是通过自动化软件根据已知漏洞签名扫描系统来完成的。
- 安全扫描：它涉及识别网络和系统弱点，然后提供降低这些风险的解决方案。此扫描可以针对手动和自动扫描执行。
- 渗透测试：这种测试模拟来自恶意黑客的攻击。此测试涉及对特定系统的分析，以检查外部黑客攻击尝试的潜在漏洞。
- 风险评估：此测试涉及对组织中观察到的安全风险的分析。风险分为低、中和高。此测试建议控制和措施以降低风险。
- 安全审计：这是对应用程序和操作系统的漏洞的内部检查。也可以通过逐行检查代码来完成审核
- 道德黑客：它正在入侵组织软件系统。与为了自己的利益而窃取的恶意黑客不同，其目的是暴露系统中的安全漏洞。

- 姿势评估：这结合了安全扫描、黑客攻击和风险评估，以显示组织的整体安全状况。

通过以上测试项目，本项目安全性较好，通过安全性测试。



可靠性

- 任何软件系统在没有故障的情况下连续执行指定功能的程度。

本项目通过实际部署在云端运行，已经可以实现24小时稳定服务，通过可靠性测试。


效率：

本项目大部分网页响应时间都在1000毫秒以内，初始化时间在1500毫秒以内，符合设计要求。




可用性：

本项目所用交互输入框和按钮逻辑均可正常使用，符合可用性设计要求。




可重用性:

本项目存在部署在Docker上的版本，可以直接下载镜像使用，符合可重用性的要求。



便携性:

本项目前端源文件大小为 325 MB，后端源文件大小为 31.8 MB，轻量化便于传输，符合便捷性设计的要求。



灵活性：

本项目可以在不同的硬件和软件配置中轻松工作，对于电脑硬件配置没有特殊要求，可以成功运行在Chrome、edge、firefox等主流浏览器上。

用例级别测试

登录/注册模块

用例名称	合法注册账号
用例编号	L001
输入数据	{ "email": "test@test.com", "password": "ac1ee2023ae4e9c40b490d4ae5a851a371a31d310670938d56c54828afb9dc71", "salt": "eHWC5zEj5FPRk8wbiltr" }
前置条件	输入格式正确的账户
预期输出	{status: 200, success: true, message: "注册成功"}
实际输出	{status: 200, success: true, message: "注册成功"}
用例名称	非法注册账号
用例编号	L002
输入数据	{}
前置条件	输入格式不正确的账户
测试步骤	1. 在注册页面点击账户输入框 2. 输入不符合格式的账户
预期输出	{status: 400, success: false, message: "注册信息为空"}
实际输出	{status: 400, success: false, message: "注册信息为空"}
用例名称	合法登录账号
用例编号	L003

用例名称	合法登录账号
输入数据	{ "idOrEmail": "10000002", "password": "d877c5d2e85523fb355ccf50f1dbf43f570ca0baf80f25573a1846a9d0859f47" }
前置条件	输入格式正确的账户
预期输出	{ "status": 200, "success": true, "message": { "id": "10000002", "name": "PCPA", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ1Y291IjojUENQQSIsImkljoiMTAwMDAwMDIiLCJleHAiOiJE2ODYwNjM5Nj9rOI15iLzpxLNqZ1ID-9Ti-IN0VzfoxRnB0TX5VMjTEM" } }
实际输出	{ "status": 200, "success": true, "message": { "id": "10000002", "name": "PCPA", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ1Y291IjojUENQQSIsImkljoiMTAwMDAwMDIiLCJleHAiOiJE2ODYwNjM5Nj9rOI15iLzpxLNqZ1ID-9Ti-IN0VzfoxRnB0TX5VMjTEM" } }
用例名称	非法登录账号
用例编号	L004
输入数据	{ "idOrEmail": "1", "password": "4d287b4ee3f25e1c2aafd4475f8ab4c12520bf9f0db98e1c177387a96bad9b14" }
前置条件	输入不存在的账户
预期输出	{ "status": 400, "success": false, "message": null }
实际输出	{ "status": 400, "success": false, "message": null }
用例名称	找回密码
用例编号	L005
输入数据	123456@163.com
前置条件	{ "email": "1134@qq.com" }
测试步骤	1. 在登录页面点击“忘记密码” 2. 输入正确邮箱
预期输出	{ "status": 200, "success": true, "message": "密码已重置并发送到你的邮箱" }

用例名称	找回密码
实际输出	{ "status": 200, "success": true, "message": "密码已重置并发送到你的邮箱" }
用例名称	找回密码失败
用例编号	L006
输入数据	{ "email": "123456@qq.com" }
前置条件	用户输入未注册的邮箱找回密码
预期输出	{ "status": 404, "success": false, "message": "用户不存在" }
实际输出	{ "status": 404, "success": false, "message": "用户不存在" }

用例名称	登出
用例编号	L214
输入数据	{header: {token:eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ1b291bnR5bm9ueXBwIjoiMTAwMDAwMDIiLCJleHAiOjE2ODYwNjQyMjh9.4c7edfroxaGFPF6_HXCInxk54X7J2ID0to8
前置条件	用户或管理员已登录
预期输出	{ "status":200,"success":true,"message":"logout success"} }
实际输出	{ "status":200,"success":true,"message":"logout success"} }

资源模块

用例名称	合法选择资源频道和类型
用例编号	S001
输入数据	{ "keywords": "", "subjects": [0, 1, 2, 3, 4, 5, 6, 7, }

用例名称	合法选择资源频道和类型
	<pre>8, 9], "categories": [0, 1, 2, 3, 4, 5], "cntInPage": 10, "pageNum": 1 }</pre>
前置条件	点击按钮多选资源频道和类型
预期输出	<pre>{ "status": 200, "success": true, "message": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 21, "list": [{ "id": 7, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "陈之浩在改这个试试这句话有没有二十个字呢", "content": "asdasdadsasd", "subject": 1, "categories": [1, 2, 3], "downloadCount": 0, "canDelete": false }, { "id": 16, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "爱在西元前", "content": "这是周杰伦的一首歌，爱在西元前", "subject": 7, "categories": [4], "downloadCount": 0, "canDelete": false }, { "id": 20, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "自动删除", "content": "自动删难处", "subject": 1, "categories": [4], "downloadCount": 0, "canDelete": false }</pre>

用例名称	合法选择资源频道和类型
	<pre>}, { "id": 21, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "自动删除", "content": "自动刷难处", "subject": 1, "categories": [4], "downloadCount": 0, "canDelete": false }, { "id": 22, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "自动删除", "content": "自动刷难处", "subject": 1, "categories": [4], "downloadCount": 0, "canDelete": false }, { "id": 26, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "爱在西元前", "content": "这是周杰伦的一首歌，爱在西元前", "subject": 3, "categories": [1, 2], "downloadCount": 0, "canDelete": false }, { "id": 27, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "爱不在西元前", "content": "这是周杰伦的一首歌，爱在西元前", "subject": 1, "categories": [1, 2, 3, 4], "downloadCount": 0, "canDelete": false }, { "id": 35, "userId": "10000072", "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "title": "我是小小张正奇", "content": "嘿嘿",</pre>

用例名称	合法选择资源频道和类型
	<pre>"subject": 8, "categories": [1], "downloadCount": 0, "canDelete": false }, { "id": 39, "userId": "10000072", "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "title": "人工智能5555", "content": "最终准确率67，测试过程中稳定在70多", "subject": 4, "categories": [0], "downloadCount": 0, "canDelete": false }, { "id": 46, "userId": "10000072", "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "title": "空巢老人看护系统", "content": "发啊额我发", "subject": 0, "categories": [1], "downloadCount": 0, "canDelete": false }], "pageSize": 10, "pageCount": 3, "filterCount": 0 } }</pre>
实际输出	<pre>{ "status": 200, "success": true, "message": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 21, "list": [{ "id": 7, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "陈之浩在改这个试试这句话有没有二十个字呢", "content": "asdasdadsasd", "subject": 1, "categories": [1, 2, 3], "downloadCount": 0, "canDelete": false }, { "id": 16,</pre>

用例名称	合法选择资源频道和类型
	<pre>"userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "爱在西元前", "content": "这是周杰伦的一首歌，爱在西元前", "subject": 7, "categories": [4], "downloadCount": 0, "canDelete": false }, { "id": 20, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "自动删除", "content": "自动删难处", "subject": 1, "categories": [4], "downloadCount": 0, "canDelete": false }, { "id": 21, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "自动删除", "content": "自动删难处", "subject": 1, "categories": [4], "downloadCount": 0, "canDelete": false }, { "id": 22, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "自动删除", "content": "自动删难处", "subject": 1, "categories": [4], "downloadCount": 0, "canDelete": false }, { "id": 26, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "爱在西元前", "content": "这是周杰伦的一首歌，爱在西元前", "subject": 3, "categories": [1, 2], "downloadCount": 0, "canDelete": false</pre>

用例名称	合法选择资源频道和类型
	<pre>}, { "id": 27, "userId": "10000003", "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "爱不在西元前", "content": "这是周杰伦的一首歌，爱在西元前", "subject": 1, "categories": [1, 2, 3, 4], "downloadCount": 0, "canDelete": false }, { "id": 35, "userId": "10000072", "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "title": "我是小小张正奇", "content": "嘿嘿", "subject": 8, "categories": [1], "downloadCount": 0, "canDelete": false }, { "id": 39, "userId": "10000072", "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "title": "人工智能5555", "content": "最终准确率67，测试过程中稳定在70多", "subject": 4, "categories": [0], "downloadCount": 0, "canDelete": false }, { "id": 46, "userId": "10000072", "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "title": "空巢老人看护系统", "content": "发啊额我发", "subject": 0, "categories": [1], "downloadCount": 0, "canDelete": false } }, "pageSize": 10, "pageCount": 3, "filterCount": 0 }</pre>

用例名称	非法选择资源频道和类型
用例编号	S002
输入数据	全不选所有频道和类型
前置条件	错误地发送资源频道和类型
预期输出	{ "status": 400, "success": false, "message": "获取资源列表失败" }
实际输出	{ "status": 400, "success": false, "message": "获取资源列表失败" }
用例名称	合法发布资源
用例编号	S003
输入数据	{ "title": "软件设计说明书", "subject": 0, "categories": [0], "content": "傻宝", "imagePath": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/b9fe8e39-1576-46ef-9f4b-ac1d95528125", "filePath": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/file/8fd5f100-6818-42c9-aeeb-fdbd59953fc0", "fileName": "软件设计说明书.md", "size": 64907 }
前置条件	用户填写所有必须项
预期输出	{ "status": 200, "success": true, "message": "上传成功" }
实际输出	{ "status": 200, "success": true, "message": "上传成功" }
用例名称	非法发布资源
用例编号	S004
输入数据	{ "title": "软件设计说明书", "subject": 0, "categories": [0], "content": "狗屎", "imagePath": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/b9fe8e39-1576-46ef-9f4b-ac1d95528125", "filePath": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/file/8fd5f100-6818-42c9-aeeb-fdbd59953fc0", "fileName": "软件设计说明书.md", "size": 64907 }
前置条件	用户发布含有非法字符的资源
预期输出	{ "status": 422, "success": false, "message": "存在低俗辱骂不合规" }
实际输出	{ "status": 422,

用例名称	非法发布资源
	<pre>"success": false, "message": "存在低俗辱骂不合规" }</pre>
用例名称	合法删除发布资源
用例编号	S005
输入数据	<pre>{ "resourceId": 59 }</pre>
前置条件	用户删除自身的资源发布
预期输出	<pre>{ "status": 200, "success": true, "message": "删除成功" }</pre>
实际输出	<pre>{ "status": 200, "success": true, "message": "删除成功" }</pre>
用例名称	非法删除发布资源
用例编号	S006
输入数据	<pre>{ }</pre>
前置条件	发送错误的资源id
预期输出	<pre>{ "status": 400, "success": false, "message": "删除失败" }</pre>
实际输出	<pre>{ "status": 400, "success": false, "message": "删除失败" }</pre>
用例名称	查看资源详情
用例编号	S007
输入数据	<pre>{ "resourceId": 7 }</pre>
前置条件	用户选择想查看的资源
预期输出	<pre>{ "status": 200, "success": true, "message": { "id": 7, "userId": "10000003", "username": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "陈之浩在改这个试试这句话有没有二十个字呢", "subject": 1, "categories": [1, 2, 3], "publishTime": "2023-05-25 19:53:31", "content": "asdasdadsasd", "fileName": "学习资料", "imageUrl": "resource/image/a40330a3-bd46-4b44-82e2-89f57403579a", "path": null, "downloadCount": 12,</pre>

用例名称	查看资源详情
	<pre>"size": 503, "canDelete": false, "canModify": false, "canDownload": true } }</pre>
实际输出	<pre>{ "status": 200, "success": true, "message": { "id": 7, "userId": "10000003", "username": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "title": "陈之浩在改这个试试这句话有没有二十个字呢", "subject": 1, "categories": [1, 2, 3], "publishTime": "2023-05-25 19:53:31", "content": "asdasdadsasd", "fileName": "学习资料", "imageUrl": "resource/image/a40330a3-bd46-4b44-82e2-89f57403579a", "path": null, "downloadCount": 12, "size": 503, "canDelete": false, "canModify": false, "canDownload": true } }</pre>

用例名称	查看资源详情失败
用例编号	S008
输入数据	{}
前置条件	用户选择想查看的资源
预期输出	<pre>{ "status": 400, "success": false, "message": "资源不存在" }</pre>
实际输出	<pre>{ "status": 400, "success": false, "message": "资源不存在" }</pre>

用例名称	合法下载资源
用例编号	S211
输入数据	<pre>{ "resourceId": 7 }</pre>
前置条件	用户下载需要的资源
预期输出	<pre>{ "status": 200, "success": true, "message": { "path": "resource/file/a1a73748-1f1f-48d6-92d5-adcd72fd3414", "fileName": "学习资料" } }</pre>

用例名称	合法下载资源
实际输出	<pre>{ "status": 200, "success": true, "message": { "path": "resource/file/a1a73748-1f1f-48d6-92d5-adcd72fd3414", "fileName": "学习资料" } }</pre>

用例名称	非法法下载资源
用例编号	S212
输入数据	<pre>{ "resourceId": -100 }</pre>
前置条件	用户下载需要的资源
预期输出	<pre>{ "status": 400, "success": false, "message": "资源不存在" }</pre>
实际输出	<pre>{ "status": 400, "success": false, "message": "资源不存在" }</pre>

帖子模块

用例名称	默认访问帖子列表
用例编号	P201
输入数据	<pre>{ "cntInPage": 10, "pageNum": 1, "mode": 2 }</pre>
前置条件	用户访问帖子列表
预期输出	<pre>{ "status": 200, "success": true, "message": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 50, "list": [{ "id": 34, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "12121", "likeCount": 0, "browseCount": 15, "hotPoint": 15, "updateTime": "2023-06-06 21:25:02", "canDelete": false }, { "id": 92, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", </pre>

用例名称	默认访问帖子列表
	<pre>"authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "我的号被盗了！！", "likeCount": 0, "browseCount": 1, "hotPoint": 1, "updateTime": "2023-06-06 21:12:17", "canDelete": false }, { "id": 91, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "私密一对一服务, 888元", "likeCount": 0, "browseCount": 2, "hotPoint": 2, "updateTime": "2023-06-06 21:11:45", "canDelete": false }, { "id": 90, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "诈骗广告", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 21:00:30", "canDelete": false }, { "id": 89, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "重金求子", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:59:34", "canDelete": false }, { "id": 88, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "天猫618大促, +V123415326", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:58:21", "canDelete": false }, { "id": 87, "userId": 10000003,</pre>

用例名称	默认访问帖子列表
	<pre>"userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "天猫618大促, 加微信广告", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:58:00", "canDelete": false }, { "id": 86, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "天猫618大促, 加V", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:57:51", "canDelete": false }, { "id": 26, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "11111", "likeCount": 1, "browseCount": 3, "hotPoint": 13, "updateTime": "2023-06-06 20:54:25", "canDelete": false }, { "id": 85, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "测试upload", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:25:50", "canDelete": false } }, { "pageSize": 10, "pageCount": 5, "filterCount": 0 } }</pre>
实际输出	<pre>{ "status": 200, "success": true, "message": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 50, "list": [</pre>

用例名称	默认访问帖子列表
	<pre>{ "id": 34, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "12121", "likeCount": 0, "browseCount": 15, "hotPoint": 15, "updateTime": "2023-06-06 21:25:02", "canDelete": false }, { "id": 92, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "我的号被盗了！！", "likeCount": 0, "browseCount": 1, "hotPoint": 1, "updateTime": "2023-06-06 21:12:17", "canDelete": false }, { "id": 91, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "私密一对一服务，888元", "likeCount": 0, "browseCount": 2, "hotPoint": 2, "updateTime": "2023-06-06 21:11:45", "canDelete": false }, { "id": 90, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "诈骗广告", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 21:00:30", "canDelete": false }, { "id": 89, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "重金求子", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:59:34",</pre>

用例名称	默认访问帖子列表
	<pre>"canDelete": false }, { "id": 88, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "天猫618大促，+V123415326", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:58:21", "canDelete": false }, { "id": 87, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "天猫618大促，加微信广告", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:58:00", "canDelete": false }, { "id": 86, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "天猫618大促，加V", "likeCount": 0, "browseCount": 0, "hotPoint": 0, "updateTime": "2023-06-06 20:57:51", "canDelete": false }, { "id": 26, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "11111", "likeCount": 1, "browseCount": 3, "hotPoint": 13, "updateTime": "2023-06-06 20:54:25", "canDelete": false }, { "id": 85, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "测试upload", "likeCount": 0, "browseCount": 0,</pre>

用例名称	默认访问帖子列表
	<pre>"hotPoint": 0, "updateTime": "2023-06-06 20:25:50", "canDelete": false }], "pageSize": 10, "pageCount": 5, "filterCount": 0 } }</pre>
用例名称	查看热门帖子
用例编号	P203
输入数据	NULL
前置条件	用户访问帖子列表并希望查看热门帖子
预期输出	<pre>{ "status": 200, "success": true, "message": [{ "id": 69, "userId": 10000002, "userName": "PCPA", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "authority": 10, "userLevelName": "LV.10 神一般的存在", "title": "原创：数据库和Lucene扫盲", "likeCount": 1, "browseCount": 10040, "hotPoint": 10050, "updateTime": "2023-06-06 15:13:54", "canDelete": false }, { "id": 7, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "看看转字符串", "likeCount": 48, "browseCount": 521, "hotPoint": 1001, "updateTime": "2023-06-06 00:03:16", "canDelete": false }, { "id": 47, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "WOWOWO", "likeCount": 2, "browseCount": 24, "hotPoint": 44, "updateTime": "2023-06-06 15:55:52", "canDelete": false }, { "id": 50, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1,</pre>

用例名称	查看热门帖子
	<pre>"userLevelName": "LV.1 入门菜鸟", "title": "我为什么是零级", "likeCount": 1, "browseCount": 12, "hotPoint": 22, "updateTime": "2023-06-06 16:48:48", "canDelete": false }, { "id": 44, "userId": 10000072, "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "胖胖张正奇可爱捏", "likeCount": 1, "browseCount": 11, "hotPoint": 21, "updateTime": "2023-06-06 01:13:59", "canDelete": false }, { "id": 1, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "这是标题", "likeCount": 1, "browseCount": 10, "hotPoint": 20, "updateTime": null, "canDelete": false }, { "id": 68, "userId": 10000088, "userName": "user10000088", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/test/ava1.webp", "authority": 0, "userLevelName": "LV.0 新手小白", "title": "JAVA详解之注解（一）", "likeCount": 1, "browseCount": 7, "hotPoint": 17, "updateTime": "2023-06-06 13:21:00", "canDelete": false }, { "id": 34, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "12121", "likeCount": 0, "browseCount": 15, "hotPoint": 15, "updateTime": "2023-06-06 21:25:02", "canDelete": false }, { "id": 26, "userId": 0, "userName": "用户已注销",</pre>

用例名称	查看热门帖子
	<pre>"profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "11111", "likeCount": 1, "browseCount": 3, "hotPoint": 13, "updateTime": "2023-06-06 20:54:25", "canDelete": false }, { "id": 70, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "sjb", "likeCount": 0, "browseCount": 8, "hotPoint": 8, "updateTime": "2023-06-06 16:21:29", "canDelete": false }, { "id": 62, "userId": 10000089, "userName": "周公旦", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/b8aef0f9-de8d-4add-924b-89d0281b7ec8", "authority": 9, "userLevelName": "LV.9 传奇天才", "title": "长图测试2", "likeCount": 0, "browseCount": 6, "hotPoint": 6, "updateTime": "2023-06-06 12:42:59", "canDelete": false }, { "id": 37, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "我是撒谎", "likeCount": 0, "browseCount": 6, "hotPoint": 6, "updateTime": "2023-06-03 23:22:27", "canDelete": false } }</pre>

实际输出	<pre>{ "status": 200, "success": true, "message": [{ "id": 69, "userId": 10000002, "userName": "PCPA", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "authority": 10, "userLevelName": "LV.10 神一般的存在", "title": "原创：数据库和Lucene扫盲", "likeCount": 1, "browseCount": 10040, </pre>
------	--

用例名称	查看热门帖子
	<pre>"hotPoint": 10050, "updateTime": "2023-06-06 15:13:54", "canDelete": false }, { "id": 7, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "看看转字符串", "likeCount": 48, "browseCount": 521, "hotPoint": 1001, "updateTime": "2023-06-06 00:03:16", "canDelete": false }, { "id": 47, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "WOWOWO", "likeCount": 2, "browseCount": 24, "hotPoint": 44, "updateTime": "2023-06-06 15:55:52", "canDelete": false }, { "id": 50, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "我为什么是零级", "likeCount": 1, "browseCount": 12, "hotPoint": 22, "updateTime": "2023-06-06 16:48:48", "canDelete": false }, { "id": 44, "userId": 10000072, "userName": "我很喜欢原来的昵称但为了测试只能改掉", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/ee70a449-ee07-47c8-9ca0-435fec4dc0b0", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "胖胖张正奇可爱捏", "likeCount": 1, "browseCount": 11, "hotPoint": 21, "updateTime": "2023-06-06 01:13:59", "canDelete": false }, { "id": 1, "userId": 10000003, "userName": "我亦是傻宝", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "authority": 1, "userLevelName": "LV.1 入门菜鸟", "title": "这是标题",</pre>

用例名称	查看热门帖子
	<pre>"likeCount": 1, "browseCount": 10, "hotPoint": 20, "updateTime": null, "canDelete": false }, { "id": 68, "userId": 10000088, "userName": "user10000088", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/test/ava1.webp", "authority": 0, "userLevelName": "LV.0 新手小白", "title": "JAVA详解之注解（一）", "likeCount": 1, "browseCount": 7, "hotPoint": 17, "updateTime": "2023-06-06 13:21:00", "canDelete": false }, { "id": 34, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "12121", "likeCount": 0, "browseCount": 15, "hotPoint": 15, "updateTime": "2023-06-06 21:25:02", "canDelete": false }, { "id": 26, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "11111", "likeCount": 1, "browseCount": 3, "hotPoint": 13, "updateTime": "2023-06-06 20:54:25", "canDelete": false }, { "id": 70, "userId": 0, "userName": "用户已注销", "profilePhotoUrl": "http://learning-and-living.oss-cn-beijing.aliyuncs.com/0/0aea2d71-6b3d-416e-babd-39de69b040d5", "authority": -1, "userLevelName": null, "title": "sjb", "likeCount": 0, "browseCount": 8, "hotPoint": 8, "updateTime": "2023-06-06 16:21:29", "canDelete": false }, { "id": 62, "userId": 10000089, "userName": "周公旦", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/b8aef0f9-de8d-4add-924b-89d0281b7ec8", "authority": 9,</pre>

49 / 63

用例名称	发布帖子包含非法内容
	"message": "存在低俗辱骂不合规"
	}
实际输出	{ "status": 422, "success": false, "message": "存在低俗辱骂不合规" }
用例名称	访问帖子详情页
用例编号	P211
输入数据	{ "postId": 93 }
前置条件	用户访问帖子详情页
预期输出	{ "status": 200, "success": true, "message": { "id": 93, "userId": 10000002, "userName": "PCPA", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "title": "你好", "content": " 测试 ", "likeCount": 0, "browseCount": 1, "imageurls": null, "imageUrlList": null, "postTime": "2023-06-06 22:27:11", "updateTime": "2023-06-06 22:27:11", "commentList": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 0, "list": [], "pageSize": 10, "pageCount": 0, "filterCount": 0 }, "authority": 0, "hotPoint": 1, "canDelete": true, "like": false, "canOperate": true } }
实际输出	{ "status": 200, "success": true, "message": { "id": 93, "userId": 10000002, "userName": "PCPA", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "title": "你好", "content": " 测试 "

用例名称	访问帖子详情页
	<pre>"", "likeCount": 0, "browseCount": 1, "imageurls": null, "imageUrlList": null, "postTime": "2023-06-06 22:27:11", "updateTime": "2023-06-06 22:27:11", "commentList": { "currPage": 1, "prePage": 1, "nextPage": 2, "count": 0, "list": [], "pageSize": 10, "pageCount": 0, "filterCount": 0 }, "authority": 0, "hotPoint": 1, "canDelete": true, "like": false, "canOperate": true } }</pre>
用例名称	删除帖子
用例编号	P212
输入数据	<pre>{ "postId": 93, "pageNum": 1 }</pre>
前置条件	用户删除自己的帖子
预期输出	<pre>{ "status": 200, "success": true, "message": 2 }</pre>
实际输出	<pre>{ "status": 200, "success": true, "message": 2 }</pre>
用例名称	非法删除帖子
用例编号	P213
输入数据	<pre>{ "postId": 93, "pageNum": 1 }</pre>
前置条件	用户删除别人的帖子
预期输出	<pre>{ "status": 400, "success": false, "message": "非法请求" }</pre>
实际输出	<pre>{ "status": 400, "success": false, "message": "非法请求" }</pre>
用例名称	点赞帖子
用例编号	P214

用例名称	点赞帖子
输入数据	{ "postId": 82, "isLike": false }
前置条件	用户给某帖子点赞
预期输出	{"status":200,"success":true,"message":1}
实际输出	{"status":200,"success":true,"message":1}

用例名称	评论帖子
用例编号	P215
输入数据	{ "postId": 82, "imageUrl": [], "content": " 测试 " }
前置条件	用户给某帖子评论
预期输出	{ "status": 200, "success": true, "message": "评论成功" }

实际输出	{ "status": 200, "success": true, "message": "评论成功" }
------	---

用例名称	发布不当评论
用例编号	P217
输入数据	{ "postId": 82, "imageUrl": [], "content": " 傻逼 " }
前置条件	用户给某帖子评论
预期输出	{ "status": 422, "success": false, "message": "存在低俗辱骂不合规" }
实际输出	{ "status": 422, "success": false, "message": "存在低俗辱骂不合规" }

用例名称	回复评论
用例编号	P218
输入数据	{ "postId": 82, "commentId": 150, "content": "你好" }
前置条件	用户给某帖子的评论回复

用例名称	回复评论
预期输出	<pre>{ "status": 200, "success": true, "message": { "id": 0, "userId": 10000002, "userName": "PCPA", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "userLevel": 0, "userLevelName": null, "postId": 82, "commentId": 150, "content": "你好", "publishTime": "2023-06-06 22:34:19", "canDelete": true } }</pre>
实际输出	<pre>{ "status": 200, "success": true, "message": { "id": 0, "userId": 10000002, "userName": "PCPA", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "userLevel": 0, "userLevelName": null, "postId": 82, "commentId": 150, "content": "你好", "publishTime": "2023-06-06 22:34:19", "canDelete": true } }</pre>

用例名称	发布不当回复
用例编号	P220
输入数据	<pre>{ "postId": 82, "commentId": 149, "content": "傻逼" }</pre>
前置条件	用户给某帖子的评论回复
预期输出	<pre>{ "status": 422, "success": false, "message": "存在低俗辱骂不合规" }</pre>
实际输出	<pre>{ "status": 422, "success": false, "message": "存在低俗辱骂不合规" }</pre>

用户模块

用例名称	用户查看个人信息
用例编号	P201
输入数据	NULL
前置条件	用户相应查看个人信息
预期输出	<pre>{ "status": 200, "success": true, "message": {</pre>

用例名称	用户查看个人信息
	<pre>"id": 10000002, "name": "PCPA", "email": "1@q.com", "gender": "Male", "birthday": "1997-02-05", "registerTime": null, "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "exp": 40063, "loginNum": 3 } }</pre>

实际输出	<pre>{ "status": 200, "success": true, "message": { "id": 10000002, "name": "PCPA", "email": "1@q.com", "gender": "Male", "birthday": "1997-02-05", "registerTime": null, "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "exp": 40063, "loginNum": 3 } }</pre>
------	---

用例名称	用户修改个人信息
用例编号	P202
输入数据	<pre>{ "id": 10000002, "name": "pcpas", "email": "1@q.com", "birthday": "1997-02-05", "gender": "Male", "level": 10, "levelName": "LV.10 神一般的存在", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0" }</pre>

前置条件	用户想要修改个人信息
预期输出	<pre>{ "status": 200, "success": true, "message": "修改成功" }</pre>

实际输出	<pre>{ "status": 200, "success": true, "message": "修改成功" }</pre>
------	--

用例名称	用户查看下载历史
用例编号	P204
输入数据	NULL
前置条件	用户想要查看下载历史
预期输出	<pre>{ "status": 200, "success": true, "message": [{</pre>

用例名称	用户查看下载历史
	<pre>"id": 89, "resourceId": 7, "userId": 10000002, "title": "陈之浩在改这个试试这句话有没有二十个字呢", "fileName": "学习资料", "downloadTime": "2023-06-06 22:23:29" }, { "id": 73, "resourceId": 21, "userId": 10000002, "title": "自动删除", "fileName": "学习资料", "downloadTime": "2023-06-05 20:38:24" }, { "id": 72, "resourceId": 20, "userId": 10000002, "title": "自动删除", "fileName": "学习资料", "downloadTime": "2023-06-05 20:38:21" }, { "id": 71, "resourceId": 7, "userId": 10000002, "title": "陈之浩在改这个试试这句话有没有二十个字呢", "fileName": "学习资料", "downloadTime": "2023-06-05 20:38:17" }, { "id": 68, "resourceId": 52, "userId": 10000002, "title": "软件设计说明书示例", "fileName": "软件设计说明书.md", "downloadTime": "2023-06-04 18:49:15" }] }</pre>

实际输出	
	<pre>{ "status": 200, "success": true, "message": [{ "id": 89, "resourceId": 7, "userId": 10000002, "title": "陈之浩在改这个试试这句话有没有二十个字呢", "fileName": "学习资料", "downloadTime": "2023-06-06 22:23:29" }, { "id": 73, "resourceId": 21, "userId": 10000002, "title": "自动删除", "fileName": "学习资料", "downloadTime": "2023-06-05 20:38:24" }, { "id": 72, "resourceId": 20, "userId": 10000002, "title": "自动删除", "fileName": "学习资料", "downloadTime": "2023-06-05 20:38:21" }]</pre>

用例名称	用户查看下载历史
	<pre>}, { "id": 71, "resourceId": 7, "userId": 10000002, "title": "陈之浩在改这个试试这句话有没有二十个字呢", "fileName": "学习资料", "downloadTime": "2023-06-05 20:38:17" }, { "id": 68, "resourceId": 52, "userId": 10000002, "title": "软件设计说明书示例", "fileName": "软件设计说明书.md", "downloadTime": "2023-06-04 18:49:15" }]</pre>

用例名称	管理员查看用户列表
用例编号	P106
输入数据	<pre>{ "cntInPage": 13, "pageNum": 1 }</pre>
前置条件	管理员查看用户列表
预期输出	<pre>{ "currPage": 1, "prePage": 1, "nextPage": 2, "count": 76, "list": [{ "id": 10000002, "name": "pcpas", "email": "1@q.com", "gender": "Male", "birthday": "1997-02-05", "registerTime": null, "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "exp": 40063, "loginNum": 3 }, { "id": 10000003, "name": "我亦是傻宝", "email": "20374151@buaa.edu.cn", "gender": "Male", "birthday": "2023-06-06", "registerTime": "2023-05-22", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "userLevel": 1, "userLevelName": "LV.1 入门菜鸟", "exp": 66, "loginNum": 4 }, { "id": 10000010, "name": "梦想成为神一般的存在", "email": "312466@qq.com", "gender": "Male", "birthday": "1990-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": "resource/image/ec6358cc-104d-42ca-9a31-4f427e0844be", </pre>

用例名称	管理员查看用户列表
	<pre>"userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000011, "name": "我亦是沙比", "email": "9@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000012, "name": "我真的不糊", "email": "10@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000013, "name": "阿斯顿法定", "email": "11@aa.com", "gender": "Male", "birthday": "2014-01-10", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000014, "name": "撒", "email": "12@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000015, "name": "阿斯顿 ", "email": "13@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0,</pre>

用例名称	管理员查看用户列表
	<pre>"loginNum": 0 }, { "id": 10000016, "name": "2345微软", "email": "14@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000017, "name": "的身份平均身高", "email": "15@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000018, "name": "给而是", "email": "16@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000019, "name": "士大夫如果", "email": "17@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000021, "name": "如果是", "email": "sdfdsf1@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 } },</pre>

用例名称	管理员查看用户列表
	<pre>"pageSize": 13, "pageCount": 6, "filterCount": 0 }</pre>
实际输出	<pre>{ "currPage": 1, "prePage": 1, "nextPage": 2, "count": 76, "list": [{ "id": 10000002, "name": "pcpas", "email": "1@q.com", "gender": "Male", "birthday": "1997-02-05", "registerTime": null, "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/e923b31f-d98e-417d-ae91-fa849e7ea3a0", "userLevel": 10, "userLevelName": "LV.10 神一般的存在", "exp": 40063, "loginNum": 3 }, { "id": 10000003, "name": "我亦是傻宝", "email": "20374151@buaa.edu.cn", "gender": "Male", "birthday": "2023-06-06", "registerTime": "2023-05-22", "profilePhotoUrl": "https://learning-and-living.oss-cn-beijing.aliyuncs.com/resource/image/281054a3-1160-456a-b289-05f16f82eb2b", "userLevel": 1, "userLevelName": "LV.1 入门菜鸟", "exp": 66, "loginNum": 4 }, { "id": 10000010, "name": "梦想成为神一般的存在", "email": "312466@qq.com", "gender": "Male", "birthday": "1990-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": "resource/image/ec6358cc-104d-42ca-9a31-4f427e0844be", "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000011, "name": "我亦是沙比", "email": "9@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000012, "name": "我真的不糊", "email": "10@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", </pre>

用例名称	管理员查看用户列表
	<pre>"registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000013, "name": "阿斯顿法定", "email": "11@aa.com", "gender": "Male", "birthday": "2014-01-10", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000014, "name": "撒", "email": "12@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000015, "name": "阿斯顿 ", "email": "13@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000016, "name": "2345微软", "email": "14@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "loginNum": 0 }, { "id": 10000017, "name": "的身份平均身高", "email": "15@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0,</pre>

用例名称 管理员查看用户列表	
<pre>"userLevelName": "LV.0 新手小白", "exp": 0, "logInNum": 0 }, { "id": 10000018, "name": "给而是", "email": "16@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "logInNum": 0 }, { "id": 10000019, "name": "士大夫如果", "email": "17@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "logInNum": 0 }, { "id": 10000021, "name": "如果是", "email": "sdfdsf1@aa.com", "gender": "Helicopter", "birthday": "2023-01-01", "registerTime": "2023-05-22", "profilePhotoUrl": null, "userLevel": 0, "userLevelName": "LV.0 新手小白", "exp": 0, "logInNum": 0 } }, "pageSize": 13, "pageCount": 6, "filterCount": 0 }</pre>	
用例名称 管理员修改用户信息	
用例编号	P107
输入数据	<pre>{ "id": 10000014, "name": "测试", "gender": "Male", "email": "12@aa.com", "birthday": "2022-12-31T16:00:00.000Z", "profilePhotoUrl": null }</pre>
前置条件	管理员想要修改某用户信息
预期输出	<pre>{ "status": 200, "success": true, "message": "修改成功" }</pre>

用例名称	管理员修改用户信息
实际输出	<pre>{ "status": 200, "success": true, "message": "修改成功" }</pre>
用例名称	管理员删除用户
用例编号	P109
输入数据	<pre>{ "id": 10000014 }</pre>
前置条件	管理员想要删除某用户
预期输出	<pre>{ "status": 200, "success": true, "message": "删除成功" }</pre>
实际输出	<pre>{ "status": 200, "success": true, "message": "删除成功" }</pre>

统计数据模块

用例名称	管理员查看统计数据
用例编号	D101
输入数据	NULL
前置条件	管理员想要查看网站统计数据
预期输出	<pre>{ "status": 200, "success": true, "message": { "numOfOnlineUser": 3, "numOfUser": 75, "numOfPost": 49, "numOfResource": 33 } }</pre>
实际输出	<pre>{ "status": 200, "success": true, "message": { "numOfOnlineUser": 3, "numOfUser": 75, "numOfPost": 49, "numOfResource": 33 } }</pre>
用例名称	用户非法查看统计数据
用例编号	D101
输入数据	NULL
前置条件	用户想要查看网站统计数据
预期输出	<pre>{ "status": 401, "success": false, "message": "无权限" }</pre>
实际输出	<pre>{ "status": 401, "success": false,</pre>

用例名称	用户非法查看统计数据
	<pre>"message": "无权限" }</pre>