



## Headline Statistics

WCWSS DAM STORAGE  
(%)

76.6

WEEKLY DAM LEVEL  
CHANGE  
(%)

1.40

AVERAGE TOTAL  
DAILY WATER USE  
(MLD)\*

871

AVERAGE WATER USE  
PER PERSON (l/d)\*\*

149

\* The total daily water usage is the total water provided by the City of Cape Town and includes water provided to Stellenbosch and Drakenstein Municipalities

\*\* The average per person water use is the average for the City of Cape Town only and is estimated as Total Water Use / Population. Summer demands are expected to be higher than the yearly average due to the increased use of water for outdoor irrigation. Average water use per person over the last 12 months was approximately 160 l/d

## Water Resource Status

| WATER RESOURCE STATUS | MEANING OF CURRENT STATUS                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Early Drought Caution | <p>Rainfall since May 2026 has been lower than expected, and thus the dam levels have been increasing slower than expected. As rainfall patterns remain unpredictable, it is important to remain water wise and use water responsibly to sustain supply should the drier weather persist for the remainder of winter - as current seasonal forecasts are predicting.</p> <p>The next Water Resource Status update will be published in September 2026.</p> |

## Water Production from Different Sources

MAJOR DAMS  
(MLD)

859


MINOR DAMS  
(MLD)

3

GROUND WATER  
AND SPRINGS  
(MLD)

9

## Overall Water Usage Trend (2010 - Present)



WCWSS means Western Cape Water Supply System

MLD means million litres per day

More information on Water Saving and Restrictions is available on the City of Cape Town's 'ThinkWater' website


Water Stored in Major Dams (WCWSS)

Overall Percentage Full76.6%


Weekly Change1.4%

| MAJOR DAMS (WCWSS) | STORAGE  |                   |               |         |         |         |         |
|--------------------|----------|-------------------|---------------|---------|---------|---------|---------|
|                    | CAPACITY | %                 | %             | %       | %       | %       | %       |
|                    | MI       | 21 September 2026 | Previous week | 2025    | 2024    | 2023    | 2022    |
| BERG RIVER         | 130,010  | 94.2              | 91.2          | 100.1   | 100.1   | 100.8   | 100.0   |
| STEENBRAS LOWER    | 33,517   | 50.4              | 47.7          | 98.0    | 99.0    | 101.4   | 91.7    |
| STEENBRAS UPPER    | 31,767   | 95.0              | 83.6          | 101.5   | 101.5   | 101.0   | 92.7    |
| THEEWATERSKLOOF    | 480,188  | 76.8              | 76.3          | 86.2    | 101.2   | 103.1   | 85.1    |
| VOËLVLEI           | 164,095  | 59.2              | 58.6          | 101.8   | 100.0   | 100.1   | 72.4    |
| WEMMERSHOEK        | 58,644   | 89.5              | 88.6          | 90.0    | 100.0   | 100.0   | 86.6    |
| TOTAL STORED       | 898,221  | 687,898           | 675,423       | 829,071 | 904,139 | 915,137 | 768,622 |
| % STORAGE          |          | 76.6%             | 75.2%         | 92.3%   | 100.7%  | 101.9%  | 85.6%   |




WCWSS Storage Record (2008 - Present)



WCWSS Comparative Storage Graph



Projected WCWSS Dam Storage Levels



Water Stored in Minor Dams

Overall Percentage Full      **N/D**

Weekly Change      **N/D**

| MINOR DAMS                    | STORAGE  |                   |               |        |       |        |        |
|-------------------------------|----------|-------------------|---------------|--------|-------|--------|--------|
|                               | CAPACITY | %                 | %             | %      | %     | %      | %      |
|                               | MI       | 21 September 2026 | Previous week | 2025   | 2024  | 2023   | 2022   |
| ALEXANDRA (Table Mountain)    | 126      | 79.0              | 68.7          | 70.5   | N/D   | 97.3   | 92.2   |
| DE VILLIERS (Table Mountain)  | 243      | 100.2             | 100.5         | 91.0   | N/D   | 100.0  | 88.3   |
| HELY-HUTCHINSON (Table Mount  | 925      | 19.3              | 0.0           | 99.7   | N/D   | 100.8  | 99.7   |
| KLEINPLAATS (Simon's Town)    | 1,368    | 36.1              | 36.1          | 63.5   | 73.7  | 98.4   | 76.6   |
| LAND-EN-ZEEZICHT (Helderberg) | 451      | 100.7             | 100.7         | 100.0  | 100.0 | 99.4   | 87.2   |
| LEWIS GAY (Simon's Town)      | 182      | 73.8              | 64.0          | 89.5   | 100.9 | 100.9  | 30.8   |
| VICTORIA (Table Mountain)     | 128      | 101.2             | 98.5          | 67.0   | N/D   | 101.2  | 100.0  |
| WOODHEAD (Table Mountain)     | 954      | 99.6              | 86.4          | 68.1   | N/D   | 100.3  | 77.7   |
| Total Stored                  | 4,377    | 2677.8            | 2340.1        | 3423.1 | N/D   | 4313.3 | 3590.3 |
| Percentages stored            |          | 61.2              | 53.5          | 78.2   | N/D   | 98.5   | 82.0   |


Rainfall Recorded

| RAINFALL (mm)             | 14-Sep | 15-Sep | 16-Sep | 17-Sep | 18-Sep | 19-Sep | 20-Sep | Sep    |            |
|---------------------------|--------|--------|--------|--------|--------|--------|--------|--------|------------|
|                           |        |        |        |        |        |        |        | Total* | LT Average |
| Blackheath Upper          | 1.0    | 19.0   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 38.0   | 43.5       |
| Brooklands                | 4.0    | 20.0   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 41.0   | 85.7       |
| Newlands                  | 19.5   | 70.0   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 108.0  | 168.3      |
| Steenbras                 | 1.3    | 18.5   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 39.8   | 83.6       |
| Table Mountain (Woodhead) | 16.5   | 54.0   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 94.5   | 147.2      |
| Theewaterskloof           | 0.0    | 9.8    | 4.1    | 3.2    | 0.0    | 0.0    | 0.0    | 57.7   | 41.1       |
| Tygerberg                 | 30.0   | 35.0   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 87.8   | 47.0       |
| Voëlvlei                  | 1.5    | 0.1    | 9.0    | 0.0    | 0.0    | 0.0    | 0.0    | 26.6   | 45.1       |
| Wemmershoek               | 10.7   | 23.6   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 55.5   | 90.3       |
| Wynberg                   | 14.5   | 44.3   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 73.0   | 97.8       |

Notes:  
\*Total/cummulative rainfall for month indicated above  
\*\*LT: Long Term  
\*\*\*Readings taken at approximately 8am daily except for Newlands which is taken at 12:00 daily

Accumulated Monthly Rainfall at Wemmershoek

Note: Wemmershoek station used due to long record and mountainous location



## Drinking Water Quality

| SAMPLE PASS RATE |                              |            |
|------------------|------------------------------|------------|
| Month            | Water Quality Compliance (%) | Target (%) |
| Jan-22           | 99.04                        | 98.00      |
| Feb-22           | 99.04                        | 98.00      |
| Mar-22           | 98.99                        | 98.00      |
| Apr-22           | 98.96                        | 98.00      |
| May-22           | 98.90                        | 98.00      |
| Jun-22           | 98.96                        | 98.00      |
| Jul-22           | 99.46                        | 98.50      |
| Aug-22           | 99.47                        | 98.50      |
| Sep-22           | 99.46                        | 99.00      |
| Oct-22           | 99.47                        | 99.00      |
| Nov-22           | 99.45                        | 99.00      |
| Dec-22           | 99.36                        | 99.00      |
| Jan-23           | 99.36                        | 99.00      |
| Feb-23           | 99.35                        | 99.00      |
| Mar-23           | 99.29                        | 99.00      |
| Apr-23           | 99.24                        | 99.00      |
| May-23           | 99.24                        | 99.00      |
| Jun-23           | 99.18                        | 99.00      |
| Jul-23           | 99.19                        | 99.00      |
| Aug-23           | 99.14                        | 99.00      |
| Sep-23           | 99.10                        | 99.00      |
| Oct-23           | 99.10                        | 99.00      |
| Nov-23           | 99.04                        | 99.00      |
| Dec-23           | 99.15                        | 99.00      |
| Jan-24           | 99.16                        | 99.00      |
| Feb-24           | 99.12                        | 99.00      |
| Mar-24           | 99.16                        | 99.00      |
| Apr-24           | 99.20                        | 99.00      |
| May-24           | 99.21                        | 99.00      |
| Jun-24           | 99.26                        | 99.00      |
| Jul-24           | 99.27                        | 99.00      |
| Aug-24           | 99.31                        | 99.00      |
| Sep-24           | 99.33                        | 99.00      |
| Oct-24           | 99.37                        | 99.00      |
| Nov-24           | 99.42                        | 99.00      |
| Dec-24           | 99.42                        | 99.00      |
| Jan-25           | 99.48                        | 99.00      |
| Feb-25           | 99.57                        | 99.00      |
| Mar-25           | 99.61                        | 99.00      |
| Apr-25           | 99.65                        | 99.00      |
| May-25           | 99.66                        | 99.00      |
| Jun-25           | 99.62                        | 99.00      |
| Jul-25           | 99.69                        | 99.00      |
| Aug-25           | 99.69                        | 99.00      |
| Sep-25           | 99.70                        | 99.00      |
| Oct-25           | 99.70                        | 99.00      |
| Nov-25           | 99.72                        | 99.00      |
| Dec-25           | 99.72                        | 99.00      |
| Jan-26           | 99.72                        | 99.00      |
| Feb-26           | 99.70                        | 99.00      |
| Mar-26           | 99.72                        | 99.00      |
| Apr-26           | 99.73                        | 99.00      |
| May-26           | 99.73                        | 99.00      |
| Jun-26           | 99.76                        | 99.00      |
| Jul-26           | 99.01                        | 99.00      |

This table shows CCT drinking water quality compliance according to the South African National Standard 241:2015. Compliance, measured against all prescribed chemical and microbiological components, consistently exceeds the very high CCT target of 99%. (Overall compliance percentages of continuous sampling and analysis are released on a monthly basis.