

All 17 screenshots from the execution of the commands specified in the project3rootuserscript.sql script:


RootCommand 1:




RootCommand 2:




RootCommand 3:



RootCommand 4:




RootCommand 5A:




(Mark Renshaw does not exist before)

RootCommand 5B:




RootCommand 5C:




(Mark Renshaw shows in result window)

RootCommand 6:




RootCommands 7A:




(Belgium riders are contained)

RootCommands 7B;




RootCommands 7C:




(Belgium riders are deleted)

RootCommands 8A:




(Mark Renshaw has 26 num_pro_wins)

RootCommands 8B:




RootCommands 8C:




(Mark Renshaw has 30 num_pro_wins currently)


RootCommand 9:



RootCommands 10A:




RootCommands 10B:




All 11 screenshots from the execution of the commands specified in the project3clientuserscript.sql script:


ClientCommand 1:




ClientCommands 2A:



ClientCommands 2B:




ClientCommands 2C:




(There are still Norway riders)


ClientCommands 3A:



ClientCommands 3B:




ClientCommands 3C:




(Marianne Vos still has 230 num_pro_wins)


ClientCommand 4:




ClientCommand 5:




ClientCommand 6:



ClientCommand 7:




A screenshot showing the final state of the operationscount table after executing the command select * from operationscount; once both the root user and client user command script files have been completely executed:




A screenshot showing a mismatch between the user-entered credentials and the selected properties file resulting in no connection to the database being established:


Wrong root password:



Wrong client password:



Use root properties for client:



Use client properties for root:

