

Stigma and Social Isolation Among Older Adults with HIV in Rural Communities

Public Health Importance

Address the Problem and Its Scope

The prevalence of HIV among older adults (aged 50+) in the United States is increasing due to improved antiretroviral treatments, which have extended life expectancy. Despite medical advancements, older adults living with HIV face unique health challenges, including multiple comorbidities (e.g., cardiovascular disease, cognitive impairments) and increased vulnerability from declining immune function (Emlet et al., 2020). Stigma remains a key factor harming well-being, manifesting as internalized stigma (feelings of shame and self-blame), perceived stigma (fear of negative judgments from family or providers), and Anticipated stigma (fear of future rejection or discrimination). These are particularly severe in rural settings, where misinformation about HIV persists, healthcare options are limited, and cultural conservatism often reinforces moral judgments (Emlet, 2006; Earnshaw & Chaudoir, 2009).

Why This Problem Matters for Public Health

Stigma towards older adults with HIV severely restricts healthcare utilization and adherence. Stigma-driven social isolation aggravates mental health issues (e.g., depression, anxiety), further weakening immune function and hastening disease progression (Emlet et al., 2020). This dual burden of chronic illness and pervasive stigma creates a cycle of deteriorating physical and mental health, especially in close-knit rural communities where privacy can be scarce. Such stigma not only harms individuals but also undermines broader HIV prevention and treatment efforts.

Specific Population of Focus

This proposal focuses on older adults aged 50+ living with HIV in rural U.S. areas, a population contending with age-related frailty, poor infrastructure, transportation barriers, and conservative cultural norms intensifying HIV-related stigma (Emlet, 2006). While interventions in urban contexts have improved outcomes for younger populations, there is an urgent need for strategies attuned to the intersection of aging, HIV, and rural isolation.

Theoretical Framework

Social Ecological Model

I employ the Social Ecological Model to analyze stigma at multiple levels (Bronfenbrenner, 1979)

Individual level, internalized stigma leading to secrecy, shame, and depressed self-esteem.

Interpersonal level, perceived stigma influencing family and peer relationships, restricting social support.

Institutional level, anticipated stigma within healthcare settings, where lack of confidentiality and geriatric HIV training can deter timely care.

Societal level, cultural narratives about HIV, limited anti-discrimination policies, and deep-rooted rural conservatism.

HIV Stigma Framework

Earnshaw and Chaudoir's (2009) framework disaggregates HIV stigma into internalized, perceived, and anticipated forms, linking each form to specific psychosocial and health outcomes. For instance, internalized stigma can reduce personal motivation to seek care, perceived stigma can trigger stress and anxiety, while anticipated stigma often leads individuals to avoid necessary medical or social support. This model underscores how stigma becomes a potent barrier to healthcare engagement and a driver of social isolation—both critical in rural contexts where resources and peer networks are thin.

Drivers and Facilitators of Stigma

Drivers include deeply ingrained HIV misconceptions, judgmental attitudes shaped by religious/conservative norms, and structural barriers such as underfunded rural clinics (Mahajan et al., 2008). Meanwhile, stigma reduction can be facilitated by community-wide education to dispel myths, training healthcare providers on geriatric HIV care and confidentiality, and policy advocacy that protects older adults with HIV from discrimination.

Measurement

Quantitative Assessment Strategy

To systematically capture internalized, perceived, and anticipated stigma, I will adapt the HIV Stigma Scale (Earnshaw & Chaudoir, 2009) for older, rural adults. This scale has demonstrated reliability and validity in multiple settings, but requires language adjustments for geriatric populations and attention to rural cultural context. Likert-style items will evaluate how strongly participants endorse experiences or concerns indicative of each stigma domain.

Incorporating Lived Experience

To supplement quantitative data, I will conduct semi-structured interviews with a purposive sample of older adults living with HIV in rural locales. Focus groups at local senior centers or HIV advocacy organizations will further contextualize the

stigma experiences uncovered by the scale. This mixed-methods approach (Creswell & Plano Clark, 2017) enables a more nuanced understanding of how stigma manifests in everyday life, revealing factors the standardized tool might overlook.

Measurement Issues and Strategies

Rural residents may fear disclosure if recognized during data collection, risking underreporting or socially desirable responses. Strategies include offering anonymous surveys, ensuring private interview spaces, and recruiting interviewers trained in sensitive engagement. Telehealth-based questionnaires will be used to circumvent transportation barriers and minimize face-to-face concerns (Emlet et al., 2020). Piloting the adapted stigma scale with a small group of rural older adults will refine item clarity and cultural relevance, thus enhancing reliability and validity.

Intersectionality

Intersectionality, as defined by Crenshaw (1991), explains how overlapping social identities—age, HIV status, rural residency, and potentially race/ethnicity or LGBTQ+ identity—can compound experiences of marginalization. Among older adults with HIV in rural America, stigma cannot be understood in isolation from these intersecting identities (Logie et al., 2011). For instance, an older Black gay man with HIV in a conservative, rural town may encounter racism, homophobia, and ageism in addition to HIV-related stigma, intensifying fear of disclosure and restricting social support. By contrast, older heterosexual White adults with HIV may face significant HIV stigma but not the same racial or sexual orientation discrimination.

Accounting for intersectionality ensures that interventions do not treat older adults with HIV as a monolithic group. Instead, programs must be flexible enough to address distinct forms of oppression converging in certain subgroups, such as older women of color or LGBTQ+ seniors. Neglecting these layered identities risks missing important nuances (Crenshaw, 1991) and perpetuating inequities—emphasizing why context-specific, intersectional data collection (including race, gender, orientation) is crucial for stigma reduction. By tailoring measures and outreach, we can more accurately capture and remedy the diverse realities within this broader population.

Existing Interventions

Overview of Current Strategies

Psychoeducational programs, community outreach, and healthcare provider trainings have proven effective in urban HIV stigma reduction, particularly among younger adults (Mahajan et al., 2008). Peer support groups can alleviate internalized stigma, while provider trainings improve patient care experiences by reducing prejudicial behaviors (Parker & Aggleton, 2003). Nonetheless, these programs rarely address the compounding challenges of older age and rural isolation.

Critique of Existing Evidence

Urban-centric interventions often rely on readily available technology, specialized clinics, and stronger support networks—factors far less accessible in rural communities. Additionally, older adults confront unique barriers, including mobility issues, multiple chronic conditions, and ageism (Emlet, 2006). Existing efforts insufficiently address internalized and anticipated stigma, which are especially pronounced where fear of being recognized or shamed may dissuade care-seeking.

Most Promising Intervention

Given these gaps, training rural healthcare providers in confidentiality, geriatric HIV care, and stigma awareness emerges as a priority. This directly addresses anticipated stigma at the institutional level, aligning with Earnshaw and Chaudoir's (2009) emphasis on provider interactions as a linchpin of stigma's effect on care engagement. By focusing on older adults' distinct needs (e.g., complex comorbidities, fear of local gossip), such training can meaningfully reduce stigma-related isolation and improve service access.

Objectives

Overall Goal

Reduce stigma-related social isolation and enhance health outcomes among rural older adults (50+) living with HIV.

Specific Aims

1. Conduct formative qualitative research (interviews, focus groups) to comprehensively document stigma experiences among older adults living with HIV in rural communities.
2. Adapt and pilot-test a healthcare provider education intervention addressing rural and age-specific barriers to reduce perceived and anticipated stigma.
3. Develop and validate a culturally relevant quantitative measure to assess anticipated stigma among rural older adults living with HIV.

Positionality and Power

Challenging Power Hierarchies

Traditional research approaches often prioritize academic perspectives over community voices, which can reinforce power imbalances and perpetuate stereotypes. To disrupt these hierarchies, this study incorporates community-based participatory research (CBPR) methods, forming an advisory board of older adults with HIV from rural areas (Minkler & Wallerstein, 2008). This board will advise on recruitment

strategies, data collection, and intervention design, ensuring alignment with lived experiences and promoting genuine co-ownership of the research process.

Researcher Positionality

As a researcher without direct experience of rural living or HIV, I recognize potential biases and the risk of imposing assumptions. Regular reflexive journaling and ongoing dialogue with community representatives will help identify and mitigate these biases. I will collaborate with local HIV advocacy groups to ensure cultural humility and respect in all interactions, from interviews to the design of stigma measures.

Systems of Power and Privilege

Historic underfunding of rural health initiatives and age-related stigma in HIV research highlight systemic biases that have shaped existing knowledge. Younger, urban populations commonly dominate HIV studies, overshadowing older rural adults' experiences (Emlet, 2006). Addressing this gap is both a scholarly and ethical imperative: focusing on marginalized perspectives fosters health equity, exposes policy shortcomings, and encourages resource allocation that reflects diverse, intersectional realities.

Reference

- Bronfenbrenner, U. (1979). *The Ecology of Human Development: Experiments by Nature and Design*. Harvard University Press.
- Corrigan, P. W., & Watson, A. C. (2002). Understanding the impact of stigma on people with mental illness. *World Psychiatry*, 1(1), 16-20.
- Creswell, J. W., & Plano Clark, V. L. (2017). *Designing and conducting mixed methods research* (3rd ed.). SAGE.
- Crenshaw, K. (1991). Mapping the margins: Intersectionality, identity politics, and violence against women of color. *Stanford Law Review*, 43(6), 1241–1299.
- Earnshaw, V. A., & Chaudoir, S. R. (2009). From conceptualizing to measuring HIV stigma: a review of HIV stigma mechanism measures. *AIDS and Behavior*, 13(6), 1160-1177.
- Emlet, C. A. (2006). “You're awfully old to have this disease”: Experiences of stigma and ageism in adults 50 years and older living with HIV/AIDS. *The Gerontologist*, 46(6), 781-790.
- Emlet, C. A., et al. (2020). HIV stigma and mental health among older adults living with HIV in rural communities. *Aging & Mental Health*, 24(11), 1904-1912.
- Logie, C. H., James, L., Tharao, W., & Loutfy, M. R. (2011). Intersectional stigma and discrimination experiences among HIV-positive African American, Caribbean, and Black women. *Social Science & Medicine*, 73(4), 580-588.
- Mahajan, A. P., et al. (2008). Stigma in the HIV/AIDS epidemic: A review of the literature. *AIDS*, 22(Suppl 2), S67-S79.
- Minkler, M., & Wallerstein, N. (Eds.). (2008). *Community-based participatory research for health: From process to outcomes* (2nd ed.). Jossey-Bass.
- Parker, R., & Aggleton, P. (2003). HIV and AIDS-related stigma and discrimination: implications for action. *Social Science & Medicine*, 57(1), 13-2