neovim

Neovim

Shortcuts App

Common

- :Lazy : packet manager
- : Mason : packet manager 🖴
- :Lsp: manage rust analyser Plugin
- :Markdown : manage markdown Plugin
- <leader>+ff : find file
- <leader>+fw : live grep

Uncommon

- : source : reload neovim config
- <leader>+th : nvchad themes
- <leader>+ch : show cheatsheet

Shortcuts Panel

Common

- <ctrl>+[hjkl] : move through panels
- · tab: jump into the next open file
- <shift>+tab : jump into the previous open file
- <leader>+e : open file explorer
- <leader>+q : open and close log terminal
- :x : exit file with saving
- :w : save without exit
- <leader>+h : open horizontal term
- <leader>+x : close file

- :sp : split the window horizontally *
- :vsp : split the window vertically *

Uncommon

- :q! : exit file without saving (force)
- <leader>+v : open vertical term
- <leader>+b : create new file
- <alt>+i : open floating terminal ___
- <ctrl>+c : copy all file
- 🔹 :wa : save all open buffers to disk 🦴

Shortcuts Motion

Common

- [hjkl] : move in panel
- \$: move cursor to end of line
- ^ : move cursor to first non-whitespace character of line
- 0 : move cursor to beginning of line
- G: go to the last non blank line
- gg: go to the first non blank line
- w: jump to the begin of the next word
- · e: jump to the end of the next word
- b: jump to the begin of the previouscword
- <ctrl>+b : (insert) move at the begining of the line panel
- <ctrl>+e : (insert) move at the ending of the line panel
- %: match the next enlosure

Uncommon

- <ctrl>+[hjkl] : (insert) move in panel
-) : sentence forward
- (: sentence backwards
- } : paragraph forward
- { : paragraph backwards

Shortcuts Rust

Common

- gk: show type
- gK: go to type
- gr : go to reference
- gd : go to definition
- gD: go to implementations
- <leader>+ds : open lsp diagnostic

Shortcuts Nvimtree

Common

- a : create file/dir
- u : rename or move file/dir
- d : delete file/dir 🖴
- c : copy file/dir
- p : past file/dir

Uncommon

- gy : copy absolute path file/dir
- y : copy name file/dir
- q : close tree
- g?: show help

Shortcuts Editing

Common

- i : enter Insert mode before the cursor
- a : enter Insert mode after the cursor
- I : enter Insert mode at beginning of the line
- A : enter **Insert** mode at the end of the line

- o: insert a new line below the current line and enter Insert mode
- 0 : insert a new line above the current line and enter Insert mode
- yy : copy current line
- dd : delete current line
- <leader>+/: (visual mode) comments multi lines
- u : undo the last change
- <ctrl>+r : redo the last change
- cw : change from cursor to end of word and enter Insert mode
- ciw: change the word where the cursor is and enter Insert mode
- cb : change from cursor to beginning of word and enter Insert mode
- x : :delete cusor highlight
- <esc> : leave INSERT mode
- : delete left
- <fn>+ : delete right
- dw: delete current word

Uncommon

- D: delete from the cursor to the end of the line
- <ctrl>+u : delete word after cursor
- <ctrl>+w : delete word before cursor

Shortcuts Visual Mode

Common

- v : enter Visual mode and select text character by character
- v : enter Visual mode and select text line by line
- y : copy selection
- v\$: select from the cursor to the end of the line

Uncommon

- d : delete selection
- c : change the selected text and enter Insert mode

Shortcuts Search and Replace

Common

- / : search forward for a pattern
- ? : search backward for a pattern
- n : repeat the last search in the same direction
- N : repeat the last search in the opposite direction

Uncommon

• :%s/pattern/replacement/g : replace all occurrences of 'pattern' with 'replacement' in the entire file

Shortcuts Replace Mode

Common

• R : switch to Replace mode to overwrite text @