

**A FIRST COURSE
IN
GRAPH THEORY**

A FIRST COURSE
IN
GRAPH THEORY
MAT4004 Notebook

Prof. Janny M.Y. Leung

The Chinese University of Hong Kong, Shenzhen



香港中文大學(深圳)

The Chinese University of Hong Kong, Shenzhen

Contents

Acknowledgments	vii
Notations	ix
1 Week1	1
1.1 Tuesday	1
2 Week2	3
2.1 Tuesday	3
2.1.1 Optimal order quantity	3
2.1.2 Non-perishable Products	4
2.2 Thursday	6
2.2.1 Discrete Time Markov Chains	6

Acknowledgments

This book is from the MAT4001 in fall semester, 2018.

CUHK(SZ)

Notations and Conventions

\mathbb{R}^n	n -dimensional real space
\mathbb{C}^n	n -dimensional complex space
$\mathbb{R}^{m \times n}$	set of all $m \times n$ real-valued matrices
$\mathbb{C}^{m \times n}$	set of all $m \times n$ complex-valued matrices
x_i	i th entry of column vector \mathbf{x}
a_{ij}	(i, j) th entry of matrix \mathbf{A}
\mathbf{a}_i	i th column of matrix \mathbf{A}
\mathbf{a}_i^T	i th row of matrix \mathbf{A}
\mathbb{S}^n	set of all $n \times n$ real symmetric matrices, i.e., $\mathbf{A} \in \mathbb{R}^{n \times n}$ and $a_{ij} = a_{ji}$ for all i, j
\mathbb{H}^n	set of all $n \times n$ complex Hermitian matrices, i.e., $\mathbf{A} \in \mathbb{C}^{n \times n}$ and $\bar{a}_{ij} = a_{ji}$ for all i, j
\mathbf{A}^T	transpose of \mathbf{A} , i.e, $\mathbf{B} = \mathbf{A}^T$ means $b_{ji} = a_{ij}$ for all i, j
\mathbf{A}^H	Hermitian transpose of \mathbf{A} , i.e, $\mathbf{B} = \mathbf{A}^H$ means $b_{ji} = \bar{a}_{ij}$ for all i, j
$\text{trace}(\mathbf{A})$	sum of diagonal entries of square matrix \mathbf{A}
$\mathbf{1}$	A vector with all 1 entries
$\mathbf{0}$	either a vector of all zeros, or a matrix of all zeros
\mathbf{e}_i	a unit vector with the nonzero element at the i th entry
$\mathcal{C}(\mathbf{A})$	the column space of \mathbf{A}
$\mathcal{R}(\mathbf{A})$	the row space of \mathbf{A}
$\mathcal{N}(\mathbf{A})$	the null space of \mathbf{A}
$\text{Proj}_{\mathcal{M}}(\mathbf{A})$	the projection of \mathbf{A} onto the set \mathcal{M}

Chapter 1

Week1

1.1. Wednesday