

A FIRST COURSE
IN
NUMERICAL ANALYSIS

A FIRST COURSE
IN
NUMERICAL ANALYSIS
MAT4001 Notebook

Prof. Yutian Li

The Chinese University of Hong Kong, Shenzhen



香港中文大學(深圳)

The Chinese University of Hong Kong, Shenzhen

Contents

Acknowledgments	vii
Notations	ix
1 Week1	1
1.1 Tuesday	1

Acknowledgments

This book is from the MAT4001 in fall semester, 2018.

CUHK(SZ)

Notations and Conventions

\mathbb{R}^n	n -dimensional real space
\mathbb{C}^n	n -dimensional complex space
$\mathbb{R}^{m \times n}$	set of all $m \times n$ real-valued matrices
$\mathbb{C}^{m \times n}$	set of all $m \times n$ complex-valued matrices
x_i	i th entry of column vector \mathbf{x}
a_{ij}	(i, j) th entry of matrix \mathbf{A}
\mathbf{a}_i	i th column of matrix \mathbf{A}
\mathbf{a}_i^T	i th row of matrix \mathbf{A}
\mathbb{S}^n	set of all $n \times n$ real symmetric matrices, i.e., $\mathbf{A} \in \mathbb{R}^{n \times n}$ and $a_{ij} = a_{ji}$ for all i, j
\mathbb{H}^n	set of all $n \times n$ complex Hermitian matrices, i.e., $\mathbf{A} \in \mathbb{C}^{n \times n}$ and $\bar{a}_{ij} = a_{ji}$ for all i, j
\mathbf{A}^T	transpose of \mathbf{A} , i.e, $\mathbf{B} = \mathbf{A}^T$ means $b_{ji} = a_{ij}$ for all i, j
\mathbf{A}^H	Hermitian transpose of \mathbf{A} , i.e, $\mathbf{B} = \mathbf{A}^H$ means $b_{ji} = \bar{a}_{ij}$ for all i, j
$\text{trace}(\mathbf{A})$	sum of diagonal entries of square matrix \mathbf{A}
$\mathbf{1}$	A vector with all 1 entries
$\mathbf{0}$	either a vector of all zeros, or a matrix of all zeros
\mathbf{e}_i	a unit vector with the nonzero element at the i th entry
$\mathcal{C}(\mathbf{A})$	the column space of \mathbf{A}
$\mathcal{R}(\mathbf{A})$	the row space of \mathbf{A}
$\mathcal{N}(\mathbf{A})$	the null space of \mathbf{A}
$\text{Proj}_{\mathcal{M}}(\mathbf{A})$	the projection of \mathbf{A} onto the set \mathcal{M}

Chapter 1

Week1

1.1. Tuesday

The Markov Chains course mainly focus on the performance analysis for which the Markov decision is made.

