```
entry
```

```
L0
LINENUMBER 8 L0
ALOAD 0
ICONST_0
AALOAD
INVOKESTATIC java/lang/Boolean.valueOf (Ljava/lang/String;)Ljava/lang/Boolean;
INVOKEVIRTUAL java/lang/Boolean.booleanValue ()Z
INVOKESTATIC edu/cmu/cs/mvelezce/taints/Sources.A_0 (Z)Z
ISTORE 1
L1
LINENUMBER 9 L1
ALOAD 0
ICONST_1
AALOAD
INVOKESTATIC java/lang/Boolean.valueOf (Ljava/lang/String;)Ljava/lang/Boolean;
INVOKEVIRTUAL java/lang/Boolean.booleanValue ()Z
INVOKESTATIC edu/cmu/cs/mvelezce/taints/Sources.B_1 (Z)Z
ISTORE 2
L2
LINENUMBER 11 L2
ILOAD 1
INVOKESTATIC edu/cmu/cs/mvelezce/implicit/ControlStack.get (Z)Z
ISTORE 3
L3
LINENUMBER 12 L3
ILOAD 2
INVOKESTATIC edu/cmu/cs/mvelezce/implicit/ControlStack.get (Z)Z
ISTORE 4
L4
LINENUMBER 14 L4
ILOAD 3
ILOAD 4
INVOKESTATIC edu/cmu/cs/mvelezce/implicit/ControlStack.equalTaintAndStack (ZZ)V
L5
LINENUMBER 15 L5
LDC "edu/cmu/cs/mvelezce/implicit/ControlStack.main([Ljava/lang/String;)V"
INVOKESTATIC edu/cmu/cs/mvelezce/tool/analysis/taint/java/groundtruth/SubtracesLogger.exitAtReturn (Ljava/lang/String;)V
INVOKESTATIC edu/cmu/cs/mvelezce/tool/analysis/taint/java/groundtruth/SubtracesLogger.saveTrace ()V
RETURN
L6
```

```
exit
```