```
#include <iostream>
                                                                     C:\devcpp\hw10\trytrysee\trytrysee.ex
    #include <ctime>
                                                                    How much is 6 times 4?30
     #include <cstdlib>//我忘記這個是甚麼了 >a library containing
                                                                     No. Please try again
     using namespace std:
 4
                                                                    How much is 6 times 4?24
                                                                    Very good!
                                                                    How much is 1 times 4?4
 6
     int Question();
                                                                    Very good!
                                                                    How much is 1 times 1?1
     int x, y;
                                                                    Verv good!
    int main() {//再不一樣的scope裡面要怎麼把自己在另一個地方設
                                                                    How much is 9 times 4?90
10
         srand (time(0));//time interval concept
                                                                     No. Please try again
                                                                    How much is 9 times 4?36
11
         int ans;
                                                                    Very good!
12 🗀
         for (;;) {
                                                                    How much is 8 times 3?24
13
             int result = Question();//first time of random //可见
                                                                    Very good!
14
             cin >> ans:
                                                                    How much is 3 times 3?
15 白
             while(result != ans) {
16
                 cout << "No. Please try again "<<endl;</pre>
17
                 cout << "How much is "<< x<< " times "<<y<< "?";
18
                 cin >> ans:
19
20
             cout << "Very good! "<<endl;
21
22
         return 0;
23 L
24 ☐ int Question() {
         x = rand()%10;
25
         y = rand()%10;
26
27
         cout << "How much is "<< x<< " times "<<y<< "?";
28
         return x*y; //有辦法不用return 可以用void寫
29 L }
30
31
```