1. Request appointment

Field	Description
Scope	Appointment Tracking System
Level	User goal
Primary actor	Patient or authorized clinic staff, including healthcare professionals
Supporting actors	None
Goal	Register an appointment request for a patient
Stakeholders and interests	Patients want suitable appointments. Clinic staff and healthcare professionals want accurate schedules without conflicting bookings.
Preconditions	The requester is authenticated. The patient is registered. The requester is authorized to request an appointment for that patient.
Trigger	The requester selects the option to request an appointment.
Success guarantee	The appointment request is saved with a unique appointment ID and its details, pending the separate confirmation process.
Minimal guarantee	If the request fails, no appointment is created and existing appointments remain unchanged.

Main success scenario

1. The requester submits the patient, service, healthcare professional, preferred date/time, and referral details if applicable.
2. The system verifies the healthcare professional's availability.
3. The system verifies that any required referral is present and valid.
4. The system verifies other applicable scheduling constraints.
5. The system saves the appointment request and assigns a unique appointment ID.
6. The system reports that the request was accepted and returns the appointment ID and date/time.

Extensions / failure scenarios

2a. Requested slot is unavailable

1. The system informs the requester that the slot is unavailable.

2. No appointment is created, and this attempt ends.

3a. A required referral is missing or invalid

1. The system informs the requester that a valid referral is required.
2. No appointment is created, and this attempt ends.

4a. Another scheduling constraint is not satisfied

1. The system rejects the request and explains the constraint.
2. No appointment is created, and this attempt ends.

Assumption

Accepted appointment requests await the separate **Confirm appointment** use case.

Matching SSD: 01 Request appointment

2. Reschedule appointment

Field	Description
Scope	Appointment Tracking System
Level	User goal
Primary actor	Patient or clinic staff permitted to manage appointments, including healthcare professionals
Supporting actors	None
Goal	Change the date/time of an existing appointment

Stakeholders and interests	The patient wants a suitable appointment time. Clinic staff and healthcare professionals want accurate schedules without conflicting bookings.
Preconditions	The patient is registered and the appointment exists. Patient login is not required. Staff access follows the applicable role restrictions.
Trigger	The requester selects the option to reschedule an appointment.
Success guarantee	The appointment's new date/time is saved, the original slot is released, and the new slot is reserved.
Minimal guarantee	If rescheduling fails, the original appointment and its slot remain unchanged.

Main success scenario

1. The requester selects the appointment using its appointment ID.
2. The system displays the appointment details.
3. The requester submits a new date/time.
4. The system verifies the healthcare professional's availability and applicable scheduling constraints.
5. The system updates the appointment, releases the original slot, and reserves the new slot.
6. The system reports that the appointment was rescheduled and returns the appointment ID and new date/time.

Extensions / failure scenarios

4a. The requested slot is unavailable

1. The system informs the requester that the new slot is unavailable.
2. The original appointment remains unchanged.
3. This attempt ends. The requester may start another attempt with a different date/time.

4b. The requested slot is available, but a scheduling constraint prevents the change

1. The system rejects the change and explains the reason.
2. The original appointment remains unchanged.
3. This attempt ends.

Special requirements

- Changes must not create conflicting bookings.
- Relevant changes should be recorded to support accountability.
- Access to patient information must respect applicable role restrictions.

Assumptions / open questions

- Patients do not require an account or login.
- The success response acknowledges the date change; it does not perform the separate Confirm appointment use case.
- The method for verifying a patient's right to change an appointment remains to be defined.
- Specific scheduling constraints remain to be defined.

Matching SSD: 02 Reschedule appointment

-

3. Cancel appointment

Field	Description
Scope	Appointment Tracking System
Level	User goal
Primary actor	Patient or clinic staff permitted to manage appointments, including healthcare professionals
Supporting actors	None
Goal	Cancel an existing appointment
Stakeholders and interests	The patient wants to cancel a visit they no longer need or cannot attend. Clinic staff and healthcare professionals want an accurate schedule and the cancelled slot available for another booking.
Preconditions	The patient is registered and the appointment exists. Patient login is not required. Staff access follows the applicable role restrictions.

Trigger	The requester selects the option to cancel an appointment.
Success guarantee	The appointment is marked cancelled and its reserved slot is released.
Minimal guarantee	If cancellation fails, the appointment and its reserved slot remain unchanged.

Main success scenario

1. The requester selects the appointment using its appointment ID.
2. The system displays the appointment details.
3. The requester submits a cancellation request.
4. The system checks whether the appointment can be cancelled.
5. The system marks the appointment cancelled and releases its reserved slot.
6. The system reports that the appointment was cancelled and returns its appointment ID.

Extensions / failure scenarios

4a. Cancellation is not permitted for the appointment's current status

1. The system rejects the cancellation and explains the reason.
2. The appointment and its reserved slot remain unchanged.
3. This attempt ends.

Special requirements

- The system should retain the cancelled appointment's information for traceability.
- Relevant changes should be recorded to support accountability.
- Access to patient information must respect applicable role restrictions.

Assumptions / open questions

- Patients do not require an account or login.
- The method for verifying a patient's right to cancel an appointment remains to be defined.
- The appointment statuses that permit cancellation remain to be defined.
- Offering to reschedule is outside this scenario.

Matching SSD: 03 Cancel appointment