

Edit

New issue



MRN Windows #8

✓ Closed

 **xgsdhm** opened on Apr 19, 2022

Hello, AFTER I run the MestReNovaCrack patch on the Window computer, it shows an error and cannot be cracked. I would like to ask your method. The version I installed is "mestrenova-12.0.4-22023_x64". The error code is as follows:

Processing D:\MNN\MestReNova.exe...

This file might have already been patched [Press Y' to override]. Found pattern, JNZ -> JMP: 75 .. .* 0B 00 00 80 .* 0B 00 00 80 Error occurred: #<Errno::EBADF: Bad file descriptor - D:\MNN\MestReNova.exe> ["MestReNovaCrack.rb:34:in seek", "MestReNovaCrack.rb:34:in patch", "MestReNovaCrack.rb:19:in loop", "MestReNovaCrack.rb:19:in patch", "MestReNovaCrack.rb:103", "MestReNovaCrack.rb:101:in each", "MestReNovaCrack.rb:101"]

Releasing .LIC files in D:\MNN\licenses...

All .LIC files have been created.

Create sub-issue





 **Z-H-Sun** mentioned this on Apr 19, 2022

✓ MRN Mac #3

 **Z-H-Sun** on Apr 19, 2022

Owner

Hi,

This means the handle to the file is somehow forced to be closed, before the program can proceed to patch the file. According to the log you provide, it seems the program is granted proper read & write permissions. Given that, the only possibility I can think of is the interference from antivirus software, which stubbornly tries to prevent the content of `MestReNova.exe` from being modified. It should not be a problem of the patch, because I just tried patching the same version of MestReNova (12.0.4-22023_x64) on my PC without any problem.

That being said, there are two workarounds; you can choose either one as you like:

1. I patched the `MestReNova.exe` of the same version for you. If you trust me, you can [download this patched exe file here](#), and then replace `D:\MNN\MestReNova.exe` on your PC with it. That is it.
2. Otherwise, if you very much like to know what is the reason behind this error message, there are several things you can try, but currently I cannot guarantee a fix before more information is available, and we can continue discussing this topic in this thread. You can: close all antivirus software; or, try patching the MestReNova on other computers, see if it works, and copy those files to your computer.



xgsdhm on Apr 20, 2022

Author ...

I am so excited. I am so happy to receive your reply. I have read your reply, and this is really a good method, because the computer is not with me now, I need to wait until tomorrow to operate on the computer. We will keep in touch and reply to you after operation on the computer tomorrow. Thank you so much for your help.



xgsdhm on Apr 22, 2022

Author ...

I replaced your patch on my computer and solved the problem perfectly. Thank you very much for your help.



Z-H-Sun on Apr 23, 2022

Owner ...

You are most welcome



Z-H-Sun closed this as completed on Apr 23, 2022



Add a comment

H B I | ☰ <> 🔗 | ☰ ☰ ☰ | @ ↗ ↶ ☑

Write

Preview

Edit

New issue



ChemDraw 18-21 不能预测熔、沸点等性质。 #9

Closed



Git123HubLee opened on May 14, 2022



您好！首先特别感谢您的成果，给我们使用者提供了方便。

按您的方法试了版本17、18、19、20、21，都比直接替换的好，但有一个问题不知道您是否发现，除了17版，18、19、20、21都不能正常预测分子化学性质（chemical properties）：



这几个版本试了几次，运行COS_Win_Patch时，都是绿色提示通过，应该是正常激活的了。不知是哪里出了问题？

Create sub-issue



prenfic on May 15, 2022 via email



FYI, 我测试了一下mac版本
以methanol为例
没任何问题
[image: image.png]



 **prenfic** on May 15, 2022 via email



[image: image.png]
Just in case, 看了下Benzene, 也没遇到问题



 **Git123HubLee** on May 15, 2022

Author



换台电脑试了一下, 都正常的。
应该我那台PC哪里出了问题。
谢谢你的回复!
Thanks



 **Z-H-Sun** on May 16, 2022

Owner



I have never met such problems, so I have no idea. Maybe just some issue with Windows 11, which I have never tested on.

I am closing this issue. Let me know if there is any update, or anyone else is experiencing the same issue.



 **Z-H-Sun** closed this as completed on May 16, 2022

 **Git123HubLee** on May 20, 2022

Author



确实应该是win11的问题。两台win11都不行, 另两台分别win10和win7是正常的。



 **prenfic** on May 20, 2022 via email



My goodness, 那我早上用win11试试看能复现这问题么。我已经好多年没用Windows版本的chemdraw了

Regards,
Kaijian Lawrence Law
loc



Z-H-Sun on May 20, 2022 via email · edited by Z-H-Sun

Edits ▾

Owner



My impression is that Windows 11 is not a good OS for productivity. I have a laptop shipped with Windows 11. From my observation, I have received Windows Update notifications very frequently, which is not a good sign and indicates the OS is not stable enough. Moreover, I have experienced incompatibility issues with some hardware drivers when I connected it with some instruments. Since then, I have decided not to rely heavily on that computer, which I have mainly used to browse the web and reply emails.



Z-H-Sun added **wontfix** on May 20, 2022



Z-H-Sun mentioned this on Nov 3, 2022

✓ The line in the NMR spectrum is strange (dotted line? incoherent?) #13



Z-H-Sun on Nov 17, 2022

Owner



@Git123HubLee The latest CD 22.0 can display those predictions properly (tested on the latest Win 11). Either Microsoft or PerkinElmer has fixed this bug. I have already uploaded the cracked installer for this latest version in the Baidu/GDrive shared folder, so you can download it from there (and I will also update the article soon).



Z-H-Sun removed **wontfix** on Nov 17, 2022



Git123HubLee on Nov 17, 2022 via email

Author



```
font{
  line-height: 1.6;
}
```

```
ul,ol{
  padding-left: 20px;
  list-style-position: inside;
}
```

Thank you very much!

@.***



Git123HubLee on Nov 18, 2022

Author



Unfortunately, I completely uninstalled the old version and installed the latest version. The problem still exists.





Z-H-Sun on Nov 18, 2022

Owner



Maybe try updating your Win 11? It is fine on my side (Version 21H2, 22000.1219). See screenshot below.




Z-H-Sun on Nov 18, 2022

Owner ...

So I tried CD 20 on Win11, which can also give correct values. Then it should not be PerkinElmer's issue. To further troubleshoot, maybe try the following:

- Upgrade Win11
- Restore all the cracked programs and use [this latest patch](#) to crack chem office again. The older patches might be flawed.
- Uninstall and reinstall the .NET framework required by the chem office (for 22.0, the version is .NET 4.8)





Git123HubLee on Nov 18, 2022

Author ...

非常感谢您的回复。

但我的两Win11依然不行，其中一台重新恢复过。chem office也是完全卸载后重新安装的。win11内置了.NET 4.8，试图重装安装4.8、4.81版均提示已经安装更高版，无法继续。





Windows 规格

复制



版本 Windows 11 专业版
 版本 22H2
 安装日期 2022/11/19,周六
 操作系统版本 22621.819
 体验 Windows Feature Experience Pack 1000.22636.1000.0
[Microsoft 服务协议](#)
[Microsoft 软件许可条款](#)



Git123HubLee on Nov 18, 2022

Author



感觉可能有还是其它原因。不知道是否也有其他用户碰到这个样的问题？



Z-H-Sun on Nov 19, 2022

Owner



What would happen if you click "report"? What does the report say?

I just realize the OS I have been using is still 21H2, so I will upgrade to 22H2 and retest





Git123HubLee on Nov 19, 2022

Author




✓ Closed

ChemDraw 18-21 不能预测熔、沸点等性质。 #9



click "report":



会出现:

记事本, 系统找不到系统路径:



难不成是我把这个改动过?



恢复一下试试



Z-H-Sun on Nov 19, 2022

Owner



I think it might be better to remove the CJK characters in your temp folder? Basically, CD will open a .tmp file in the %TEMP% folder.



Git123HubLee on Nov 19, 2022

Author



您说的CJK characters，我在temp文件夹下并没有找到。我重新试下17，18，20版，表现各不相同：
17能正常正常预测，点击“report”能正常打开文件，文件名为CP2.tmp，在D:\用户\Temp下。
18不能正常预测，但“report”能正常打开文件，只能里面没有预测的数值。也是在D:\用户\Temp下。



u9hg.25.tmp - 记事本

文件 编辑 查看

*** Physical Property Report Generated By ChemProp ***

Additional Properties

tPSA: 0

CLogP:

CMR:

LogS: -1.781

pKa: N/A

20不能正常预测，点击“report”无响应。

22，就是之前向反映的“report”记事本找不到指定路径，D:\用户\Temp下也生成的文件。chem office安装在C和D盘，结果一样。

实在不行，只能再回到17版用了，因为这个功能我用的比较频繁。

再次感谢您的回复。



Z-H-Sun on Nov 22, 2022

Owner



您说的CJK characters，我在temp文件夹下并没有找到。

That is not what I meant. I meant to say the Chinese characters "用户" in your path (folder name). But that does not seem to be the major reason, since you said the following:

18不能正常预测，但“report”能正常打开文件，只能里面没有预测的数值。也是在D:\用户\Temp下。

So even if the presence of CJK characters is the reason why Notepad says "cannot find path," there are other things that prevents the prediction of CD.

On a different note, I previously said:

I just realize the OS I have been using is still 21H2, so I will upgrade to 22H2 and retest

I updated my Win11 to 22H2, but on my side, *I can still see correctly displayed predictions in the chemical properties window*. Therefore, this fact led me to doubt if there is conflict between CD and other software you installed, e.g. anti-virus software: If the anti-virus software blocks the function of, say, `CambridgeSoft.ChemOffice.ChemPropPro.dll`, then of course you cannot find it working.

Since I cannot reproduce your issue, there is nothing I can further help.

One last thing you can possibly try is installing and running the software in `Windows Sandbox`, which basically provides the same OS as your physical computer but on an isolated environment so as to exclude influence from other factors like other software you installed.

实在不行，只能再回到17版用了，因为这个功能我用的比较频繁。

Reasonable.



 **Git123HubLee** on Nov 23, 2022 via email

Author ...

```
font{
  line-height: 1.6;
}
ul,ol{
  padding-left: 20px;
  list-style-position: inside;
}
```

很高兴，找到原因了。就是要恢复“临时文件”至C盘默认位置就行了。

@.***



Add a comment

H B I | ≡ <> 🔗 | ≡ ≡ ≡ | @ ↗ ↶ □

Edit

New issue



ChemOffice21.0安装包无法确认条款 #11

✓ Closed

 **wehnes** opened on Jun 1, 2022

安装chemoffice21.0的时候，会要求将条款下拉到底部再确认条款。但是会出现即使已经下拉到底部，确认框也是灰色无法确认的情况。多次重开安装文件也无法解决。

系统为windows10 21H2

ChemOffice Suite 2021 21.0.0 Installer

License Agreement



Please scroll to bottom and accept the license agreement to

?Only a subsequently dated written amendment referencing this Agreement and executed and delivered by both parties can modify this Agreement.

?This Agreement is the complete, exclusive and final agreement between You and Licensor; it supersedes, replaces and merges all prior and contemporaneous agreements, communications and understandings.

THE SOFTWARE IS PROTECTED BY UNITED STATES COPYRIGHT LAW AND INTERNATIONAL TREATY. UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IS SUBJECT TO CIVIL AND CRIMINAL PENALTIES.

Copyright 1998-2022 PerkinElmer Informatics, Inc., a subsidiary of PerkinElmer, Inc. All Rights Reserved.

☐ I accept the terms in this license agreement

☐ I do not accept the terms in this license agreement

Next >

Cancel

Create sub-issue



 **wehnes** on Jun 1, 2022

Author

自己发现了个解决办法，点击文本框将光标放在文本框位置，按住下键让光标移到条款最后，就可以解决这一问题。



 **wehnes** closed this as completed on Jun 1, 2022



Z-H-Sun on Jun 2, 2022 via email

Owner



Glad you found a workaround. To make it clear, this seems a problem of the original installer, so you should ask PerkinElmer not me. I will label these issues as "won't fix" as the fix is beyond my capability.



Add a comment

H **B** *I* |    |    |    

Write

Preview

Use Markdown to format your comment

 Paste, drop, or click to add files



Reopen issue



Comment

Metadata

Assignees



No one - [Assign yourself](#)

Labels



No labels

Projects



No projects

Milestone



No milestone



<> Code

Issues 1

Pull requests

Actions

Security

Insights

Settings

Edit

New issue



The line in the NMR spectrum is strange (dotted line? incoherent?) #13

Closed



CielChew opened on Nov 1, 2022 · edited by CielChew

Edits ▾




Hi Sun, thank you so much for sharing Mestrenova. Actually I downloaded several versions online before this (I downloaded 14.3 from the official website and tried your patch), and I encountered a same problem in all versions, which is the line in the NMR spectrum is very strange, like a dotted line or an incoherent one (attached please see the spectrum).

I still can't figure out what's happening given that one of the version I downloaded online works well in my previous laptop (DELL insipron 14 7000, Win10), and I don't know if it's because I'm using my new laptop (Alienware x14, Win11).

Thank you for reading my issue, hope there will be a solution to this. Wish you good health and happy life!

Ciel



Create sub-issue ▾





Z-H-Sun added [wontfix](#) on Nov 1, 2022




Z-H-Sun on Nov 1, 2022

Owner



No idea what's wrong. Maybe some bug with Win11. Try playing around with the document settings, like spectrum line width, turning off grids, etc. If failed, report to MNova; unfortunately there is nothing I can help.



Z-H-Sun closed this as [completed](#) on Nov 1, 2022



CielChew on Nov 1, 2022

Author



Thanks a lot for your help. I also tried altering the line width, though the line always looked bizarre at any width from 1.0 to 10.0. I have sent the problem to Mestrenova and I'll update here if there's any solution. By the way, have you succeeded in using Mestrenova in Win11 before?

Actually I was asked to install NET framework 2.0 during the installation of the first version Mestrenova, and I downloaded this NET framework 2.0 after the installation finished. I wonder if this is the problem. Thanks again.



Z-H-Sun on Nov 3, 2022

Owner



I have sent the problem to Mestrenova and I'll update here if there's any solution.

Please do post MNOVA's response here.

By the way, have you succeeded in using Mestrenova in Win11 before?

No. But others have reported problems with ChemDraw on Win11. See my general comments on Win11 here:

https://github.com/Z-H-Sun/CS_CCME_Posts/issues/9#issuecomment-1133273012

Actually I was asked to install NET framework 2.0 during the installation of the first version Mestrenova, and I downloaded this NET framework 2.0 after the installation finished.

I think this is unlikely. dot NET framework has been designed to be cross-platform.

I might test installing MNOVA on Win11.




Z-H-Sun on Nov 3, 2022

Owner



I might test installing MNOVA on Win11.

Looks fine on my end. Try upgrading your Win11 OS and MNOVA to the latest version. In document properties, click on **Restore** at the bottom left of the dialog (see previous image).



CielChew on Nov 6, 2022

Author



Thank you so much for your further information.
I just updated my Mestrenova and it still didn't work.



MestReNova

Version: 14.3.1-31739

Released: 2022-10-26

© 2022 Mestrelab Research S.L.

www.mestrelab.com

I'll update windows soon

(2022-10 Cumulative Update Preview for .NET Framework 3.5 and 4.8.1 for Windows 11, version 22H2 for x64 (KB5018341)).

By the way, the official website just replied to me to send them a screenshot 'File/Help/License Manager' dialog box, is it okay to send them that (not sure if they've received other accounts with your licence)?



Z-H-Sun on Nov 6, 2022

Owner



By the way, the official website just replied to me to send them a screenshot 'File/Help/License Manager' dialog box, is it okay to send them that (not sure if they've received other accounts with your licence)?

No this is not ok. The license is not authentic. Do NOT share this with MNova; otherwise you are inviting trouble. I am NOT kidding.



CielChew on Nov 6, 2022

Author



Thank you so much again!!!

Yep..... I assume that it's definitely not okay to send them the licence hahahah. That's why I didn't do that.

Btw, I found that after I right clicked Mestrenova , ticked "Override high DPI scaling behavior" and chose "Application" in the list, there turned to be no blank in the line on the spectrum though the DPI of the application decreased. I guess maybe the problem is caused by the incompatibility of the low DPI of Mestrenova and the high DPI (1920*1080 for 14') of the laptop?



Z-H-Sun removed **wontfix** on Nov 7, 2022



Z-H-Sun on Nov 7, 2022

Owner



Reasonable & suprising. Reasonable because the Win11 I tested on indeed has a 100% scaling ratio, so I was unable to fully reproduce your environment. Surprising because I thought high DPI scaling should no longer be an issue in year 2022.

Anyways, really glad you've found a workaround for this mysterious issue.



Add a comment

H B I | | | @

Write

Preview

Use Markdown to format your comment

Paste, drop, or click to add files



Reopen issue



Comment

Metadata

Assignees



No one - [Assign yourself](#)

Labels



No labels

Edit New issue



ChemDraw 22 的安装包windows提示有病毒拒绝运行 #16

✓ Closed

Labels

wontfix



shaoqx opened on Mar 26, 2023



Windows11 安全中心提示检测到已知的风险文件 ***.h!ml (具体文件名没拷贝上)

Create sub-issue



Z-H-Sun on Apr 12, 2023

Owner



Ask PerkinElmer. They are part of the software, not from the patch, and I am not the one who developed the software. My guess is that the demo webpage for Chemsript and/or ChemDraw/Chem3D ActiveX control is the culprit. Most likely you won't need them anyway.

Just temporarily disable the Windows Smartscreen or Defender and allow the installer to run. If you are paranoid, download the official package and run [the patch](#) manually. And delete those suspicious files if you are super paranoid.



👍 1



Z-H-Sun closed this as completed on Apr 12, 2023



Z-H-Sun added wontfix on Apr 12, 2023



Add a comment

H B I | ☰ <> 🔗 | ☰ ☰ ☰ | @ 📎 ↩️ 📎

Write

Preview

Edit

New issue



如果采用“破解补丁”的方法，无法使用Excel里面的插件功能 #18

Closed

Labels

invalid




wanzhiyu opened on Apr 20, 2023



若已经安装了未破解版或网传不完全破解版，则可单独下载使用[破解补丁](#)

我采用这个破解补丁破解了PerkinElmer ChemOffice Suite 2022 v22.2.0.3300，主体功能可以正常使用，但是Excel里面无法正常使用插件功能：



Create sub-issue



wanzhiyu on Apr 20, 2023

Author



如果直接下载运行单文件版安装破解程序cos22.0_Crack.exe，又会出现word中双击chemdraw结构卡死的情况，不是不能跳转到chemdraw，而是跳转到chemdraw内不显示结构卡死无响应



wanzhiyu on Apr 20, 2023 · edited by wanzhiyu

Edits

Author




PerkinElmer ChemOffice Suite 2022 v22.0.0.22我也试过，同样无法使用破解补丁破解excel的插件



skipskipthree on Apr 20, 2023



尝试了多次发现，excel插件只有32位可以顺利运行。安装时需要同时选择32位程序，好像是只有32位的才可以在excel的插件正常运行



Z-H-Sun on Apr 21, 2023

Owner



尝试了多次发现，excel插件只有32位可以顺利运行。安装时需要同时选择32位程序，好像是只有32位的才可以在excel的插件正常运行

This is because you installed the 32-bit version of Excel. ***The 64-bit plugin only works for 64-bit Excel, and the 32-bit plugin only works for 32-bit Excel.***

Quite straightforward, huh? This is evidenced by the fact that even the "New ChemOffice Worksheet" bottom is grayed out in your first picture, indicating that this plugin (64-bit) is not compatible with your Excel (32-bit).

如果直接下载运行单文件版安装破解程序cos22.0_Crack.exe，又会出现word中双击chemdraw结构卡死的情况，不是不能跳转到chemdraw，而是跳转到chemdraw内不显示结构卡死无响应

Never met this problem since ChemDraw 18. Likely still due to the incompatibility between your Word (32-bit) and the 64-bit ChemDraw, or because something got wrong with your Windows Defender (or similar antivirus service).



Z-H-Sun closed this as completed on Apr 21, 2023



Z-H-Sun added **invalid** on Apr 21, 2023



wanzhiyu on Apr 22, 2023

Author



对于我来说，我想可能并不是office套件的问题，我的word和excel都是64位版本（Office 365，正式版、非预览版）：

关于 Microsoft® Word 适用于 Microsoft 365

×

Microsoft® Word 适用于 Microsoft 365MSO (版本 2304 Build 16.0.16327.20132) 64 位

许可证 ID: EWW_88237613-3111-40e2-aaee-5dd477d07eb4_b9e14f51d04214552c

会话 ID: 59F25EB3-0DC3-443A-814B-85918D19075A

[第三方通知](#)

Microsoft 软件许可条款

请注意：使用该订购服务和软件时，必须遵守您注册订购服务时同意的协议以及您为获得该软件的许可而签订的协议中的条款和条件。例如，如果您是：

- 批量许可客户，则对该软件的使用应受批量许可协议的约束。
- Microsoft 在线订购客户，则对该软件的使用应受 Microsoft 在线订购协议的约束。

如果您尚未通过正规渠道从 Microsoft 或其授权分销商处获得该服务或软件的有效许可，则不得使用该服务或软件。

如果你的组织是 Microsoft 客户，你就可以使用 Office 365 中的某些已连接服务。你也许还能访问 Microsoft 提供的其他已连接服务，它们受到单独的条款和隐私承诺保护。请访问 <https://support.office.com/article/92c234f1-dc91-4dc1-925d-6c90fc3816d8>，详细了解 Microsoft 的其他已连接服务。

警告：本计算机程序受版权法和国际公约的保护。如未经授权而擅自复制或传播本程序或其中的任何部分，将受到严厉的民事及刑事制裁，还将在法律许可的范围内受到最大程度的起诉。

确定

Microsoft® Excel® 适用于 Microsoft 365MSO (版本 2304 Build 16.0.16327.20132) 64 位

许可证 ID: EWW_88237613-3111-40e2-aaee-5dd477d07eb4_b9e14f51d04214552c

会话 ID: B9DD7389-B83B-420F-B433-C346FBB70F30

第三方通知**Microsoft 软件许可条款**

请注意：使用该订购服务和软件时，必须遵守您注册订购服务时同意的协议以及您为获得该软件的许可而签订的协议中的条款和条件。例如，如果您是：

- 批量许可客户，则对该软件的使用应受批量许可协议的约束。
- Microsoft 在线订购客户，则对该软件的使用应受 Microsoft 在线订购协议的约束。

如果您尚未通过正规渠道从 Microsoft 或其授权分销商处获得该服务或软件的有效许可，则不得使用该服务或软件。

如果你的组织是 Microsoft 客户，你就可以使用 Office 365 中的某些已连接服务。你也许还能访问 Microsoft 提供的其他已连接服务，它们受到单独的条款和隐私承诺保护。请访问 <https://support.office.com/article/92c234f1-dc91-4dc1-925d-6c90fc3816d8>，详细了解 Microsoft 的其他已连接服务。

警告：本计算机程序受版权法和国际公约的保护。如未经授权而擅自复制或传播本程序或其中的任何部分，将受到严厉的民事及刑事制裁，还将在法律许可的范围内受到最大程度的起诉。

确定

不过有一点值得说明的是，我在安装ChemOffice的时候，同时选择安装了64位和32位的版本，也就是说，我把安装向导中的所有选项都勾选了，请问这个是否会影响“单独下载使用[破解补丁](#)”的正常运行？



wanzhiyu on Apr 22, 2023

Author



单独下载使用[破解补丁](#)

我的主要期望仍然是使得“单独下载使用[破解补丁](#)”正常运行excel插件，但是现在并不成功，是否“单独下载使用[破解补丁](#)”无法实现excel插件的正常运行？



wanzhiyu on Apr 22, 2023 · edited by wanzhiyu

Edits ▾

Author



This is evidenced by the fact that even the "New ChemOffice Worksheet" bottom is grayed out in your first picture

我和[skipskipthree](#)的情况是不一样的，请您暂时忽略掉他提供的信息，我和他遇到的问题不相同且没有关联。



Z-H-Sun on Apr 22, 2023

Owner



我把安装向导中的所有选项都勾选了，请问这个是否会影响“单独下载使用破解补丁”的正常运行？

This is unlikely. They are processed separately.


我和skipsthiptree的情况是不一样的，请您暂时忽略掉他提供的信息，我和他遇到的问题不相同且没有关联。

I agree that his problem is different than yours. Let's troubleshoot your problem then.

This is evidenced by the fact that even the "New ChemOffice Worksheet" bottom is grayed out in your first picture.


This alone, i.e., whether the button is enabled, is not enough to tell whether the patch is successful. So I need more information.

Could you please click the "Options" button, and choose the menu item "Activate ChemDraw" like in (a) below and tell me which case among (b) to (d) you see?



Since you successfully patched other applications (you can run ChemDraw/Chem3D right?), I don't think you will see Case (b).

I think it is most likely that you will see Case (c), where the serial number is empty, which means the patch process itself has not been successful. It is likely that the time you ran the patch, the relevant DLL file was in use and could not be modified by the patch. Now, make sure you quit all Excel-related processes (or restart your computer to be sure), and then rerun the patch. Especially pay attention to this file, CambridgeSoft.ChemOffice.ChemDrawExcel.LibChemDrawWrapper.dll, framed in the picture below:



If the patch is successful, it should say "Patched" at the end, and if the version you patch is 22.0.0.22, the patch location should be 0x2cf636 like shown in the picture (a) above. Then the plugin should be able to function immediately. If you see red texts like in (b), it means the file is in use, and the patch is unable to make the necessary modification. If this is the case, then it is not a problem of the patch- it has not even had the chance to do its job yet.




wanzhiyu on May 1, 2023

Author




Could you please click the "Options" button, and choose the menu item "Activate ChemDraw" like in (a) below and tell me which case among (b) to (d) you see?

我用的是最新版本的破解补丁，不管是excel里面，还是Chemdraw里面，都没有看到序列号，都是Case (c)



The image shows a screenshot of a software activation window titled "PerkinElmer Software Activation" overlaid on a background application window. The background window has a menu bar with options: Convert, Upgrade, Sync Table with, Import/, Molecule Structure Search, Convert, and Options. Below the menu bar are icons for various file operations. The activation window contains the following elements:

- Title Bar:** "PerkinElmer Software Activation" with a close button (X).
- Header:** "Please activate your PerkinElmer software".
- Input Fields:**
 - *Name: [Text input field]
 - Company: [Text input field]
 - *Email address: [Text input field]
 - *Serial Number: [Text input field]
- Serial Number Format:** Below the serial number field, the format "XXX-XXXXX-XXXX" is displayed.
- Activation Methods:** Three buttons are present: "Activate over Inter", "Activate by Email/Phone/Fa", and "Trial".
- Activation by Email/Phone/Fax Section:**
 - Section title: "Activate by Email/Phone/Fax".
 - Text: "If you chose to activate by Email, Phone or Fax, we will send you an activation code. Please type it in below and press Activ".
 - Input field: "Activation Code: [Text input field]".
 - Button: "Activate".
- Footer:** Two buttons: "Help" and "Quit".

The splash screen features a light green background with a pattern of hexagons. Several 3D molecular models are scattered across the screen, including a large one in the top left and a smaller one in the bottom right. A green hexagonal icon with the letters 'CD' is positioned in the upper right area.

PerkinElmer

ChemDraw®

Level: **Professional (64-bit)**


Version: 22.2.0.3300

Licensed To:

Acknowledgements

OK

© 1998-2023 PerkinElmer Informatics, Inc. All rights reserved.



我尝试了多次破解补丁，也没有遇到fail的情况，如下日志所示，所以不清楚到底哪里出现了问题，请问是否是我的版本高了一点（22.2）导致的？：

You have:

32-bit ChemOffice [PerkinElmer ChemOffice Suite 22.2.0, Version 22.2] installed at
C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice

64-bit ChemOffice [PerkinElmer ChemOffice Suite 22.2.0 x64, Version 22.2] installed at
C:\Program Files\PerkinElmerInformatics\ChemOffice\

Is the information correct? [Y/N] (Press Y' or wait for 10 seconds to confirm; or press N' within 10 seconds to decline and then enter the information manually) Y

Do you wish to [P]atch, [R]estore, or be [A]sked to decide for each file? (Press P, R, or A; or wait for 10 seconds to start with the 'Patch' mode as the default choice) P

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\Common\DLLs\FlxComm.dll

Found .dll file : Renamed to .bak file.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\Common\DLLs\FlxCore.dll

Found .dll file : Renamed to .bak file.

C:\Program Files\PerkinElmerInformatics\ChemOffice\Common\DLLs\FlxComm64.dll

Found .dll file : Renamed to .bak file.

C:\Program Files\PerkinElmerInformatics\ChemOffice\Common\DLLs\FlxCore64.dll

Found .dll file : Renamed to .bak file.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\Common\DLLs\MolServer.dll

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x57413e : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\Common\DLLs\CSMol.ocx

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x4ca7fe : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\Common\DLLs\CSCombi.dll

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x3bdf22 : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\Common\COEA\ActivationHelper.dll

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x61d72 : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\ChemFinder\ChemFinderForOffice.exe

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x2e282e : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\ChemFinder\ChemFinder.exe

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x2da1fe : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\ChemDraw for

Excel\CambridgeSoft.ChemOffice.ChemDrawExcel.LibChemDrawWrapper.dll

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x29ceee : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\ChemDraw\ChemDrawCtl.dll

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x7d8d82 : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\ChemDraw\ChemDrawBase.dll

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x681a8a : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\Chem3D\Chem3DCtl.OCX

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x2c5712 : Patched.

C:\Program Files (x86)\PerkinElmerInformatics\ChemOffice\Chem3D\Chem3D.exe

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x6edab2 : Patched.

C:\Program Files\PerkinElmerInformatics\ChemOffice\Common\DLLs\MolServer.dll

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x60759a : Patched.

C:\Program Files\PerkinElmerInformatics\ChemOffice\Common\DLLs\CSMol.ocx

Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x537366 : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\Common\DLLs\CSCombi.dll
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x40868e : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\Common\COEA\ActivationHelper.dll
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x6931a : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\ChemScript\Lib_ChemScriptForPy39.pyd
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x80e052 : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\ChemScript\Lib_ChemScriptForPy310.pyd
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x80e042 : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\ChemScript\Lib\ChemScript.dll
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x5be89a : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\ChemFinder\ChemFinderForOffice.exe
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x3193e2 : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\ChemDraw for
Excel\CambridgeSoft.ChemOffice.ChemDrawExcel.LibChemDrawWrapper.dll
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x2da672 : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\ChemDraw\ChemDrawCtl.dll
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x7ba43e : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\ChemDraw\ChemDrawBase.dll
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x76ec1a : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\Chem3D\Chem3DCtl.ocx
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x32ecb6 : Patched.

C:\Program Files\PerkinElmer\Informatics\ChemOffice\Chem3D\Chem3D.exe
Pattern to be patched [2d 04 17 0a 2b 02 16 0a 06 0b 07 2a] found at offset 0x7dac3a : Patched.

Among 28 activation-related files, 28 were patched, 0 were restored, 0 failed, and 0 were ignored.

Registry entries modified. END OF PATCH.

Optional: In the following lines, please input arbitrary info (or leave blank), and enjoy using ChemOffice Crack!

User Name: _____`



 **wanzhiyu** on May 1, 2023 · edited by wanzhiyu

Edits ▾


Author





我把版本改到了22.0，并且只安装了64位，似乎一切正常了。

mDraw Professional - [Untitled Document-1]

Edit View Object Structure Text Curves Colors Search Add-ins Window Help







 **Z-H-Sun** mentioned this [on May 2, 2023](#)

✓ [The COS \(Windows\) patch is no longer functional for the latest version \(22.2.0.3300\) #20](#)



Z-H-Sun on May 2, 2023

Owner



I just tested Chem Office ver 22.2. Indeed, the current patch fail to work. To be clear, the patch does NOT work AT ALL for that latest version, and ChemDraw will not even run. The reason why you can still run ChemDraw is because you installed some cracked version, so it is this cracked version that works rather than the patch.

The cracked version is equivalent to the effect of [this deprecated patch](#) and is known unable to work for ChemDrawExcel. For more information, read [this article](#) (and its referenced articles).

Now that we know where the problem is, I think I will work on it soon. I will not post any update in this thread anymore, because there has been so much irrelevant information that can be really misleading (for example, you used a cracked version, and Skipsthiptree posted some totally irrelevant questions). Instead, I have opened a new issue ([#20](#)). So please check any updates there.



wanzhiyu on May 2, 2023

Author



Now that we know where the problem is, I think I will work on it soon.

Thank you for your great work!



 **Z-H-Sun** added a commit that references this issue [on May 3, 2023](#)

fix [Z-H-Sun/CS_CCME_Posts#20](#)

Verified

cf9c1c0



Z-H-Sun on May 3, 2023

Owner



You can now try updating your ChemOffice to 22.2 and using [this nightly build of the latest patch](#).



 **Z-H-Sun** added a commit that references this issue [on May 8, 2023](#)

fix [#20](#) (related to [#18](#)) and other minor bugs

Verified

f16293e



wanzhiyu on May 9, 2023

Author



You can now try updating your ChemOffice to 22.2 and using [this nightly build of the latest patch](#).

已解决, 谢谢



Z-H-Sun added a commit that references this issue [on Dec 31, 2023](#)

fix [#20](#) (related to [#18](#)) and other minor bugs

ff1747e



Add a comment

H B I | | | @

Write

Preview

Use Markdown to format your comment

Paste, drop, or click to add files



Reopen issue



Comment

Metadata

Assignees



No one - [Assign yourself](#)

Labels



invalid

Projects



No projects

Milestone



No milestone

Relationships



None yet

Development



Edit

New issue



Is it possible to block the effect of this network check? #23

✓ Closed

Labels

wontfix

✓ Closed

Is it possible to block the effect of this network check? #23



many thanks to provide such good solutions for using Chemdraw. after using the crack patch tool to complete the installation, I still wonder whether the chemdraw could connect to the Internet, send out some info such as version license and be tracked by PerkinElmer which the cracked version is being used? Because the previous encounter was found to use the cracked version by PerkinElmer company, PE company send a lawyer warning letter. Is it possible to block the effect of this network check?

Create sub-issue



 Z-H-Sun on Jun 25, 2023

Owner



My intention is to give personal users who cannot pay PerkinElmer 2 grand per year a chance to use some functions of the software, but I don't mean to break the copyright law or fight the monopoly company. This is where the line draws, so I won't actively work on what you suggest here. I'm sorry.


Nevertheless, there are several suggestions that may or may not work, and you can judge them on your own.

1. You can install the cracked software on a computer that does not have internet access. 99% of the functions in Chem Draw does not require internet access. This should work the best, but it might be an overkill.
2. Equivalently, configure your firewall such that you segregate the connection of only the targeting software (in this case, Chem Draw) to the internet.
3. Further, use some system process monitoring tool to narrow down what internet resources are the software requesting, and you can be more specific in setting the firewall rules, or you can also block these domains in the system Hosts file.
4. Maybe the company just sends out the lawyer letters at random. You might be able to get away with continuing using the cracked software, but you must take the risk of doing so.
5. If you work for a company or an academic institute, the best solution is to (politely) ask your supervisors, etc. to purchase the software or its equivalent. Come on, you are making money, and it's

the minimal price you should pay to have a good set of production tools.

Disclaimer: These suggestions were given by Google searching, and they are not targeting any specific software.

Good luck.



 **Z-H-Sun** closed this as completed on Jun 25, 2023

 **Z-H-Sun** added **wontfix** on Jun 25, 2023



Add a comment

H B I | i≡ <> 🔗 | :≡ ½≡ ≡≡ | @ ↗ ↶ 📎

Write Preview

Use Markdown to format your comment

 Paste, drop, or click to add files

 Reopen issue

Comment

Metadata

Assignees



No one - [Assign yourself](#)

Labels



wontfix

Projects



No projects

Milestone



No milestone

Relationships



[Edit](#) [New issue](#)



Anyone tried patching Mnova 15.0 yet, does it work? #25

 Closed

 **HollyGolightly27** opened on Nov 23, 2023

No description provided.

Create sub-issue



 **ScienceZone** on Nov 23, 2023

The speed of downloading it from the official website is very slow, and it cannot be downloaded successfully, and it cannot be tested. Have you tried it, how's that?



 **Z-H-Sun** on Nov 24, 2023 Owner

Works.

See screenshots below for both Win and Mac versions. Note the version numbers.

```
Administrator: MestReNova 14/12 Patcher by Zack


Please check the following installation information:
[1] MestReNova 15.0.0-34764 by Mestrelab Research SL ? 2023
    Installed at: C:\Program Files\Mestrelab Research S.L\MestReNova\


Please choose the desired program to be patched by entering the number before it, or directly press ENTER to patch all of them by default:

Processing C:\Program Files\Mestrelab Research S.L\MestReNova\MestReNova.exe...
Found pattern, JNZ -> JMP: 75 .. .* 0B 00 00 80 .* 0B 00 00 80
Found pattern, JNZ -&gt; JMP: 75 .. .* 0C 00 00 80 .* 0C 00 00 80
Patched 2 place(s) in this file.

Releasing .LIC files in C:\Program Files\Mestrelab Research S.L\MestReNova\licenses...
All .LIC files have been created.

END OF OPERATION. Press any key to continue . . .
```





 Z-H-Sun closed this as completed on Nov 24, 2023



Z-H-Sun on Nov 24, 2023

Owner ...

The speed of downloading it from the official website is very slow, and it cannot be downloaded successfully, and it cannot be tested.

This is neither my problem nor MRNova's. Just another instance of China's internet access issue.



HollyGolightly27 on Nov 26, 2023

Author ...

That's great to hear. Thanks for testing. Have you had a chance to use any of the new features? I see in their release notes mention of AI powered peak picking... wondering if its actually any improvement, and if it constitutes me updating to 15.0.

See new features here:

<https://resources.mestrelab.com/top-features-in-mnova-15/>





Z-H-Sun on Nov 27, 2023 · edited by Z-H-Sun

Edits ▾

Owner



Thank you for the notice. To be honest, I am very disappointed. No exciting updates. Confusing naming.

In the link you provided, they mention:

Advanced Phase and Baseline Correction

We've introduced a novel deep-learning algorithm designed to simultaneously correct phase and baseline distortions.

No, I tried the new version but didn't find anything new. There's also nothing that is relevant mentioned in their release notes. I'm not sure if they will keep it secret until future versions (then why brag about something that is not yet there???)

The only AI-related new feature added in Version 15.0.0, see [their release notes](#):

MLDCON (no explanation on the meaning of the acronym. Machine Learning DeCONvolution? How can the users know what this is? 什么鬼名字?) peak picking has been integrated into the Method menu within the Peak Picking Options dialogue.

This is hidden very deep in the UI, and it is not set as default. And I don't feel it much different from before. And it only works for Bruker 1D 1H NMR. What's worse, it's only picking peaks, not fitting peaks (I think they especially mention they use AI to deconvolute peaks, but it's kind of weird why they hide the deconvoluted results).



Add a comment

H B I | ☰ <> 🔗 | ☰ ☰ ☰ | @ 🗨️ ↩️ 📄

Write

Preview

Use Markdown to format your comment

📎 Paste, drop, or click to add files

🔄 Reopen issue ▾

Comment

Metadata

Assignees

No one - [Assign yourself](#)



Edit

New issue

win 11安装的Mestrenova 15在打开软件正常，但是每次点击打他browser时就弹出如下图，重装没有解决，请问大佬遇到过这种么？怎么解决呢？ #30

✓

Closed

Labels

invalid

skipskipthree opened on Mar 28, 2024

Microsoft Windows

应用程序没有响应。如果你继续等待，程序可能会响应。
你想结束这个进程吗？

结束进程(E)

取消

Tools

Data Analysis

Database

Verification

Elucidation

Chemometrics

Binding

Quantitation

Document 1 X

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25

Create sub-issue

skipskipthree on Mar 28, 2024

Author

自问自答吧，刚试了用管理员模式运行可以顺利打开data browser文件。。。尴尬了




Z-H-Sun on Mar 28, 2024

Owner



I don't see any problem on my side.



Z-H-Sun closed this as completed on Mar 28, 2024



Z-H-Sun added **invalid** on Mar 28, 2024



Add a comment

H B I | ☰ <> 🔗 | ☰ ☰ ☰ | @ 📄 ↩️ 📄

Write

Preview

Use Markdown to format your comment

 Paste, drop, or click to add files

 Reopen issue

▼

Comment

Metadata

Assignees

No one - [Assign yourself](#)

Labels

invalid

Projects

No projects

Milestone

No milestone

Relationships

None yet

Development

 Code with agent mode

▼

[Create a branch](#) for this issue or link a pull request.

Notifications

 Unsubscribe

You're receiving notifications because you're subscribed to this thread.

Participants



EditNew issue

Issue Accessing StereoFit Plugin #33

✓ Closed

Labelsinvalid



HollyGolightly27 opened on Jul 24, 2024

Im using newest version of Mestrenova (15.0.1.-35756) on MacOS. I want to use the Stereofit plugin, however it does not appear in my software. I have double checked the license folder and the file is present. It also doesn't appear on the plug in menu so Im not sure what the issue is. If anyone knows a fix to get it so work I would appreciate it.

Additionally, Elvis does not seem to work properly so I suspect some kind of issue is going on.

Preferences

General

Plug-ins

Import

Database

NMR

MSChrom

Molecule

Scripting

Drawing Tools

Publications

	Loaded	Ignored	Name	Licensed To	Issued By
1	☒	☐	Scripting		Mestrelab Research S.L.
2	☒	☐	Molecule		Mestrelab Research S.L.
3	☒	☐	Drawing Tools		Mestrelab Research S.L.
4	☒	☐	Document		Mestrelab Research S.L.
5	☒	☐	Database	cs@ccme	Mestrelab Research S.L.
6	☐	☐	DFT Predictor	Not Licensed	Mestrelab Research S.L.
7	☒	☐	Data Analysis		Mestrelab Research S.L.
8	☒	☐	Chromatography		Mestrelab Research S.L.
9	☒	☐	MSChrom	cs@ccme	Mestrelab Research S.L.
10	☒	☐	Binding	cs@ccme	Mestrelab Research S.L.
11	☒	☐	Mestrelab Predictor	cs@ccme	Mestrelab Research S.L.
12	☒	☐	Modgraph NMRPredict Server		Mestrelab Research S.L.
13	☒	☐	Modgraph NMRPredict Desktop	cs@ccme	Mestrelab Research S.L.
14	☒	☐	MoleculeApps NMR Predictor		Mestrelab Research S.L.
15	☐	☐	Chemometrics	Not Licensed	Mestrelab Research S.L.
16	☒	☐	NMR	cs@ccme	Mestrelab Research S.L.
17	☒	☐	NMR Predictor		Mestrelab Research S.L.
18	☒	☐	PhysChem Properties	cs@ccme	Mestrelab Research S.L.
19	☒	☐	Publication Datasets		Mestrelab Research S.L.
20	☒	☐	Mnova Verify	cs@ccme	Mestrelab Research S.L.
21	☒	☐	Structure Elucidation	cs@ccme	Mestrelab Research S.L.
22	☒	☐	ELVIS	cs@ccme	Mestrelab Research S.L.
23	☒	☐	Mnova qNMR	cs@ccme	Mestrelab Research S.L.
24	☒	☐	Mnova Batch qNMR	cs@ccme	Mestrelab Research S.L.
25	☒	☐	JCAMP-DX		Mestrelab Research S.L.

Advanced Plug-ins Directory


...

Save

Load...

Cancel

OK



Create sub-issue



Z-H-Sun added **invalid** on Sep 10, 2024



Z-H-Sun on Sep 10, 2024 · edited by Z-H-Sun

Edits ▾

Owner



This issue is totally irrelevant of the patcher.

As a user of the software, please carefully read its documentation before you would like to make use of its new feature.

For example, to use the MNova StereoFitter plugin, as clearly stated in [the official website here](#), you need to install the plugin **separately**. [Note: this link above might not work if you are currently in mainland China, as it will be redirected to [mestrelab.cn](#), but no need to worry, follow my instructions below] For Mac OS users, [download the zip archive here](#), extract its content, and drag the `xml` file to MNova to install the plugin. Then you will be able to use it.

As for ELViS, you didn't provide a clear description of the issue, but I'm guessing that you somehow were unable to load a spectrum file into MNova. Again, I recommend you read [its user manual](#) carefully. My suggestion is that you can convert your spectrum file into `csv` or `txt` file, which makes sure MNova can read the format. **Especially, you should explicitly tell MNova that you are loading a spectrum file, by going to File -> Open , and then selecting the ELViS CSV (*.csv, *.txt) file type.** (Not All Files (*.*) ; MNova won't be able know what you are loading.) Strictly following the user manual will allow you to use this new function without any problem, as I can testify on my side.



 Z-H-Sun closed this as completed on Sep 10, 2024



Add a comment

H B I | | | @

Write

Preview

Use Markdown to format your comment

Paste, drop, or click to add files

Reopen issue

Comment

Metadata

Assignees



No one - [Assign yourself](#)

Labels



invalid

Projects



No projects

Edit

New issue



Chemdraw Mac 22 Encountering Issue with "Open-recent" and "chemacx addin" #35

Closed

Labels

wontfix




SajimJC opened on Jan 8

Dear Developer,


I hope this message finds you well.

I am reaching out to report an issue I encountered while using Chemdraw Mac 22

1. Open files with non name of lists.



2. Unable to load chemacx



If you need any additional details or clarification, please feel free to ask. I truly appreciate your hard work and the efforts you put into maintaining this project.

Thank you for your time and assistance.

Best regards,

Create sub-issue




Z-H-Sun on Jan 8

Owner




For version 23, my most recent test results are:

1. I can't reproduce this issue. Everything is fine here on my end. As far as I know, there will be at least two default entries in the "Open Recent" submenu (see screenshot below). So maybe not a problem of the patch. Just try uninstalling version 22 and installing version 23?



2. For some unknown reason, I can't use "ChemACX structure from CAS" add-in too. However, if you use "ChemACX explorer" and search for the CAS number of interest (in the case below, 108-95-2), you can still insert the desired structure by clicking the "+" icon in the window. See screenshot below.

Let me know if this helps.



SajimJC on Jan 10

Author ...

Dear Developer,

Thanks for your sincere reply. I should describe the issue for more.

I encountered this issue after upgrading my Mac from macOS 13.7 to 14.7 via the App Store. The "Open Recent" feature in ChemDraw no longer displays the list of recent files. When I click on it, the prompt shows "null."

As a follow-up to my previous message, I have attempted to resolve the issue by repeatedly uninstalling the ChemDraw app from ~/Applications and installing different versions (22 and 23). However, the problem persists even after upgrading macOS.

I have also deleted ChemDraw's preference and cache files, such as those located in ~/Library/Application Support/ChemDraw/ and ~/Library/Preferences/, but unfortunately, this did not fully resolve the issue. Additionally, I have granted full access to the relevant folders, but the problem still persists.

Other software I upgraded alongside macOS, such as MestReNova, only experienced changes in the font size and compressed space in the menu bar, without any major functionality issues.

I also tested ChemACX on my Windows machine, but I am unable to retrieve the recent files there as well. I am unsure of the underlying cause. Could you please advise on how I should investigate this issue? Should I check the API interface, or are there other areas I should focus on?

Could you kindly suggest any further troubleshooting steps or areas I might investigate? If there is any specific information or screenshots I can provide to assist in diagnosing the issue, please let me know. Your help is greatly appreciated.

I appreciate any guidance you can provide. Thank you very much for your time and assistance.

Best regards,



Z-H-Sun on Jan 11

Owner



I encountered this issue after upgrading my Mac from macOS 13.7 to 14.7 via the App Store. The "Open Recent" feature in ChemDraw no longer displays the list of recent files. When I click on it, the prompt shows "null."

OK. I'm running my test on a MacOS 13.5 in a virtual machine, so that explains why I'm not seeing the issue.

That being the case, this issue is more of a problem of MacOS / Revvity, not mine. My patch only provides chemists a chance of using Chem Draw without paying an unreasonably high fee. If any bug like that appears (which I'm not responsible for), you can only ask Chem Draw developers. Maybe they will fix it in the following updates. Hopefully Chem Draw 24 will be released in just a few months.

I also tested ChemACX on my Windows machine, but I am unable to retrieve the recent files there as well.

I'm confused. How can ChemACX retrieve recent files? As far as I know, ChemACX is only used to get chemical structures and vendors, physical properties, etc. using their names or CAS numbers. And I already provide you an alternative way for doing so without using "ChemACX structure from CAS."

Anyway, I think there is really very little I can help here; again, I am not the developer of Chem Draw or ChemACX.



SajimJC on Jan 12

Author



Dear Developer.

I have tested this issue thoroughly and believe it is unlikely related to your cracked code. However, I am unsure how to pinpoint the root cause. Since you seem to have experience in this area, I wanted to seek your advice. I suspect that installing a newer version may not necessarily resolve the problem, and it has become quite difficult to identify what the exact reason is. I might have to wait and see for now.

Regarding ChemACX, I may not have explained it clearly earlier. During my tests on both Windows and Mac, I encountered the error message: "unable to load add-ins." I'm not sure what could be causing this.

Thank you again for your assistance.

Best regards,



Z-H-Sun on Jan 12 · edited by Z-H-Sun

Edits ▾

Owner



...it is unlikely related to your cracked code. However, I am unsure how to pinpoint the root cause.

Me neither.

Since you seem to have experience in this area, I wanted to seek your advice.

I think you are asking the wrong person, and you are thinking too highly of me.

During my tests on both Windows and Mac, I encountered the error message: "unable to load add-ins."

Just FYI, for my registered version, the error message is "Chem Draw was not able to access the ChemACX service." As I can confirm, the issue persists as of version 23.1.2 (the latest version).

I'm not sure what could be causing this.

Why don't you try [the method I provided](#)? Why do you insist on a buggy function?

I am closing issue because a. it is not my business and b. there is really nothing I can do about it.



Z-H-Sun closed this as completed on Jan 12



Z-H-Sun added wontfix on Jan 12



Add a comment

H B I | i≡ <> 🔗 | :≡ ½≡ ≡≡ | @ ↗ ↶ ↷

Write

Preview

Use Markdown to format your comment

 Paste, drop, or click to add files



Reopen issue



Comment

Metadata

Assignees



No one - [Assign yourself](#)

Labels



wontfix

Projects



No projects

Milestone



No milestone

Relationships



None yet

Development



Code with agent mode



[Create a branch](#) for this issue or link a pull request.

Notifications

Customize



Unsubscribe

You're receiving notifications because you're subscribed to this thread.

Participants



→ Transfer issue



Lock conversation



Pin issue