

AuthiChain Quick Reference

Start the Application

Method 1: Use the Startup Script (Easiest)

```
cd /home/ubuntu/authichain_premium
./start-server.sh
```

Method 2: Manual Start

```
cd /home/ubuntu/authichain_premium/app
npm run dev
```

Access Points

Feature	URL
Homepage	http://localhost:3000
Marketplace	http://localhost:3000/marketplace
Admin Dashboard	http://localhost:3000/admin
User Dashboard	http://localhost:3000/dashboard
API Health	http://localhost:3000/api/health

Demo Accounts

Role	Email	Password
Admin	admin@authichain.com	Admin123!
User	user@authichain.com	User123!

Test Payment Cards

Card	Number	Result
Visa	4242 4242 4242 4242	✓ Success
Decline	4000 0000 0000 0002	✗ Declined

Use any future expiry date and any 3-digit CVC

Subscription Plans

Plan	Price	Features
Pro	\$29/mo	Basic NFT features
Brand	\$99/mo	Advanced features + analytics
Enterprise	\$499/mo	Custom solutions

Common Commands

```
# Start server
cd /home/ubuntu/authichain_premium/app
npm run dev

# Stop server
# Press Ctrl+C or:
lsof -ti:3000 | xargs kill -9

# Rebuild
npm run build

# Check database
npx prisma studio

# View logs
tail -f ~/authichain_dev.log
```

File Locations

- **Project Root:** /home/ubuntu/authichain_premium/
- **Application:** /home/ubuntu/authichain_premium/app/
- **Environment:** /home/ubuntu/authichain_premium/app/.env
- **Documentation:** /home/ubuntu/authichain_premium/SETUP_GUIDE.md

Need Help?

1. Check **SETUP_COMPLETE.md** for detailed setup info
2. Check **SETUP_GUIDE.md** for comprehensive documentation
3. View server logs if issues occur

Platform Status

✓ Ready for Development

- Database configured
- Stripe test mode active

- Admin & user accounts created
 - All components rebranded to AuthiChain
-

Quick Start: Run `./start-server.sh` and visit <http://localhost:3000>