AVIATESAIR

QRH

Quick Reference Handbook

Normal checklists for every fleet type and the immediate-action items.

REVISION	EFFECTIVE	DOCUMENTS	ISSUED BY
0	24 SEP 2026	10	AviatesAir Flight Operations

This copy is uncontrolled once printed or saved. The current revision is always in the AviatesAir EFB (Manuals).
For flight simulation use only. Not for real-world aviation.

List of effective documents

DOCUMENT	TITLE	REV	EFFECTIVE
QRH 0	Immediate Actions (Memory Items)	0	24 SEP 2026
QRH NC 1	Normal Checklist: Airbus A319 / A320neo	0	24 SEP 2026
QRH NC 2	Normal Checklist: Airbus A350	0	24 SEP 2026
QRH NC 3	Normal Checklist: Airbus A380	0	24 SEP 2026
QRH NC 4	Normal Checklist: Boeing 737-600/-800/-900ER	0	24 SEP 2026
QRH NC 5	Normal Checklist: Boeing 737 MAX 8	0	24 SEP 2026
QRH NC 6	Normal Checklist: Boeing 777F	0	24 SEP 2026
QRH NC 7	Normal Checklist: Boeing 747-8	0	24 SEP 2026
QRH NC 8	Normal Checklist: ATR 72-600	0	24 SEP 2026
QRH NC 9	Normal Checklist: ATR 42-600	0	24 SEP 2026

Contents

QRH 0 Immediate Actions (Memory Items)
- Rejected takeoff
- Engine fire or severe damage
- Emergency descent
- TCAS resolution advisory
- Terrain warning: "PULL UP" / "TERRAIN AHEAD PULL UP"
- Windshear
- Unreliable airspeed
- Stall recovery

QRH NC 1 Normal Checklist: Airbus A319 / A320neo
- BEFORE START
- AFTER START
- BEFORE TAKEOFF
- AFTER TAKEOFF / CLIMB
- APPROACH
- LANDING
- PARKING
- SECURING THE AIRCRAFT

QRH NC 2 Normal Checklist: Airbus A350
- BEFORE START
- AFTER START
- BEFORE TAKEOFF
- AFTER TAKEOFF / CLIMB
- APPROACH
- LANDING
- PARKING
- SECURING THE AIRCRAFT

QRH NC 3 Normal Checklist: Airbus A380
- BEFORE START
- AFTER START
- BEFORE TAKEOFF
- AFTER TAKEOFF / CLIMB
- APPROACH
- LANDING
- PARKING
- SECURING THE AIRCRAFT

QRH NC 4 Normal Checklist: Boeing 737-600/-800/-900ER
- PREFLIGHT
- BEFORE START
- BEFORE TAXI
- BEFORE TAKEOFF
- AFTER TAKEOFF
- DESCENT
- APPROACH
- LANDING
- SHUTDOWN
- SECURE

QRH NC 5 Normal Checklist: Boeing 737 MAX 8
- PREFLIGHT
- BEFORE START
- BEFORE TAXI
- BEFORE TAKEOFF
- AFTER TAKEOFF
- DESCENT
- APPROACH
- LANDING
- SHUTDOWN
- SECURE

QRH NC 6 Normal Checklist: Boeing 777F
- PREFLIGHT
- BEFORE START
- BEFORE TAXI
- BEFORE TAKEOFF
- AFTER TAKEOFF
- DESCENT
- APPROACH
- LANDING
- SHUTDOWN
- SECURE

QRH NC 7 Normal Checklist: Boeing 747-8
- PREFLIGHT
- BEFORE START
- BEFORE TAXI
- BEFORE TAKEOFF
- AFTER TAKEOFF
- DESCENT
- APPROACH
- LANDING
- SHUTDOWN
- SECURE

QRH NC 8 Normal Checklist: ATR 72-600
- FINAL COCKPIT PREPARATION
- BEFORE PROPELLER ROTATION
- BEFORE TAXI
- TAXI
- BEFORE TAKEOFF
- AFTER TAKEOFF
- CRUISE
- DESCENT
- APPROACH
- BEFORE LANDING
- AFTER LANDING
- PARKING
- LEAVING THE AIRCRAFT

QRH NC 9 Normal Checklist: ATR 42-600
- FINAL COCKPIT PREPARATION
- BEFORE PROPELLER ROTATION
- BEFORE TAXI
- TAXI
- BEFORE TAKEOFF
- AFTER TAKEOFF
- CRUISE
- DESCENT
- APPROACH
- BEFORE LANDING
- AFTER LANDING
- PARKING
- LEAVING THE AIRCRAFT

Immediate Actions (Memory Items)

The recall actions every AviatesAir pilot knows by heart (rejected takeoff, engine fire, emergency descent, TCAS RA, terrain, windshear, unreliable airspeed and stall recovery) in Airbus and Boeing form.

WARNING Reference only. The **ECAM / QRH of your aircraft add-on** is the authority for your type. Fly the aircraft first; do the memory items from memory, then complete the checklist.

Rejected takeoff

	ACTION
PF calls	**"STOP"**
Thrust levers	**IDLE / CLOSE** (autothrottle disconnects)
Reverse thrust	**MAX** as required
Brakes	**RTO autobrake**, or maximum manual braking
Speedbrake / ground spoilers	Check **deployed**
Direction	Maintain the **centreline**
After stopping	Parking brake **SET**. Notify ATC and the cabin, then assess (fire? evacuation?)

Engine fire or severe damage

Airbus (ECAM ENG FIRE): thrust lever (affected) **IDLE**; engine master (affected) **OFF**; fire push-button **PUSH**; agent 1 **DISCH** after 10 s; agent 2 if the fire persists after 30 s.

Boeing (ENG FIRE): autothrottle **DISENGAGE**; thrust lever (affected) **CLOSE**; engine start lever / fuel control switch (affected) **CUTOFF**; engine fire switch **PULL, then ROTATE** to the stop to discharge; if the fire warning persists after 30 seconds, rotate it to the other bottle.

Emergency descent

1. Crew oxygen masks **ON, 100 %**. Establish communication.
2. Signs **ON**; passenger oxygen **ON** if the cabin altitude exceeds 14,000 ft.
3. Descent **INITIATE**: altitude selector to the lowest safe altitude (MEA/MORA, typically FL100), heading as required, speed **MAX / appropriate**, speedbrakes **FULL**.
4. Transponder **7700** unless ATC has assigned another code. Declare **MAYDAY**.

TCAS resolution advisory

- **Follow the RA** promptly and smoothly: disconnect the autopilot and flight directors and fly the green band. On Airbus types with the AP/FD TCAS mode, the autopilot may fly the RA; monitor it.

- **Never** manoeuvre against the RA, even if ATC has given a conflicting instruction.
- Report "**TCAS RA**" to ATC as soon as possible. When clear of conflict, return to the clearance and report "**clear of conflict, returning to…**".

Terrain warning: "PULL UP" / "TERRAIN AHEAD PULL UP"

- **Airbus:** AP **OFF**; pitch **pull to full back stick**; thrust **TOGA**; speedbrakes **RETRACT**; wings **LEVEL**.
- **Boeing:** AP and A/T **DISENGAGE**; thrust **MAX**; pitch to **20°** and roll wings level; speedbrakes **RETRACT**. Stay at the pitch limit indication if needed.
- Climb until the warning stops **and** you are safe. Do not change configuration until then.

Windshear

- **Takeoff roll** (before V1): reject if there's enough runway, otherwise continue.
- **Airborne / on approach** ("WINDSHEAR"): thrust **TOGA / MAX**; follow the flight director or pitch to about 15° (Boeing: up to the pitch limit indicator); **do not change the configuration** (gear or flaps) until out of the shear; speedbrakes **RETRACT**.
- **Predictive "WINDSHEAR AHEAD"** on approach: **go around**.

Unreliable airspeed

If a flight path is in danger (Airbus memory items): AP / FD / A/THR **OFF**, then set pitch and thrust, keep the flaps where they are, retract the speedbrakes, and raise the gear after takeoff.

PHASE	PITCH	THRUST
Below the thrust-reduction altitude	**15°**	**TOGA**
Above the thrust-reduction altitude, below FL100	**10°**	**CLB**
Above FL100	**5°**	**CLB**

Boeing: A/T and AP **DISENGAGE**, flight director switches **OFF**, then set the attitude and thrust for the flight phase from the QRH table.

Stall recovery

1. **Nose down:** reduce the angle of attack, push to unload (trim nose-down as needed).
2. **Bank:** roll **wings level**.
3. **Thrust:** as needed; mind the pitch-up couple of underwing engines.
4. **Speedbrakes:** retract.
5. Return to the desired flight path when out of the stall, without triggering a secondary stall.

Normal Checklist: Airbus A319 / A320neo

8 normal checklists, 57 items: BEFORE START · AFTER START · BEFORE TAKEOFF · AFTER TAKEOFF / CLIMB…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

BEFORE START

CHALLENGE	RESPONSE
COCKPIT PREP	**COMPLETED** *(BOTH)*
GEAR PINS and COVERS	**REMOVED**
SIGNS	**ON/AUTO**
ADIRS	**NAV**
FUEL QUANTITY	**___ KG / BALANCED**
TO DATA	**SET**
BARO REF	**___ SET** *(BOTH)*
WINDOWS/DOORS	**CLOSED/ARMED** *(BOTH)*
BEACON	**ON**
MOBILE PHONE	**OFF** *(BOTH)*
THR LEVERS	**IDLE**
PARKING BRAKE	**SET**

AFTER START

CHALLENGE	RESPONSE
ANTI ICE	**AS RQRD**
ECAM STATUS	**CHECKED**
PITCH TRIM	**___ % SET**
RUDDER TRIM	**ZERO**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
FLT CTL	**CHECKED** *(BOTH)*
FLT INSTRUMENTS	**CHECKED** *(BOTH)*
BRIEFING	**CONFIRMED**
FLAP SETTING	**CONF** ___ *(BOTH)*
FMA & TO DATA (*PF reads the FMA and takeoff data, PM checks*)	**READ / CHECKED** *(PF/PM)*
TRANSPONDER	___ **SET**
ECAM MEMO (*AUTO BRK MAX · SIGNS ON · SPLRS ARM · FLAPS TO · TO CONFIG NORM*)	**TO NO BLUE**
CABIN	**SECURED**
ENG MODE SEL	**AS RQRD**
TCAS	**TA OR TA/RA**
PACKS	**AS RQRD**

AFTER TAKEOFF / CLIMB

CHALLENGE	RESPONSE
LDG GEAR	**UP**
FLAPS	**RETRACTED**
PACKS	**ON**
BARO REF (*At the transition altitude*)	**STD SET** *(BOTH)*

APPROACH

CHALLENGE	RESPONSE
BRIEFING	**CONFIRMED**
ECAM STATUS	**CHECKED**
SEAT BELTS	**ON**
BARO REF	___ **SET** *(BOTH)*
MINIMUM	___ **SET** *(BOTH)*
ENG MODE SEL	**AS RQRD**

LANDING

CHALLENGE	RESPONSE
CABIN	**SECURED**
A/THR	**SPEED / OFF**
GO-AROUND ALT	**___ SET**
ECAM MEMO (*LDG GEAR DN · SIGNS ON · SPLRS ARM · FLAPS SET*)	**LDG NO BLUE**

PARKING

CHALLENGE	RESPONSE
APU BLEED	**ON**
Y ELEC PUMP	**OFF**
ENGINES	**OFF**
SEAT BELTS	**OFF**
EXT LT	**AS RQRD**
FUEL PUMPS	**OFF**
PARK BRK and CHOCKS	**AS RQRD**
MOBILE PHONE	**ON**
TRANSPONDER	**STBY 2000**
RADAR / PWS	**OFF**

SECURING THE AIRCRAFT

CHALLENGE	RESPONSE
ADIRS	**OFF**
OXYGEN	**OFF**
APU BLEED	**OFF**
EMER EXIT LT	**OFF**
NO SMOKING	**OFF**
APU and BAT	**OFF**

Source: Airbus A319/A320 Normal Checklist (Airbus, Nov 2017 simulation release). ENG MODE SEL / neo items as per the A320neo cockpit. For simulation use only.

Normal Checklist: Airbus A350

8 normal checklists, 50 items: BEFORE START · AFTER START · BEFORE TAKEOFF · AFTER TAKEOFF / CLIMB…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

BEFORE START

CHALLENGE	RESPONSE
COCKPIT PREP	**COMPLETED** *(BOTH)*
GEAR PINS & COVERS	**REMOVED**
SIGNS	**ON/AUTO**
ADIRS	**NAV**
FUEL QUANTITY	___ **KG**
T.O DATA	**SET**
BARO REF	___ **SET** *(BOTH)*
WINDOWS / DOORS	**CLOSED** *(BOTH)*
BEACON	**ON**
MOBILE PHONE	**OFF** *(BOTH)*
THR LEVERS	**IDLE**
PARKING BRAKE	**SET**

AFTER START

CHALLENGE	RESPONSE
ANTI ICE	**AS RQRD**
ECAM STATUS (*Pitch trim is set automatically on the A350*)	**CHECKED**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
FLT CTL	**CHECKED** *(BOTH)*

CHALLENGE	RESPONSE
FLT INSTRUMENTS	**CHECKED** *(BOTH)*
BRIEFING	**CONFIRMED**
FLAPS SETTING	**CONF** ___ *(BOTH)*
FMA & T.O DATA	**READ / CHECKED** *(PF/PM)*
TRANSPONDER	___ **SET**
ECAM MEMO (*AUTO BRK RTO · SIGNS ON · SPLRS ARM · FLAPS T.O · T.O CONFIG NORM*)	**T.O NO BLUE** *(BOTH)*
CABIN	**SECURED**
TCAS	**TA OR TA/RA**
PACKS	**AS RQRD**

AFTER TAKEOFF / CLIMB

CHALLENGE	RESPONSE
LDG GEAR	**UP**
FLAPS	**RETRACTED**
PACKS	**ON**
BARO REF (*At the transition altitude*)	**STD SET** *(BOTH)*

APPROACH

CHALLENGE	RESPONSE
BRIEFING	**CONFIRMED**
ECAM STATUS	**CHECKED**
SEAT BELTS	**ON**
BARO REF	___ **SET** *(BOTH)*
MINIMUM	___ **SET** *(BOTH)*
AUTO BRK / BTV	**AS RQRD**

LANDING

CHALLENGE	RESPONSE
CABIN	**SECURED**

CHALLENGE	RESPONSE
A/THR	**SPEED / OFF**
ECAM MEMO (*LDG GEAR DN · SIGNS ON · SPLRS ARM · FLAPS SET*)	**LDG NO BLUE**

PARKING

CHALLENGE	RESPONSE
APU BLEED	**ON**
ELEC PUMPS	**OFF**
ENGINES	**OFF**
SEAT BELTS	**OFF**
EXT LT	**AS RQRD**
FUEL PUMPS	**OFF**
PARK BRK and CHOCKS	**AS RQRD**

SECURING THE AIRCRAFT

CHALLENGE	RESPONSE
ADIRS	**OFF**
OXYGEN	**OFF**
APU BLEED	**OFF**
EMER EXIT LT	**OFF**
SIGNS	**OFF**
APU and BAT	**OFF**

Source: Airbus A350 FCOM normal checklist (ECL) excerpts, aligned to the A320 C/L layout for items common to the family. For simulation use only.

Normal Checklist: Airbus A380

8 normal checklists, 54 items: BEFORE START · AFTER START · BEFORE TAKEOFF · AFTER TAKEOFF / CLIMB…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

BEFORE START

CHALLENGE	RESPONSE
COCKPIT PREP	**COMPLETED** *(BOTH)*
GEAR PINS & COVERS	**REMOVED**
OXYGEN	**CHECKED**
SIGNS	**ON/AUTO**
ADIRS	**NAV**
FUEL QUANTITY	___ **KG**
T.O DATA	**SET**
BARO REF	___ **SET** *(BOTH)*
WINDOWS / DOORS	**CLOSED** *(BOTH)*
BEACON	**ON**
THR LEVERS	**IDLE**
PARKING BRAKE	**SET**

AFTER START

CHALLENGE	RESPONSE
ANTI ICE	**AS RQRD**
ECAM STATUS	**CHECKED**
PITCH TRIM	___ **CHECKED**
RUDDER TRIM	**NEUTRAL**
GROUND EQUIPMENT	**CLEAR**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
FLT CTL	**CHECKED** *(BOTH)*
FLT INSTRUMENTS	**CHECKED** *(BOTH)*
BRIEFING	**CONFIRMED**
FLAPS SETTING	**CONF** ___ *(BOTH)*
FMA & T.O DATA (*V1 · VR · V2 · FLEX TEMP*)	**READ / CHECKED** *(PF/PM)*
AUTO BRK	**RTO**
TRANSPONDER	___ **SET**
ECAM MEMO (*SIGNS ON · SPLRS ARM · FLAPS T.O · T.O CONFIG NORM*)	**T.O NO BLUE** *(BOTH)*
CABIN	**SECURED**
TCAS	**TA OR TA/RA**
PACKS	**AS RQRD**

AFTER TAKEOFF / CLIMB

CHALLENGE	RESPONSE
LDG GEAR	**UP**
FLAPS	**RETRACTED**
PACKS	**ON**
APU MASTER	**OFF**
BARO REF (*At the transition altitude*)	**STD SET** *(BOTH)*

APPROACH

CHALLENGE	RESPONSE
BRIEFING	**CONFIRMED**
ECAM STATUS	**CHECKED**
SEAT BELTS	**ON**
BARO REF	___ **SET** *(BOTH)*
MINIMUM	___ **SET** *(BOTH)*

CHALLENGE	RESPONSE
AUTO BRK / BTV	**AS RQRD**

LANDING

CHALLENGE	RESPONSE
CABIN	**SECURED**
A/THR	**SPEED / OFF**
ECAM MEMO (*LDG GEAR DN · SIGNS ON · SPLRS ARM · FLAPS SET*)	**LDG NO BLUE**

PARKING

CHALLENGE	RESPONSE
APU BLEED	**ON**
ENGINES (ALL 4)	**OFF**
SEAT BELTS	**OFF**
EXT LT	**AS RQRD**
FUEL PUMPS	**OFF**
PARK BRK and CHOCKS	**AS RQRD**

SECURING THE AIRCRAFT

CHALLENGE	RESPONSE
ADIRS	**OFF**
OXYGEN	**OFF**
APU BLEED	**OFF**
EMER EXIT LT	**OFF**
SIGNS	**OFF**
APU and BATTERIES	**OFF**

Source: FlyByWire A380X simulation checklist (29 Nov 2021) arranged in the Airbus ECL normal-checklist layout. For simulation use only.

Normal Checklist: Boeing 737-600/-800/-900ER

10 normal checklists, 54 items: PREFLIGHT · BEFORE START · BEFORE TAXI · BEFORE TAKEOFF…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

PREFLIGHT

CHALLENGE	RESPONSE
Oxygen	**Tested, 100%**
Navigation transfer and display switches	**NORMAL, AUTO**
Window heat	**ON**
Pressurization mode selector	**AUTO**
Flight instruments	**Heading ___, Altimeter ___**
Parking brake	**Set**
Engine start levers	**CUTOFF**

BEFORE START

CHALLENGE	RESPONSE
Flight deck door	**Closed and locked**
Fuel	**___ KGS, Pumps ON**
Passenger signs	**___**
Windows	**Locked**
MCP	**V2 ___, HDG ___, ALT ___**
Takeoff speeds	**V1 ___, VR ___, V2 ___**
CDU preflight	**Completed**
Rudder and aileron trim	**Free and 0**
Taxi and takeoff briefing	**Completed**
Anti collision light	**ON**

BEFORE TAXI

CHALLENGE	RESPONSE
Generators	**ON**
Probe heat	**ON**
Anti-ice	___
Isolation valve	**AUTO**
Engine start switches	**CONT**
Recall	**Checked**
Autobrake	**RTO**
Engine start levers	**IDLE detent**
Flight controls	**Checked**
Ground equipment	**Clear**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
Flaps	**___, Green light**
Stabilizer trim	**___ Units**

AFTER TAKEOFF

CHALLENGE	RESPONSE
Engine bleeds	**ON**
Packs	**AUTO**
Landing gear	**UP and OFF**
Flaps	**UP, No lights**

DESCENT

CHALLENGE	RESPONSE
Pressurization	**LAND ALT ___**
Recall	**Checked**
Autobrake	___

CHALLENGE	RESPONSE
Landing data	**VREF ___, Minimums ___**
Approach briefing	**Completed**

APPROACH

CHALLENGE	RESPONSE
Altimeters	___

LANDING

CHALLENGE	RESPONSE
Engine start switches	**CONT**
Speedbrake	**ARMED**
Landing gear	**Down**
Flaps	**___, Green light**

SHUTDOWN

CHALLENGE	RESPONSE
Fuel pumps	**OFF**
Probe heat	**OFF**
Hydraulic panel	**Set**
Flaps	**UP**
Parking brake	___
Engine start levers	**CUTOFF**
Weather radar	**OFF**

SECURE

CHALLENGE	RESPONSE
IRSs	**OFF**
Emergency exit lights	**OFF**
Window heat	**OFF**

CHALLENGE	RESPONSE
Packs	**OFF**

Source: Boeing 737NG QRH Normal Checklists (as published in training references, e.g. aviationhunt.com). For simulation use only.

Normal Checklist: Boeing 737 MAX 8

10 normal checklists, 54 items: PREFLIGHT · BEFORE START · BEFORE TAXI · BEFORE TAKEOFF…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

PREFLIGHT

CHALLENGE	RESPONSE
Oxygen	**Tested, 100%**
Navigation transfer and display switches	**NORMAL, AUTO**
Window heat	**ON**
Pressurization mode selector	**AUTO**
Flight instruments	**Heading ___, Altimeter ___**
Parking brake	**Set**
Engine start levers	**CUTOFF**

BEFORE START

CHALLENGE	RESPONSE
Flight deck door	**Closed and locked**
Fuel	**___ KGS, Pumps ON**
Passenger signs	___
Windows	**Locked**
MCP	**V2 ___, HDG ___, ALT ___**
Takeoff speeds	**V1 ___, VR ___, V2 ___**
CDU preflight	**Completed**
Rudder and aileron trim	**Free and 0**
Taxi and takeoff briefing	**Completed**
Anti collision light	**ON**

BEFORE TAXI

CHALLENGE	RESPONSE
Generators	**ON**
Probe heat	**AUTO**
Anti-ice	___
Isolation valve	**AUTO**
Engine start switches	**CONT**
Recall	**Checked**
Autobrake	**RTO**
Engine start levers	**IDLE detent**
Flight controls	**Checked**
Ground equipment	**Clear**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
Flaps	**___, Green light**
Stabilizer trim	**___ Units**

AFTER TAKEOFF

CHALLENGE	RESPONSE
Engine bleeds	**ON**
Packs	**AUTO**
Landing gear	**UP and OFF**
Flaps	**UP, No lights**

DESCENT

CHALLENGE	RESPONSE
Pressurization	**LAND ALT ___**
Recall	**Checked**
Autobrake	___

CHALLENGE	RESPONSE
Landing data	**VREF ___, Minimums ___**
Approach briefing	**Completed**

APPROACH

CHALLENGE	RESPONSE
Altimeters	___

LANDING

CHALLENGE	RESPONSE
Engine start switches	**CONT**
Speedbrake	**ARMED**
Landing gear	**Down**
Flaps	**___, Green light**

SHUTDOWN

CHALLENGE	RESPONSE
Fuel pumps	**OFF**
Probe heat	**AUTO**
Hydraulic panel	**Set**
Flaps	**UP**
Parking brake	___
Engine start levers	**CUTOFF**
Weather radar	**OFF**

SECURE

CHALLENGE	RESPONSE
IRSs	**OFF**
Emergency exit lights	**OFF**
Window heat	**OFF**

CHALLENGE	RESPONSE
Packs	**OFF**

Source: Boeing 737NG QRH Normal Checklists with the 737 MAX differences (probe heat AUTO). For simulation use only.

Normal Checklist: Boeing 777F

10 normal checklists, 38 items: PREFLIGHT · BEFORE START · BEFORE TAXI · BEFORE TAKEOFF…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

PREFLIGHT

CHALLENGE	RESPONSE
Oxygen	**Tested, 100%**
Flight instruments	**Heading ___, Altimeter ___**
Parking brake	**Set**
Fuel control switches	**CUTOFF**

BEFORE START

CHALLENGE	RESPONSE
Flight deck door	**Closed and locked**
Passenger signs	___
MCP	**V2 ___, HDG/TRK ___, ALT ___**
Takeoff speeds	**V1 ___, VR ___, V2 ___**
CDU preflight	**Completed**
Trim	**___ Units, 0, 0**
Taxi and takeoff briefing	**Completed**
Beacon	**ON**

BEFORE TAXI

CHALLENGE	RESPONSE
Anti-ice	___
Recall	**Checked**
Autobrake	**RTO**

CHALLENGE	RESPONSE
Flight controls	**Checked**
Ground equipment	**Clear**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
Flaps	___

AFTER TAKEOFF

CHALLENGE	RESPONSE
Landing gear	**UP**
Flaps	**UP**

DESCENT

CHALLENGE	RESPONSE
Recall	**Checked**
Notes	**Checked**
Autobrake	___
Landing data	**VREF ___, Minimums ___**
Approach briefing	**Completed**

APPROACH

CHALLENGE	RESPONSE
Altimeters	___

LANDING

CHALLENGE	RESPONSE
Speedbrake	**ARMED**
Landing gear	**Down**
Flaps	___

SHUTDOWN

CHALLENGE	RESPONSE
Hydraulic panel	**Set**
Fuel pumps	**Off**
Flaps	**Up**
Parking brake	___
Fuel control switches	**CUTOFF**
Weather radar	**Off**

SECURE

CHALLENGE	RESPONSE
ADIRU	**Off**
Emergency lights	**OFF**
Packs	**Off**

Source: Boeing 777 QRH Normal Checklists (common to the 777-200LR/-300ER/777F electronic checklist). For simulation use only.

Normal Checklist: Boeing 747-8

10 normal checklists, 38 items: PREFLIGHT · BEFORE START · BEFORE TAXI · BEFORE TAKEOFF…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

PREFLIGHT

CHALLENGE	RESPONSE
Oxygen	**Tested, 100%**
Flight instruments	**Heading ___, Altimeter ___**
Parking brake	**Set**
Fuel control switches	**CUTOFF**

BEFORE START

CHALLENGE	RESPONSE
Flight deck door	**Closed and locked**
Passenger signs	___
MCP	**V2 ___, HDG/TRK ___, ALT ___**
Takeoff speeds	**V1 ___, VR ___, V2 ___**
CDU preflight	**Completed**
Trim	___ **Units, 0, 0**
Taxi and takeoff briefing	**Completed**
Beacon	**BOTH**

BEFORE TAXI

CHALLENGE	RESPONSE
Anti-ice	___
Recall	**Checked**
Autobrake	**RTO**

CHALLENGE	RESPONSE
Flight controls	**Checked**
Ground equipment	**Clear**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
Flaps	___

AFTER TAKEOFF

CHALLENGE	RESPONSE
Landing gear	**UP**
Flaps	**UP**

DESCENT

CHALLENGE	RESPONSE
Recall	**Checked**
Notes	**Checked**
Autobrake	___
Landing data	**VREF ___, Minimums ___**
Approach briefing	**Completed**

APPROACH

CHALLENGE	RESPONSE
Altimeters	___

LANDING

CHALLENGE	RESPONSE
Speedbrake	**ARMED**
Landing gear	**Down**
Flaps	___

SHUTDOWN

CHALLENGE	RESPONSE
Hydraulic demand pumps	**OFF**
Fuel pumps	**Off**
Flaps	**Up**
Parking brake	—
Fuel control switches	**CUTOFF**
Weather radar	**Off**

SECURE

CHALLENGE	RESPONSE
IRSs	**OFF**
Emergency lights	**OFF**
Packs	**Off**

Source: Boeing 747-8 QRH Normal Checklists (747-400 lineage: beacon BOTH, hydraulic demand pumps, IRSs). For simulation use only.

Normal Checklist: ATR 72-600

13 normal checklists, 93 items: FINAL COCKPIT PREPARATION · BEFORE PROPELLER ROTATION · BEFORE TAXI · TAXI…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

FINAL COCKPIT PREPARATION

CHALLENGE	RESPONSE
PARKING BRAKE	**ON / PRESS CHECKED**
ALTIMETERS	**SET**
LANDING ELEVATION	**SET**
FMS / COM / NAV	**SET / CHECKED**
FUEL QUANTITY / FOB	**CHECKED**
ENG FUEL USED	**RESET**
MEMO PANEL	**CHECKED**
PWR MGT	**TO**
PROP BRAKE	**AS RQD**

BEFORE PROPELLER ROTATION

CHALLENGE	RESPONSE
TAIL PROP	**ON BOARD**
DOORS	**CLOSED**
FMS & T/O DATA	**CONFIRMED / SET**
TRIMS	**SET**
CDLS	**CHECKED**
SEAT BELTS	**ON**
BEACON	**ON**

BEFORE TAXI

CHALLENGE	RESPONSE
FWS	**RCL**
PROP BRAKE	**OFF**
COCKPIT COM HATCH	**CLOSED**
NOSE WHEEL STEERING	**ON**
CL 1 + 2	**AUTO**
ANTI-ICING	**AS RQD**
ANTI-SKID	**TESTED**
FLAPS	**15 SET**

TAXI

CHALLENGE	RESPONSE
TAXI & T/O LIGHTS	**ON**
BRAKES	**CHECKED**
FGCP / FMA	**SET / CHECKED**
TO CONFIG	**TESTED**
TAKEOFF BRIEFING	**COMPLETE**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
APM	**SET**
BLEED VALVES (*OFF for bleeds-off takeoff performance*)	**AS RQD**
AIR FLOW	**NORM**
GUST LOCK	**RELEASED**
FLIGHT CONTROLS	**CHECKED**
XPDR / TCAS	**TA/RA**
EXT LIGHTS	**ON**
FD BAR (*When lined up*)	**CENTRED**

CHALLENGE	RESPONSE
RUDDER CAM	**CENTRED**
FLIGHT ATTENDANTS	**NOTIFIED**

AFTER TAKEOFF

CHALLENGE	RESPONSE
LDG GEAR	**UP**
FLAPS	**0°**
PWR MGT / NP	**CLB / CHECKED**
BLEED VALVES	**ON**
TAXI & T/O LIGHTS	**OFF**
ALTIMETERS	**SET & CHECKED**
SEAT BELTS	**AS RQD**

CRUISE

CHALLENGE	RESPONSE
CRUISE SPEED	**SET**
PWR MGT	**CRZ**
STBY ALTIMETER	**SET**
PRESSURIZATION	**CHECKED**
TCAS	**ABOVE / BELOW**

DESCENT

CHALLENGE	RESPONSE
FWS	**RCL**
LDG ELEVATION	**SET / CHECKED**
FMS (NAV / PERF)	**SET / CHECKED**
DH / MDA	**SET**
ARRIVAL BRIEFING	**COMPLETE**

APPROACH

CHALLENGE	RESPONSE
SEAT BELTS	**ON**
LANDING LIGHTS	**ON**
ALTIMETERS	**QNH SET & CHECKED**
CABIN ALTITUDE	**CHECKED**
CROSSFEED	**CHECKED**

BEFORE LANDING

CHALLENGE	RESPONSE
LDG GEAR	**DOWN, 3 GREEN**
FLAPS (*FLAPS 30 normal landing*)	**30 SET**
PWR MGT	**TO**
TLU	**LO SPD**
ICING AOA LIGHT	**CHECKED**
EXT LIGHTS	**CHECKED**
FLIGHT ATTENDANTS	**ADVISED**

AFTER LANDING

CHALLENGE	RESPONSE
XPDR / TCAS / RADAR	**STBY**
FLIGHT CONTROLS	**LOCKED**
FLAPS	**0°**
TRIMS	**SET**
LANDING LIGHTS / STROBES	**OFF**
ANTI / DE-ICING	**OFF**
ENG START ROTARY	**OFF**
CL 1 (*After at least one minute at idle; taxi in on ENG 2*)	**FTR THEN FUEL SO**

PARKING

CHALLENGE	RESPONSE
PARKING BRAKE	**ON**
TAXI & T/O LIGHTS	**OFF**
CL 2	**FTR**
PROP BRAKE (*ON for hotel mode*)	**AS RQD**
BEACON	**OFF**
TAIL PROP	**IN POSITION**
SEAT BELTS	**OFF**
FWD CARGO DOOR	**OPEN**

LEAVING THE AIRCRAFT

CHALLENGE	RESPONSE
OXYGEN MAIN SUPPLY	**OFF**
ICE & RAIN PROTECTION	**OFF**
EXT LIGHTS	**OFF**
EMER LIGHTS	**DISARMED**
RADAR	**OFF**
CL 2	**FUEL SO**
FUEL PUMPS 1 + 2	**OFF**
CDLS	**OFF**
BAT	**OFF**

Source: ATR 72-600 operator normal checklist WA-OPS-02-08B (May 2016), reordered into ATR FCOM phase order. For simulation use only.

Normal Checklist: ATR 42-600

13 normal checklists, 93 items: FINAL COCKPIT PREPARATION · BEFORE PROPELLER ROTATION · BEFORE TAXI · TAXI…

NOTE These are the same checklists as the EFB **Checklists** app, which follows your booked aircraft automatically. Complete the flows first, then read the checklist as challenge and response.

FINAL COCKPIT PREPARATION

CHALLENGE	RESPONSE
PARKING BRAKE	**ON / PRESS CHECKED**
ALTIMETERS	**SET**
LANDING ELEVATION	**SET**
FMS / COM / NAV	**SET / CHECKED**
FUEL QUANTITY / FOB	**CHECKED**
ENG FUEL USED	**RESET**
MEMO PANEL	**CHECKED**
PWR MGT	**TO**
PROP BRAKE	**AS RQD**

BEFORE PROPELLER ROTATION

CHALLENGE	RESPONSE
CARGO DOORS	**CLOSED**
DOORS	**CLOSED**
FMS & T/O DATA	**CONFIRMED / SET**
TRIMS	**SET**
CDLS	**CHECKED**
SEAT BELTS	**ON**
BEACON	**ON**

BEFORE TAXI

CHALLENGE	RESPONSE
FWS	**RCL**
PROP BRAKE	**OFF**
COCKPIT COM HATCH	**CLOSED**
NOSE WHEEL STEERING	**ON**
CL 1 + 2	**AUTO**
ANTI-ICING	**AS RQD**
ANTI-SKID	**TESTED**
FLAPS	**15 SET**

TAXI

CHALLENGE	RESPONSE
TAXI & T/O LIGHTS	**ON**
BRAKES	**CHECKED**
FGCP / FMA	**SET / CHECKED**
TO CONFIG	**TESTED**
TAKEOFF BRIEFING	**COMPLETE**

BEFORE TAKEOFF

CHALLENGE	RESPONSE
APM	**SET**
BLEED VALVES (*OFF for bleeds-off takeoff performance*)	**AS RQD**
AIR FLOW	**NORM**
GUST LOCK	**RELEASED**
FLIGHT CONTROLS	**CHECKED**
XPDR / TCAS	**TA/RA**
EXT LIGHTS	**ON**
FD BAR (*When lined up*)	**CENTRED**

CHALLENGE	RESPONSE
RUDDER CAM	**CENTRED**
FLIGHT ATTENDANTS	**NOTIFIED**

AFTER TAKEOFF

CHALLENGE	RESPONSE
LDG GEAR	**UP**
FLAPS	**0°**
PWR MGT / NP	**CLB / CHECKED**
BLEED VALVES	**ON**
TAXI & T/O LIGHTS	**OFF**
ALTIMETERS	**SET & CHECKED**
SEAT BELTS	**AS RQD**

CRUISE

CHALLENGE	RESPONSE
CRUISE SPEED	**SET**
PWR MGT	**CRZ**
STBY ALTIMETER	**SET**
PRESSURIZATION	**CHECKED**
TCAS	**ABOVE / BELOW**

DESCENT

CHALLENGE	RESPONSE
FWS	**RCL**
LDG ELEVATION	**SET / CHECKED**
FMS (NAV / PERF)	**SET / CHECKED**
DH / MDA	**SET**
ARRIVAL BRIEFING	**COMPLETE**

APPROACH

CHALLENGE	RESPONSE
SEAT BELTS	**ON**
LANDING LIGHTS	**ON**
ALTIMETERS	**QNH SET & CHECKED**
CABIN ALTITUDE	**CHECKED**
CROSSFEED	**CHECKED**

BEFORE LANDING

CHALLENGE	RESPONSE
LDG GEAR	**DOWN, 3 GREEN**
FLAPS (*FLAPS 35 normal landing (FLAPS 25 as required)*)	**35 SET**
PWR MGT	**TO**
TLU	**LO SPD**
ICING AOA LIGHT	**CHECKED**
EXT LIGHTS	**CHECKED**
FLIGHT ATTENDANTS	**ADVISED**

AFTER LANDING

CHALLENGE	RESPONSE
XPDR / TCAS / RADAR	**STBY**
FLIGHT CONTROLS	**LOCKED**
FLAPS	**0°**
TRIMS	**SET**
LANDING LIGHTS / STROBES	**OFF**
ANTI / DE-ICING	**OFF**
ENG START ROTARY	**OFF**
CL 1 (*After at least one minute at idle; taxi in on ENG 2*)	**FTR THEN FUEL SO**

PARKING

CHALLENGE	RESPONSE
PARKING BRAKE	**ON**
TAXI & T/O LIGHTS	**OFF**
CL 2	**FTR**
PROP BRAKE (*ON for hotel mode*)	**AS RQD**
BEACON	**OFF**
CHOCKS	**IN PLACE**
SEAT BELTS	**OFF**
FWD CARGO DOOR	**OPEN**

LEAVING THE AIRCRAFT

CHALLENGE	RESPONSE
OXYGEN MAIN SUPPLY	**OFF**
ICE & RAIN PROTECTION	**OFF**
EXT LIGHTS	**OFF**
EMER LIGHTS	**DISARMED**
RADAR	**OFF**
CL 2	**FUEL SO**
FUEL PUMPS 1 + 2	**OFF**
CDLS	**OFF**
BAT	**OFF**

Source: Derived from the ATR 72-600 operator normal checklist (common ATR 42/72 type rating): no tail prop, FLAPS 35 landing. For simulation use only.