

CLONE ANY WEBSITE WITH HTTRACK

Share this...



What is HTTRACK?

Httrack is a free and open source offline browser developed by Xavier Roche. Httrack allow users to download websites. It copies the whole website on the computer. As per [ethical hacking](#) expert of international institute of cyber security httrack is one of the tools that enables you to mirror the site.

For installing **HTTRACK** in Kali Linux as follows:

- If not installed then type **sudo apt-get update**
- Then **sudo apt-get install httrack**.

```
iicybersecurity@kali:~/Downloads$ sudo apt-get update
[sudo] password for iicybersecurity:
Sorry, try again.
[sudo] password for iicybersecurity:
Hit:1 http://mirrors.neusoft.edu.cn/kali kali-rolling InRelease
Reading package lists... Done
```

```
iicybersecurity@kali:~/Downloads$ sudo apt-get install httrack
Reading package lists... Done
Building dependency tree
Reading state information... Done
httrack is already the newest version (3.49.2-1).
httrack set to manually installed.
The following packages were automatically installed and are no longer required:
  ruby-terminal-table ruby-unicode-display-width
Use 'sudo apt autoremove' to remove them.
0 upgraded, 0 newly installed, 0 to remove and 1672 not upgraded.
```

- After installing and configuring the httrack start httrack by typing **httrack** in linux terminal:
- You can also use **httrack –help** for checking some more features which **httrack** offers.

```
iicybersecurity@kali:~/Downloads$ httrack --help
HTTrack version 3.49-2
  usage: httrack <URLs> [-option] [+<URL_FILTER>] [-<URL_FILTER>] [+<mime:MIME_FILTER>] [-TER>]
    with options listed below: (* is the default value)

General options:
  O  path for mirror/logfiles+cache (-O path_mirror[,path_cache_and_logfiles]) (--path <param>)

Action options:
  w *mirror web sites (--mirror)
  mirror web sites, semi-automatic (asks questions) (--mirror-wizard)
  =  just get files (saved in the current directory) (--get-files)
  C  continue an interrupted mirror using the cache (--continue)
  Y  mirror ALL links located in the first level pages (mirror links) (--mirrorlinks)

Proxy options:
  P  proxy use (-P proxy:port or -P user:pass@proxy:port) (--proxy <param>)
  $f *use proxy for ftp (f0 don't use) (--httpproxy-ftp[=N])
  $b  use this local hostname to make/send requests (-$b hostname) (--bind <param>)

Limits options:
  rN set the mirror depth to N (* r9999) (--depth[=N])
  $eN set the external links depth to N (* $e0) (--ext-depth[=N])
  mN maximum file length for a non-html file (--max-files[=N])
  mN,N2 maximum file length for non html (N) and html (N2)
  MN maximum overall size that can be uploaded/scanned (--max-size[=N])
  EN maximum mirror time in seconds (60=1 minute, 3600=1 hour) (--max-time[=N])
```

```
iicybersecurity@kali:~/Downloads$ httrack
Welcome to HTTrack Website Copier (Offline Browser) 3.49-2
Copyright (C) 1998-2017 Xavier Roche and other contributors
To see the option list, enter a blank line or try httrack --help

Enter project name : httrackoutput
```

- When you run **httrack**, you will be prompted to run with name the project.
- After entering the project name. Type the location path where you want to save the project. It will ask for the base path, type **cd /root/Downloads/httrackoutput** as shown below.

```
iicybersecurity@kali:~/Downloads$ httrack
Welcome to HTTrack Website Copier (Offline Browser) 3.49-2
Copyright (C) 1998-2017 Xavier Roche and other contributors
To see the option list, enter a blank line or try httrack --help
Enter project name :httrackoutput
Base path (return=/home/iicybersecurity/websites/) :cd /Downloads/httrackoutput
```



- After setting the path in linux terminal, type to copy/download.

type <https://webimprints.com>

```
Enter URLs (separated by commas or blank spaces) :webimprints.com
Action:
(enter) 1      Mirror Web Site(s)
           2      Mirror Web Site(s) with Wizard
           3      Just Get Files Indicated
           4      Mirror ALL links in URLs (Multiple Mirror)
           5      Test Links In URLs (Bookmark Test)
           0      Quit
: 1
```


=====OUTPUT SNIP=====

```
Proxy (return=none) :  
You can define wildcards, like: -*.gif +www.*.com/*.zip -*img_*.zip  
Wildcards (return=none) :  
You can define additional options, such as recurse level (-r<number>), sepa  
To see the option list, type help  
Additional options (return=none) :  
≡ > Wizard command line: httrack webimprints.com -O "cd /Downloads/httrac
```

- Website can also be copied using proxy server. You can get proxy by searching **open proxies** on the internet. You can use any search engine.
- Wildcards are used to download specific extensions files.

```
Ready to launch the mirror? (Y/n) :y  
Mirror launched on Sat, 03 Nov 2018 04:14:36 by HTTrack Website Copier/3.49-2 [XR&CO'2014]  
mirroring webimprints.com with the wizard help..  
Done.  
Thanks for using HTTrack!  
*
```


- After the scan is finished go to **cd /root/Downloads/httrackoutput** to download wpscan output.



- In the above image as you can see the folders in which site has mirrored on your computer.
- You can browse the above targeted site in offline mode also.
- You can also use the windows version of the Httrack. The GUI mode of httrack which available [here](#).




- Click on next to enter the details.



- Enter the new project name, project category and the location where you want to mirror the website.



- Enter the **url** of the website as shown in the above image



- If you are getting any error, check your internet connection. In GUI version of Httrack, you can use VPN to mirror the website.
- Click on the **next** to start site mirroring.
- After finishing whole site get mirrored in your computer.

Local Disk <C:>

- SGGetCurrent
- AMD
- FBackup
- Intel
- PerfLogs
- Program Files
- Program Files (x86)
- SWSetup
- system.sav
- Temp
- Users
- vlc-2.2.4
- Windows
- Windows10Upgrade
- #0eScanProtected.docx
- #1eScanProtected.docx
- aow_drv.log

In progress: Parsing HTML file..

Information


Bytes saved:	54,61KB	Links scanned:	2/4 (+2)
Time:	4s	Files written:	3
Transfer rate:	3,21KB/s (5,33KB/s)	Files updated:	0
Active connections:	1	Errors:	0

Actions:

scanning	http://www.ha...site.org/pages	Actions
		SKIP

Back Next Cancel Help

=====OUTPUT SNIP=====



- After the mirroring is finished, you can check the website by visiting the location which you have selected earlier.

A screenshot of the Windows File Explorer showing the contents of "My Web Sites" on "Local Disk (C:)". The table lists the following files:

Name	Date modified	Type	Size
gregrhw	04-11-2018 03:15	File folder	
httrackoutput	04-11-2018 03:08	File folder	
backblue.gif	04-11-2018 03:15	GIF File	5 KB
fade.gif	04-11-2018 03:15	GIF File	1 KB
gregrhw.whit	04-11-2018 03:15	WHTT File	0 KB
httrackoutput.whit	04-11-2018 03:07	WHTT File	0 KB
index.html	04-11-2018 03:15	Chrome HTML Do...	6 KB

- As you can see the website has been mirrored.
- Now you can use the above site for social engineering purpose and other attacks.


(Visited 2,859 times, 4 visits today)

Share this...



BY: ALISA ESAGE / ON: NOVEMBER 15, 2018 / IN: NETWORK TOOLS / TAGGED: CLONE, HTTRACK

LATEST VIDEOS



WHATSSAPP HACKED USING JUST A GIF. UPDATE YOUR APP AS SOON AS POSSIBLE



VULNERABILITY IN CISCO WEBEX AND ZOOM ALLOWS HACKERS TO ACCESS THEIR SESSIONS... AGAIN?



WIBATTACK: THE NEW WAY TO COMPROMISE SIM CARDS

[VIEW ALL](#)

POPULAR POSTS:

-  How to exploit new Facebook feature to access...

A screenshot of a Facebook profile page for Mark Zuckerberg. The post title is "How to exploit new Facebook feature to access...". The post content includes a large image with the text "exploit Facebook Feature" and "access pictures & info without being friend".
-  How to Hack Wi-Fi: Cracking WPA2-PSK Passwords Using...

A background image showing a grid of binary code (0s and 1s) with the word "PASSWORD" highlighted in red.
-  How to fake your phone number: Make it look like...

A hand holding a Sony smartphone displaying an incoming call screen. The screen shows "JUSTIN BIEBER" and the phone number "234-555-6789".



How to intercept mobile communications (calls and...)



How to scan whole Internet 3.7 billion IP addresses...

Список найденных ftp-сайтов	
00001 212.85.101.181	00002 212.85.105.138
00004 83.239.50.182	00005 62.117.111.162
00006 192.168.1.100	00007 223.244.120.220
00010 1-video.utv.ru	00091 ftp.beckhoff.com
00013 212.85.107.44	00014 ftp.ast.cam.ac.uk
00015 212.85.107.49	00016 212.85.107.50
00019 212.85.104.99	00020 ftp.uni-heidelberg.de
00022 ftp.cfrfc.noaa.gov	00023 ftp.ipn.org
00024 212.85.107.45	00024 ftp.cambridgeict.com
00025 ftp.hornet.org	00025 ftp.cs.nott.ac.uk
00031 ftp.webspy.com	00032 89.216.17.31
00033 212.85.101.129	00034 212.85.101.129
00040 ftp.kmmi.nl	00041 ftp.megateams.com
00042 212.85.103.177	00043 212.85.103.177
00046 212.85.107.71	00047 ftp.earthbyte.org
00049 212.85.107.71	00049 ftp.jku.at
00050 192.168.1.100	00051 194.114.132.17
00055 168.144.177.116	00056 192.168.1.100
00056 145.100.100.20	00058 193.15.253.65
00059 192.168.1.100	00060 212.85.99.61
00060 87.126.1	00062 212.85.99.61
	00063 212.85.99.61
	00064 212.85.99.61
	00065 212.85.99.61
	00066 212.85.99.61
	00067 212.85.99.61
	00068 212.85.99.61
	00069 212.85.99.61
	00070 212.85.99.61
	00071 212.85.99.61
	00072 212.85.99.61
	00073 212.85.99.61
	00074 212.85.99.61
	00075 212.85.99.61
	00076 212.85.99.61
	00077 212.85.99.61
	00078 212.85.99.61
	00079 212.85.99.61
	00080 212.85.99.61
	00081 212.85.99.61
	00082 212.85.99.61
	00083 212.85.99.61
	00084 212.85.99.61
	00085 212.85.99.61
	00086 212.85.99.61
	00087 212.85.99.61
	00088 212.85.99.61
	00089 212.85.99.61
	00090 212.85.99.61
	00091 212.85.99.61
	00092 212.85.99.61
	00093 212.85.99.61
	00094 212.85.99.61
	00095 212.85.99.61
	00096 212.85.99.61
	00097 212.85.99.61
	00098 212.85.99.61
	00099 212.85.99.61
	00100 212.85.99.61
	00101 212.85.99.61
	00102 212.85.99.61
	00103 212.85.99.61
	00104 212.85.99.61
	00105 212.85.99.61
	00106 212.85.99.61
	00107 212.85.99.61
	00108 212.85.99.61
	00109 212.85.99.61
	00110 212.85.99.61
	00111 212.85.99.61
	00112 212.85.99.61
	00113 212.85.99.61
	00114 212.85.99.61
	00115 212.85.99.61
	00116 212.85.99.61
	00117 212.85.99.61
	00118 212.85.99.61
	00119 212.85.99.61
	00120 212.85.99.61
	00121 212.85.99.61
	00122 212.85.99.61
	00123 212.85.99.61
	00124 212.85.99.61
	00125 212.85.99.61
	00126 212.85.99.61
	00127 212.85.99.61
	00128 212.85.99.61
	00129 212.85.99.61
	00130 212.85.99.61
	00131 212.85.99.61
	00132 212.85.99.61
	00133 212.85.99.61
	00134 212.85.99.61
	00135 212.85.99.61
	00136 212.85.99.61
	00137 212.85.99.61
	00138 212.85.99.61
	00139 212.85.99.61
	00140 212.85.99.61
	00141 212.85.99.61
	00142 212.85.99.61
	00143 212.85.99.61
	00144 212.85.99.61
	00145 212.85.99.61
	00146 212.85.99.61
	00147 212.85.99.61
	00148 212.85.99.61
	00149 212.85.99.61
	00150 212.85.99.61
	00151 212.85.99.61
	00152 212.85.99.61
	00153 212.85.99.61
	00154 212.85.99.61
	00155 212.85.99.61
	00156 212.85.99.61
	00157 212.85.99.61
	00158 212.85.99.61
	00159 212.85.99.61
	00160 212.85.99.61
	00161 212.85.99.61
	00162 212.85.99.61
	00163 212.85.99.61
	00164 212.85.99.61
	00165 212.85.99.61
	00166 212.85.99.61
	00167 212.85.99.61
	00168 212.85.99.61
	00169 212.85.99.61
	00170 212.85.99.61
	00171 212.85.99.61
	00172 212.85.99.61
	00173 212.85.99.61
	00174 212.85.99.61
	00175 212.85.99.61
	00176 212.85.99.61
	00177 212.85.99.61
	00178 212.85.99.61
	00179 212.85.99.61
	00180 212.85.99.61
	00181 212.85.99.61
	00182 212.85.99.61
	00183 212.85.99.61
	00184 212.85.99.61
	00185 212.85.99.61
	00186 212.85.99.61
	00187 212.85.99.61
	00188 212.85.99.61
	00189 212.85.99.61
	00190 212.85.99.61
	00191 212.85.99.61
	00192 212.85.99.61
	00193 212.85.99.61
	00194 212.85.99.61
	00195 212.85.99.61
	00196 212.85.99.61
	00197 212.85.99.61
	00198 212.85.99.61
	00199 212.85.99.61
	00200 212.85.99.61
	00201 212.85.99.61
	00202 212.85.99.61
	00203 212.85.99.61
	00204 212.85.99.61
	00205 212.85.99.61
	00206 212.85.99.61
	00207 212.85.99.61
	00208 212.85.99.61
	00209 212.85.99.61
	00210 212.85.99.61
	00211 212.85.99.61
	00212 212.85.99.61
	00213 212.85.99.61
	00214 212.85.99.61
	00215 212.85.99.61
	00216 212.85.99.61
	00217 212.85.99.61
	00218 212.85.99.61
	00219 212.85.99.61
	00220 212.85.99.61
	00221 212.85.99.61
	00222 212.85.99.61
	00223 212.85.99.61
	00224 212.85.99.61
	00225 212.85.99.61
	00226 212.85.99.61
	00227 212.85.99.61
	00228 212.85.99.61
	00229 212.85.99.61
	00230 212.85.99.61
	00231 212.85.99.61
	00232 212.85.99.61
	00233 212.85.99.61
	00234 212.85.99.61
	00235 212.85.99.61
	00236 212.85.99.61
	00237 212.85.99.61
	00238 212.85.99.61
	00239 212.85.99.61
	00240 212.85.99.61
	00241 212.85.99.61
	00242 212.85.99.61
	00243 212.85.99.61
	00244 212.85.99.61
	00245 212.85.99.61
	00246 212.85.99.61
	00247 212.85.99.61
	00248 212.85.99.61
	00249 212.85.99.61
	00250 212.85.99.61
	00251 212.85.99.61
	00252 212.85.99.61
	00253 212.85.99.61
	00254 212.85.99.61
	00255 212.85.99.61
	00256 212.85.99.61
	00257 212.85.99.61
	00258 212.85.99.61
	00259 212.85.99.61
	00260 212.85.99.61
	00261 212.85.99.61
	00262 212.85.99.61
	00263 212.85.99.61
	00264 212.85.99.61
	00265 212.85.99.61
	00266 212.85.99.61
	00267 212.85.99.61
	00268 212.85.99.61
	00269 212.85.99.61
	00270 212.85.99.61
	00271 212.85.99.61
	00272 212.85.99.61
	00273 212.85.99.61
	00274 212.85.99.61
	00275 212.85.99.61
	00276 212.85.99.61
	00277 212.85.99.61
	00278 212.85.99.61
	00279 212.85.99.61
	00280 212.85.99.61
	00281 212.85.99.61
	00282 212.85.99.61
	00283 212.85.99.61
	00284 212.85.99.61
	00285 212.85.99.61
	00286 212.85.99.61
	00287 212.85.99.61
	00288 212.85.99.61
	00289 212.85.99.61
	00290 212.85.99.61
	00291 212.85.99.61
	00292 212.85.99.61
	00293 212.85.99.61
	00294 212.85.99.61
	00295 212.85.99.61
	00296 212.85.99.61
	00297 212.85.99.61
	00298 212.85.99.61
	00299 212.85.99.61
	00300 212.85.99.61
	00301 212.85.99.61
	00302 212.85.99.61
	00303 212.85.99.61
	00304 212.85.99.61
	00305 212.85.99.61
	00306 212.85.99.61
	00307 212.85.99.61
	00308 212.85.99.61
	00309 212.85.99.61
	00310 212.85.99.61
	00311 212.85.99.61
	00312 212.85.99.61
	00313 212.85.99.61
	00314 212.85.99.61
	00315 212.85.99.61
	00316 212.85.99.61
	00317 212.85.99.61
	00318 212.85.99.61
	00319 212.85.99.61
	00320 212.85.99.61
	00321 212.85.99.61
	00322 212.85.99.61
	00323 212.85.99.61
	00324 212.85.99.61
	00325 212.85.99.61
	00326 212.85.99.61
	00327 212.85.99.61
	00328 212.85.99.61
	00329 212.85.99.61
	00330 212.85.99.61
	00331 212.85.99.61
	00332 212.85.99.61
	00333 212.85.99.61
	00334 212.85.99.61
	00335 212.85.99.61
	00336 212.85.99.61
	00337 212.85.99.61
	00338 212.85.99.61
	00339 212.85.99.61
	00340 212.85.99.61
	00341 212.85.99.61
	00342 212.85.99.61
	00343 212.85.99.61
	00344 212.85.99.61
	00345 212.85.99.61
	00346 212.85.99.61
	00347 212.85.99.61
	00348 212.85.99.61
	00349 212.85.99.61
	00350 212.85.99.61
	00351 212.85.99.61
	00352 212.85.99.61
	00353 212.85.99.61
	00354 212.85.99.61
	00355 212.85.99.61
	00356 212.85.99.61
	00357 212.85.99.61
	00358 212.85.99.61
	00359 212.85.99.61
	00360 212.85.99.61
	00361 212.85.99.61
	00362 212.85.99.61
	00363 212.85.99.61
	00364 212.85.99.61
	00365 212.85.99.61
	00366 212.85.99.61
	00367 212.85.99.61
	00368 212.85.99.61
	00369 212.85.99.61
	00370 212.85.99.61
	00371 212.85.99.61
	00372 212.85.99.61
	00373 212.85.99.61

- CREATE YOUR OWN WORDLIST WITH CRUNCH

CRUNCH



PASSWORD CRACKING

Crack Windows password with john the ripper

- user@debian:~\$ sudo -l
Matching Defaults entries for user on this host:
 env_reset, env_keep+=LD_PRELOAD

User user may run the following commands on this host:
 (root) NOPASSWD: /bin/echo
 (root) NOPASSWD: /usr/bin/find
 (root) NOPASSWD: /usr/bin/nano
 (root) NOPASSWD: /usr/bin/vim
 (root) NOPASSWD: /usr/bin/man
 (root) NOPASSWD: /usr/bin/awk
 (root) NOPASSWD: /usr/bin/less
 (root) NOPASSWD: /usr/bin/ftp
 (root) NOPASSWD: /usr/bin/nmap
 (root) NOPASSWD: /usr/sbin/apache2
 (root) NOPASSWD: /bin/more
 (root) NOPASSWD: /usr/bin/wget
user@debian:~\$ █



How to Connect Android to PC/Mac Without WiFi


Do Hacking with Simple Python Script

Fake any website in seconds Facebook, Snapchat, Instagram :-

Find Webcams, Databases, Boats in the sea using Shodan

FAT RAT


Hack Windows, Android, Mac using TheFatRat (Step by...



Hack any website with All in One Tool

Create your own BotNet (Step By Step tutorial)





Maserano Bachir - Dev-labs

Evil-Droid Framework v0.3
Hack & Remote android platform

- [1] APK MSF
- [2] BACKDOOR APK ORIGINAL (OLD)
- [3] BACKDOOR APK ORIGINAL (NEW)
- [4] BYPASS AV APK (ICON CHANGE)
- [5] START LISTENER
- [c] CLEAN
- [q] QUIT
- [?] Select>: █

Bypass antivirus detection With Phantom Payloads





List of credit cards, proxies on Deep Web

• on Windows PowerShell

Extracting Hashes & Plaintext Passwords from Windows 10

```
PS C:\Windows\system32> .\Windows-Hash-Extractor.ps1 -ComputerName 192.168.1.10 -Administrator
```

The screenshot shows a Windows PowerShell window with the following text:

```
PS C:\Windows\system32> .\Windows-Hash-Extractor.ps1 -ComputerName 192.168.1.10 -Administrator
```

Administrator: The command is run with administrative rights on the computer.

PS C:\Windows\system32> Remote computer or local a dump file? 1

Administrator: The user and group (Administrator) has been added to the local users and groups for the specified computer. The local users and groups file has been created on the local computer.

PS C:\Windows\system32> 1

RECON-NG



recon-ng – Good tool for Information Gathering

• 2017 Edition




Best Hacking Tools Of 2017 For Windows, Linux, And OS X



CRITICAL VULNERABILITY IN CYBEROAM FIREWALL, BY SOPHOS: PATCH NOW AVAILABLE



MILLIONS OF HP LAPTOPS AND DESKTOPS ARE EASY TARGETS FOR HACKERS: NEW VULNERABILITIES ARE REPORTED



CRITICAL ITUNES VULNERABILITY EXPLOITED BY RANSOMWARE. UPDATE NOW



CRITICAL VULNERABILITY FOUND IN JOOMLA! UPDATE AS SOON AS POSSIBLE



PALO ALTO, FORTINET AND PULSE SECURE VPNS ARE VULNERABLE TO ATTACKS: NSA



CRITICAL FOXIT PDF READER VULNERABILITIES: UPDATE AS SOON AS POSSIBLE



PIXEL, HUAWEI, XIAOMI, OPPO, MOTOROLA AND SAMSUNG SMARTPHONES ARE EASILY HACKABLE; UPDATE ASAP. FULL LIST HERE



EXPERTS FOUND CRITICAL VULNERABILITY IN AIRCRAFT OPERATING SYSTEMS



VULNERABILITY IN CISCO WEBEX AND ZOOM ALLOWS HACKERS TO ACCESS THEIR SESSIONS... AGAIN?



CRITICAL VULNERABILITY AFFECTING CLOUD SERVERS: THOUSANDS OF SERVERS INFECTED



CRITICAL ROOT ACCESS VULNERABILITY ON CISCO DEVICES ALERT! PATCH IMMEDIATELY



ZERO-DAY VULNERABILITY IN VBULLETIN EXPLOITED BY HACKERS; THOUSANDS OF WEBSITES AFFECTED



XSRF VULNERABILITY IN PHPMYADMIN; THERE IS NO PATCH TO FIX THIS FLAW SO FAR



ALMOST EVERY CISCO DEVICE IS VULNERABLE TO DOS ATTACKS; FIX NOW USING THIS PATCH



SECURE YOUR D-LINK & COMBA ROUTERS' PASSWORDS; CRITICAL VULNERABILITY FOUND



EXPERTS FOUND NEW CRITICAL VULNERABILITIES AFFECTING INTEL CPUS



VIEW ALL

TUTORIALS



MR. ROBOT 1 – CAPTURE THE FLAG CHALLENGE, WALK THROUGH



CYBERCRIMES SEXTORTION & REVENGEPORN, WHAT TO DO IF IT HAPPENS TO YOU?



HACK WIFI WITHOUT ROOTING ANDROID DEVICES



20 WAYS OF DOING SOCIAL PROTEST WITHOUT EXPOSING YOUR IDENTITY, JUST LIKE IN CHINA



FAKE TEXT MESSAGE ATTACK. HOW PRANK OR HACK YOUR FRIENDS WITH FAKE SMS BOMBER



SPOOFING CALLS, MAKE IT LOOK LIKE SOMEONE ELSE IS CALLING



Google Hacking

HACK WEBSITE USING GOOGLE HACKING OR GOOGLE DORKING – PART I



CRACK ANY WIFI PASSWORD WITH WIFIBOOT




4 BROWSERS FOR SAFE ANONYMOUS SURFING



HOW TO CHECK IF SOMEONE IS SPYING ON YOUR MOBILE



BEST ANDROID APPS TO HACK WIFI NETWORKS



HACK YOUR FRIENDS FACEBOOK ACCOUNT USING HIDDEN EYE



ANDROID MOBILE HACKS WITH ANDROID DEBUG BRIDGE(ADB) – PART II

ANDROID MOBILE HACKS WITH ANDROID DEBUG BRIDGE(ADB) – PART I

ALL-NEW WINDOWS EXPLOIT SUGGESTER IS HERE, WES-NG

ALL-NEW APP STORE FOR HACKERS, KALI NETHUNTER

TURN ANY ANDROID DEVICE INTO AN PENTESTING DEVICE

8 METHODS FOR BYPASSING SURVEILLANCE CAMERAS AND FACIAL RECOGNITION SOFTWARE

[VIEW ALL](#)



PAYING THE RANSOM OF A CYBERATTACK IS NOW LEGAL: FBI



ONTARIO GOVERNMENT HAD TO PAY HACKERS A \$75K USD RANSOM



DOWNLOAD THE FREE DECRYPTOR FOR YATRON, FORTUNECRYPT AND WANNACRYFAKE RANSOMWARE VARIANTS



MICROSOFT BANNED CCLEANER



A CALIFORNIA CITY SHUTS DOWN ALL OPERATIONS DUE TO VIRUS ATTACKS ON ITS GOVERNMENT SYSTEMS



CRITICAL PATCH UPDATE FOR IE & WINDOWS DEFENDER UPDATE IMMEDIATELY !




FACEBOOK SUSPENDED THOUSAND OF APPS



UNINSTALL THESE ANDROID BEAUTY APPS RIGHT NOW !



MASSACHUSETTS TO PAY \$400K USD TO HACKERS DUE TO RANSOMWARE ATTACK



HOW CAPTCHA IS BEING USED TO BYPASS ANTI MALWARE SECURITY SCANS AND FIREWALLS



JOKER: THE MALWARE THAT HACKS SMS MESSAGES INFECTS 500K USERS OF THESE 24 ANDROID APPS



VIRUSTOTAL uploaded 11 malware related to Lazarus group




LILU, THE RECENTLY DISCOVERED AND DANGEROUS RANSOMWARE VARIANT



THE SCHOOL KID WHO HACKED OVER A MILLION IOT DEVICES



IDAHO SCHOOLS UNDER RANSOMWARE ATTACK. WILL RANSOMWARE MAKE AMERICA GREAT AGAIN?



STOP PROGRAMMING IN RUBY, APPLICATIONS USING RUBY LIBRARIES HAVE A BACKDOOR



YOU WANT TO MAKE MILLIONS IN FORTNITE? THIS VIDEOGAME HACKING TOOL IS A RANSOMWARE

[VIEW ALL](#)

CYBER SECURITY CHANNEL




VULNERABILITY IN CISCO WEBEX AND ZOOM ALLOWS HACKERS TO ACCESS THEIR SESSIONS... AGAIN?



WIBATTACK: THE NEW WAY TO COMPROMISE SIM CARDS



GAMING COMPANY ZYNGA INC. BECOMES A VICTIM OF HACKERS; 218 MILLION PLAYERS AFFECTED



CRITICAL PATCH UPDATE FOR IE & WINDOWS DEFENDER UPDATE IMMEDIATELY !



FACEBOOK SUSPENDED THOUSAND OF APPS

