



Skipfish – Web Application Security Scanner for XSS, SQL Injection, Shell injection

By **GURUBARAN S** - June 4, 2018

P 0



Free Cloud Linux VPS



Skipfish

Newsletter

Skipfish is an active web application security reconnaissance tool. It prepares an interactive sitemap for the targeted site by carrying out a recursive crawl and dictionary-based probes.

The resulting map is then annotated with the output from a number of active (but hopefully non-disruptive) security checks. The final report generated by the tool is meant to serve as a foundation for professional **web application security** assessments.

Main Feature

Signup to get Hacking News & Tutorials to your Inbox

Name	
Email *	
Subscribe	

Most Popular



Rubella Macro Builder – A Malware Development Crimeware Kit Selling in...

April 30, 2018



Android Spyware & Banking Trojan Attack via DNS Spoofing that Poses...

April 20, 2018

3 Dangerous Ransomware Families

- 500+ against Internet targets, 2000+ requests per second on LAN / MAN networks, and 7000+ requests against local instances.
- Automatic word list construction based on site content analysis.
- Heuristic recognition of obscure path and query-based parameter handling schemes.
- Snort style content signatures which will highlight server errors, information leaks or potentially dangerous web applications.
- Bundled security checks are designed to handle tricky scenarios: Stored XSS (path, parameters, headers), blind SQL or XML injection, or blind shell injection.

Also Read: Commix - Automated All-in-One OS
Command Injection and Exploitation Tool

To Run this Web application security scanner

Step1: To get all the parameters of type **skipfish** -h

root@kali:~# skipfish -h



Author Arrested in Poland and Seized the...

March 19, 2018



Chrome 63 comes with more Stability, Security Enhancements, and Site Isolation

December 7, 2017



Hidden Cryptocurrency Miner Coinhive's Rapid Growth and it's Prevention Techniques

November 18, 2017

Recommended



4 Cybersecurity Risks We willl Face With New WhatsApp Status...



5 Methods to Secure Your Company's Data from Cybercriminals





```
root@kali: ~
File Edit View Search Terminal Help
      ali:~# skipfish -h
skipfish web application scanner - version 2.10b
Usage: skipfish [ options ... ] -W wordlist -o output dir start url [ start url2
Authentication and access options:
  -A user:pass
                   - use specified HTTP authentication credentials
  -F host=IP
                   - pretend that 'host' resolves to 'IP'
  -C name=val
                   - append a custom cookie to all requests
 -H name=val
                  - append a custom HTTP header to all requests
  -b (i|f|p)
                   - use headers consistent with MSIE / Firefox / iPhone
                   - do not accept any new cookies
  --auth-form url - form authentication URL
  --auth-user user - form authentication user
  --auth-pass pass - form authentication password
  --auth-verify-url - URL for in-session detection
Crawl scope options:
  -d max depth
                  - maximum crawl tree depth (16)
                  - maximum children to index per node (512)
  -c max child
  -x max desc
                  - maximum descendants to index per branch (8192)
  -r r limit

    max total number of requests to send (100000000)
```

Step2: To scan the target and to write the output in the directory.

root@kali:~# skipfish -d -o 202 http://192.168.169.130/

A perfect way to Start and Strengthen your Cyber Security Career Adobe & Microsoft released New Critical Security updates for software...



Advanced ATM Penetration Testing Methods



All that You Should Know About Bitcoins and How Does Bitcoin...



An Important
Protection
Approach to
Tackle Internet
Security Issues at
Work



Android Application Penetration Testing – Part 1



Android Application



Android Application

```
root@kali: ~
File Edit View Search Terminal Help
skipfish version 2.10b by lcamtuf@google.comn, 12316 kB out (94.0 kB/s)
skipfish version 2.10b by lcamtuf@google.comn, 12324 kB out (93.4 kB/s)
 - 192.168.169.130 -1:05.406/s), 48709 kB in, 12330 kB out (92.7 kB/s)
  - 192.168.169.130 -1:10.072/s), 48728 kB in, 12334 kB out (91.8 kB/s)
Scan statistics:: 0:11:14.116/s), 48758 kB in, 12341 kB out (91.2 kB/s)
Scan statistics:: 0:11:18.320/s), 48793 kB in, 12349 kB out (90.7 kB/s)
      Scan time: 0:11:23.696/s), 48826 kB in, 12357 kB out (90.2 kB/s)
                 0:11:24.550/s), 48854 kB in, 12364 kB out (89.5 kB/s)
                 59839 (87.6/s), 48862 kB in, 12366 kB out (89.4 kB/s) 1 val
                 28618 kB in, 129029 kB out (63.7% gain)
                                                            0 dropsr, 381 val
                 247 net errors, 0 proto errors, 0 retried, 0 dropsr, 381 val
                 838 total (72.6 reg/conn) purgedict
                                                          kn, 46 par, 381 val
                 0 failures, 247 timeouts, 1 purgedict
                                                          kn, 46 par, 381 val
                 5603 skipped79 done (97.38%)
                                                           kn, 46 par, 381 val
                                                   dict
                                                           kn, 46 par, 381 val
  Regs pending: 1030
                              79 done (97.38%)
                                                   dict
Database statistics:0 total, 779 done (97.38%)
                                                   dict
                                                           kn, 46 par, 381 val
Database statistics:0 total, 779 done (97.38%)
                                                  dict
                                                           kn, 46 par, 381 val
                 800 total, 779 done (97.38%)
                                                           kn, 46 par, 381 val
                                                   dict
                 800 total, 779 done (97.38%)
                                                   dict
                                                          kn, 46 par, 381 val
                 10 pending, 3 init, 1 attacks, 7 dict
                                                          kn, 46 par, 381 val
                 41 spotted dir, 276 file, 37 pinfo, 36 unkn, 46 par, 381 val
    Node types : 1 serv, 23 dir, 276 file, 37 pinfo, 36 unkn, 46 par, 381 val
  Issues found: 580 info, 7 warn, 2 low, 468 medium, 13 high impact
     Dict size: 151 words (151 new), 5 extensions, 256 candidates
```

It will go on scanning through every request, external/Internal links and statistics.

Penetration Testing – Part 8 Penetration Testing – Part 9



Android Application Penetration Testing – Part 10



Android
Application
Penetration
Testing – Part 11 –
Android Checklist



Android Android Application Application



Android
Application
Penetration
Testing – Part 5



Testing – Part 12

Penetration

Android Application Penetration Testing Part – 4



Android Application Penetration Testing Part 2





```
root@kali: ~
File Edit View Search Terminal Help
skipfish version 2.10b by lcamtuf@google.comn, 12316 kB out (94.0 kB/s) 1 val
skipfish version 2.10b by lcamtuf@google.comn, 12324 kB out (93.4 kB/s) 1 val
 - 192.168.169.130 -1:05.406/s), 48709 kB in, 12330 kB out (92.7 kB/s) 1 val
  - 192.168.169.130 -1:10.072/s), 48728 kB in, 12334 kB out (91.8 kB/s) 1 val
Scan statistics: 0:11:14.116/s), 48758 kB in, 12341 kB out (91.2 kB/s) 1 val
Scan statistics: 0:11:18.320/s), 48793 kB in, 12349 kB out (90.7 kB/s) 1 val
      Scan time: 0:11:23.696/s), 48826 kB in, 12357 kB out (90.2 kB/s) 1 val
      Scan time: 0:11:24.550/s), 48854 kB in, 12364 kB out (89.5 kB/s) 1 val
  HTTP requests: 59839 (87.6/s), 48862 kB in, 12366 kB out (89.4 kB/s) 1 val
   Compression: 28618 kB in, 129029 kB out (63.7% gain) 0 dropsr, 381 val
   HTTP faults: 247 net errors, 0 proto errors, 0 retried, 0 dropsr, 381 val
 TCP handshakes : 838 total (72.6 req/conn) purgedict kn, 46 par, 381 val TCP faults : 0 failures, 247 timeouts, 1 purgedict kn, 46 par, 381 val
 External links : 5603 skipped79 done (97.38%)
                                                            kn, 46 par, 381 val
                                                   dict
                              79 done (97.38%)
                                                            kn, 46 par, 381 val
  Regs pending: 1030
                                                    dict
                                                            kn, 46 par, 381 val
Database statistics:0 total, 779 done (97.38%)
                                                   dict
Database statistics:0 total, 779 done (97.38%)
                                                   dict
                                                            kn, 46 par, 381 val
         Pivots: 800 total, 779 done (97.38%)
                                                            kn, 46 par, 381 val
                                                   dict
        Pivots: 800 total, 779 done (97.38%)
                                                   dict
                                                            kn, 46 par, 381 val
   In progress: 10 pending, 3 init, 1 attacks, 7 dict
                                                            kn, 46 par, 381 val
  Missing nodes: 41 spotted dir, 276 file, 37 pinfo, 36 unkn, 46 par, 381 val
    Node types : 1 serv, 23 dir, 276 file, 37 pinfo, 36 unkn, 46 par, 381 val
  Issues found: 580 info, 7 warn, 2 low, 468 medium, 13 high impact
     Dict size: 151 words (151 new), 5 extensions, 256 candidates
```

Android Application Penetration testing Part 3 Android Application Penetration Testing Part 6



API Groups cyber Allack to Hac Warious commanies web Servei Cyber Attack

Android Application Penetration Testing- Part 7

APT Group Cyber Attack to Hack Various Companies Web Servers Using...

Crawl results - click to expand:

Once the scan completed it will create a professional web application security assessments.



Output consist of various sections such as document type and Issue type overview.

| Sile inclusion (4) | 1. http://192.168.169.130/dirtrav/example1.php?file=/.J./.J.J.J.J.Jetc/hosts[show trace+] | Monte: The inclusions was discussed. | 2. http://192.168.169.130/dirtrav/example1.php?file=/.J.J.J.J.J.J.detc/passwd [show trace+] | Monte: The inclusions was discussed. | 3. http://192.168.169.130/dirtrav/example1.php?file=/.J.J.J.J.J.J.J.detc/passwd [show trace+] | Monte: The inclusions was discussed. | 4. http://192.168.169.130/dirtrav | Monte: The inclusions was discussed. | 4. http://192.168.169.130/dirtrav | Monte: The inclusion was discussed. | 4. http://192.168.169.130/dirtrav | Monte: The inclusion was discussed. | 9. Query injection vector (8) | 9. Shell injection vector (9) | 9. Signature match detected (higher risk) (2) | 0. Directory traversal / file inclusion possible (2) | 1. Interesting server message (66) | 1. Interesting file (2)

For scanning Wildcard domains

A Incorrect or missing charact (higher right)

root@kali:~# skipfish -D .192.168.169.130 -o output-dir1 http://192.168.169.130/

You need to customize your HTTP requests when **scanning big sites**.

- -H To insert any additional, non-standard headers.
- -F To define a custom mapping between a host and an IP.
- -d Limits crawl depth to a specified number of subdirectories.
- -c Limits the number of children per directory.
- -x Limits the total number of descendants per crawl tree branch.
- -r Limits the total number of requests to send in a scan.

skipfish also provides the summary overviews of document types and issue types found, and an interactive sitemap, with nodes discovered through brute-force, denoted in a distinctive way.

Need to specify -e to avoid binary responses for reporting.

• Author: Google Inc, Michal Zalewski, Niels Heinen, Sebastian Roschke

• License: Apache-2.0

Also Read

- Masscan-Worlds fastest scanner.
- Cracking WPA/WPA2 passwords with Fluxion.

Share and Support Us:

















GURUBARAN S



http://gbhackers.com

Gurubaran is a PKI Security Engineer. Certified Ethical Hacker, Penetration Tester, Security blogger, Co-Founder & Author of GBHackers On Security.









RELATED ARTICLES

MORE FROM AUTHOR



Penetration Testing with your WordPress Website-Detailed Explanation



Most Important Web Server Penetration Testing Checklist



XSSer – Automated Framework Tool to Detect and Exploit XSS vulnerabilities



Most Important Web Application Security Tools & Resources for Hackers and Security Professionals



Web Application Firewall Detection using Kali Linux- WAFW00F



OWASP TOP 10 - 2017 Released After Four years - Critical Web Application Security Risks





Be the first to comment.



ABOUT US

GBHackers on Security is Advanced
Persistent Cyber Security Online platform
which including Cyber Security
Research,Web Application and Network
Penetration Testing, Hacking Tutorials,Live
Security Updates, Technology updates,
Security investigations With dedicated Cyber
security Expert Team and help to

Contact us: admin@gbhackers.com

community more secure.

FOLLOW US



Iome TECH NEWS Infosec- Resources OWASP – Top 10 Privacy Policy Contact Us

© GBHackers on Security 2016 - 2018. All Rights Reserved